

```
-----
log: release2_0.log
log type: text
opened on: 27 Jan 2009, 14:38:13
```

```
. codebook
no observations
r(2000);
```

```
. set mem 500m
```

```
Current memory allocation
```

settable	current value	description	memory usage (1M = 1024k)
set maxvar	5000	max. variables allowed	2.067M
set memory	500M	max. data space	500.000M
set matsize	400	max. RHS vars in models	1.254M
			-----
			503.321M

```
. use "release2_0.dta"
```

```
. codebook
```

```
-----
date date of interview
-----
```

```
type: numeric daily date (long)
range: [15016,1112476] units: 1
or equivalently: [10feb2001,09nov5005] units: days
unique values: 1227 missing .: 6/15022

mean: 16659.4 = 11aug2005 (+ 10 hours)
std. dev: 8988.5

percentiles: 10% 25% 50% 75% 90%
16170 16345 16541 16819 17021
09apr2004 01oct2004 15apr2005 18jan2006 08aug2006
```

```
-----
interid interviewer id
-----
```

```
type: numeric (byte)
range: [1,96] units: 1
unique values: 40 missing .: 26/15022

mean: 11.6674
std. dev: 9.348

percentiles: 10% 25% 50% 75% 90%
2 4 10 17 24
```

```
-----
houseid household id
-----
```

```
type: numeric (int)
range: [1,10715] units: 1
unique values: 6600 missing .: 0/15022

mean: 3198.53
std. dev: 3126.12

percentiles: 10% 25% 50% 75% 90%
255 640 1991.5 5118 9038
```

-----  
particid participant id  
-----

type: numeric (byte)  
range: [1,9] units: 1  
unique values: 9 missing .: 0/15022

tabulation: Freq. Value  
12076 1  
2810 2  
121 3  
7 4  
4 5  
1 6  
1 7  
1 8  
1 9

-----  
gender gender with data on cases missing in psexre. psexre miscodes recoded  
-----

type: numeric (byte)  
label: gender  
range: [1,2] units: 1  
unique values: 2 missing .: 50/15022

tabulation: Freq. Numeric Label  
9248 1 female  
5724 2 male  
50 .

-----  
carerage age of informant  
-----

type: numeric (byte)  
range: [11,98] units: 1  
unique values: 88 missing .: 52/15022

mean: 51.4173  
std. dev: 17.2841  
percentiles: 10% 25% 50% 75% 90%  
29 38 50 66 74

-----  
carersex gender of informant  
-----

type: numeric (byte)  
label: carersex  
range: [1,2] units: 1  
unique values: 2 missing .: 60/15022

tabulation: Freq. Numeric Label  
10377 1 f  
4585 2 m  
60 .

-----  
carerrel rel. of informant to participant  
-----

type: numeric (byte)  
label: carerrel  
range: [1,8] units: 1  
unique values: 8 missing .: 59/15022

tabulation:	Freq.	Numeric	Label
	4440	1	spouse
	5797	2	child
	1208	3	son or d-in-law
	547	4	sibling
	1604	5	other rel
	552	6	friend
	502	7	neighbour
	313	8	other
	59	.	

-----  
carelive co-resident informant?  
-----

type: numeric (byte)  
label: carelive  
range: [0,1] units: 1  
unique values: 2 missing .: 50/15022

tabulation:	Freq.	Numeric	Label
	2984	0	not co-resident
	11988	1	co-resident
	50	.	

-----  
caremar informant marital status  
-----

type: numeric (byte)  
label: caremar  
range: [1,4] units: 1  
unique values: 4 missing .: 530/15022

tabulation:	Freq.	Numeric	Label
	1903	1	never married
	10195	2	currently married
	1714	3	separated or divorced
	680	4	widowed
	530	.	

-----  
careeduc informant educational level  
-----

type: numeric (byte)  
label: careeduc  
range: [1,5] units: 1  
unique values: 5 missing .: 67/15022

tabulation:	Freq.	Numeric	Label
	1194	1	none
	1673	2	minimal
	3383	3	completed primary
	5371	4	completed secondary
	3334	5	completed tertiary
	67	.	

-----  
cjob informant employment status  
-----

type: numeric (byte)  
label: cjob  
range: [1,6] units: 1  
unique values: 6 missing .: 163/15022

tabulation:	Freq.	Numeric	Label
	3669	1	paid full-time employment
	1533	2	paid part-time employment
	1309	3	unemployed (looking for work)
	440	4	student
	4806	5	housewife/ husband (full-time)
	3102	6	retired
	163	.	

-----  
cjobcat informant job type  
-----

type: numeric (byte)  
label: cjobcat  
range: [1,9] units: 1  
unique values: 9 missing .: 9794/15022

tabulation:	Freq.	Numeric	Label
	237	1	manager
	1119	2	professional
	704	3	associate professional
	437	4	clerical
	366	5	shop keeper
	489	6	skilled labourer
	369	7	semi-skilled labourer
	649	8	unskilled labourer
	858	9	agricultural worker
	9794	.	

-----  
cbntype1 informant income/benefit type 1  
-----

type: numeric (byte)  
label: cbntype1  
range: [1,9] units: 1  
unique values: 9 missing .: 320/15022

tabulation:	Freq.	Numeric	Label
	1497	1	government pension
	2208	2	occupational pension
	110	3	disability pension
	2672	4	money from family
	644	5	income from rent
	3593	6	income from paid work
	314	7	caregiver benefit
	271	8	other
	3393	9	no further benefits to code
	320	.	

-----  
cben1 informant income/ benefit amount 1  
-----

type: numeric (long)  
range: [3,240000] units: 1  
unique values: 574 missing .: 4164/15022

mean: 1273.53  
std. dev: 3680.14

percentiles:	10%	25%	50%	75%	90%
	100	198	432	1300	3000

-----  
cbntype2 informant income/ benefit type 2  
-----

type: numeric (byte)  
label: cbntype2  
range: [1,9] units: 1  
unique values: 9 missing .: 5877/15022

tabulation:	Freq.	Numeric	Label
	118	1	government pension
	82	2	occupational pension
	1	3	disability pension
	353	4	money from family
	76	5	income from rent
	131	6	income from paid work
	36	7	caregiver benefit
	24	8	other
	8324	9	no further benefits to code
	5877	.	.

-----  
cben2 informant income/ benefit amount 2  
-----

type: numeric (int)  
range: [1,20000] units: 1  
unique values: 144 missing .: 14214/15022

mean: 1059.65  
std. dev: 1705.5  
percentiles: 10% 25% 50% 75% 90%  
100 200 500 1200 2500

-----  
cbntype3 informant income/ benefit type 3  
-----

type: numeric (byte)  
label: cbntype3  
range: [1,9] units: 1  
unique values: 9 missing .: 14365/15022

tabulation:	Freq.	Numeric	Label
	5	1	government pension
	1	2	occupational pension
	1	3	disability pension
	21	4	money from family
	10	5	income from rent
	8	6	income from paid work
	2	7	caregiver benefit
	1	8	other
	608	9	no further benefits to code
	14365	.	.

-----  
cben3 informant income/ benefit amount 3  
-----

type: numeric (int)  
range: [8,30000] units: 1  
unique values: 24 missing .: 14975/15022

mean: 3321.94  
std. dev: 4941.99  
percentiles: 10% 25% 50% 75% 90%  
80 150 1500 5000 8500

-----  
cbntype4 informant income/ benefit type 4  
-----

type: numeric (byte)  
label: cbntype4  
range: [1,9] units: 1  
unique values: 5 missing .: 14985/15022

tabulation:	Freq.	Numeric	Label
	2	1	government pension
	7	4	money from family
	2	5	income from rent
	1	6	income from paid work
	25	9	no further benefits to code
	14985	.	

-----  
cben4 informant income/ benefit amount 4  
-----

type: numeric (int)  
range: [100,8000] units: 10  
unique values: 7 missing .: 15011/15022

tabulation:	Freq.	Value
	1	100
	4	600
	1	3000
	1	5000
	1	6000
	2	6250
	1	8000
	15011	.

-----  
aml time spent with participant yesterday am  
-----

type: numeric (byte)  
label: aml  
range: [0,2] units: 1  
unique values: 3 missing .: 57/15022

tabulation:	Freq.	Numeric	Label
	2932	0	none of the time
	5004	1	part of the time
	7029	2	all of the time
	57	.	

-----  
pml time spent with participant yesterday pm  
-----

type: numeric (byte)  
label: pml  
range: [0,2] units: 1  
unique values: 3 missing .: 54/15022

tabulation:	Freq.	Numeric	Label
	3702	0	none of the time
	4544	1	part of the time
	6722	2	all of the time
	54	.	

-----  
evel time spent with participant yesterday eve  
-----

type: numeric (byte)  
label: evel  
range: [0,2] units: 1  
unique values: 3 missing .: 50/15022

tabulation:	Freq.	Numeric	Label
	2338	0	none of the time
	3840	1	part of the time
	8794	2	all of the time
	50	.	

-----  
nitel time spent with participant yesterday night  
-----

type: numeric (byte)  
label: nitel  
range: [0,2] units: 1  
unique values: 3 missing .: 64/15022

tabulation:	Freq.	Numeric	Label
	3532	0	none of the time
	1995	1	part of the time
	9431	2	all of the time
	64	.	

-----  
am2 time spent with participant today am  
-----

type: numeric (byte)  
label: am2  
range: [0,2] units: 1  
unique values: 3 missing .: 62/15022

tabulation:	Freq.	Numeric	Label
	2893	0	none of the time
	4964	1	part of the time
	7103	2	all of the time
	62	.	

-----  
pm2 time spent with participant today pm  
-----

type: numeric (byte)  
label: pm2  
range: [0,2] units: 1  
unique values: 3 missing .: 62/15022

tabulation:	Freq.	Numeric	Label
	3601	0	none of the time
	4463	1	part of the time
	6896	2	all of the time
	62	.	

-----  
eve2 time spent with participant today eve  
-----

type: numeric (byte)  
label: eve2  
range: [0,2] units: 1  
unique values: 3 missing .: 55/15022

tabulation:	Freq.	Numeric	Label
	2364	0	none of the time
	3765	1	part of the time
	8838	2	all of the time
	55	.	

-----  
nite2 time spent with participant today night  
-----

type: numeric (byte)  
label: nite2  
range: [0,2] units: 1  
unique values: 3 missing .: 70/15022

tabulation:	Freq.	Numeric	Label
	3594	0	none of the time
	1947	1	part of the time
	9411	2	all of the time
	70	.	

-----  
srq1 srq 1 - headaches  
-----

type: numeric (byte)  
label: srq1  
range: [0,1] units: 1  
unique values: 2 missing .: 48/15022

tabulation:	Freq.	Numeric	Label
	11405	0	no
	3569	1	yes, symptom present
	48	.	

-----  
srq2 srq2 - poor appetite  
-----

type: numeric (byte)  
label: srq2  
range: [0,1] units: 1  
unique values: 2 missing .: 51/15022

tabulation:	Freq.	Numeric	Label
	13326	0	no
	1645	1	yes, symptom present
	51	.	

-----  
srq3 srq3 - sleep badly  
-----

type: numeric (byte)  
label: srq3  
range: [0,1] units: 1  
unique values: 2 missing .: 50/15022

tabulation:	Freq.	Numeric	Label
	11623	0	no
	3349	1	yes, symptom present
	50	.	

-----  
srq4 srq4 - easily frightened  
-----

type: numeric (byte)  
label: srq4  
range: [0,1] units: 1  
unique values: 2 missing .: 47/15022

tabulation:	Freq.	Numeric	Label
	12281	0	no
	2694	1	yes, symptom present
	47	.	



-----  
srq5srq5 - hands shake  
-----

type: numeric (byte)  
label: srq5

range: [0,1] units: 1  
unique values: 2 missing .: 49/15022

tabulation: Freq. Numeric Label  
13544 0 no  
1429 1 yes, symptom present  
49 .

-----  
srq6srq6 - nervous, tense, worried  
-----

type: numeric (byte)  
label: srq6

range: [0,1] units: 1  
unique values: 2 missing .: 46/15022

tabulation: Freq. Numeric Label  
10698 0 no  
4278 1 yes, symptom present  
46 .

-----  
srq7srq7 - digestion poor  
-----

type: numeric (byte)  
label: srq7

range: [0,1] units: 1  
unique values: 2 missing .: 45/15022

tabulation: Freq. Numeric Label  
13003 0 no  
1974 1 yes, symptom present  
45 .

-----  
srq8srq8 - trouble thinking clearly  
-----

type: numeric (byte)  
label: srq8

range: [0,1] units: 1  
unique values: 2 missing .: 46/15022

tabulation: Freq. Numeric Label  
13721 0 no  
1255 1 yes, symptom present  
46 .

-----  
srq9srq9 - unhappy  
-----

type: numeric (byte)  
label: srq9

range: [0,1] units: 1  
unique values: 2 missing .: 44/15022

tabulation: Freq. Numeric Label  
12955 0 no  
2023 1 yes, symptom present  
44 .

-----  
srq10srq10 - cry more than usual  
-----

type: numeric (byte)  
label: srq10

range: [0,1] units: 1  
unique values: 2 missing .: 45/15022

tabulation: Freq. Numeric Label  
13629 0 no  
1348 1 yes, symptom present  
45 .

-----  
srq11srq11 - difficult to enjoy activities  
-----

type: numeric (byte)  
label: srq11

range: [0,1] units: 1  
unique values: 2 missing .: 46/15022

tabulation: Freq. Numeric Label  
13170 0 no  
1806 1 yes, symptom present  
46 .

-----  
srq12srq12 - difficult to make decisions  
-----

type: numeric (byte)  
label: srq12

range: [0,1] units: 1  
unique values: 2 missing .: 44/15022

tabulation: Freq. Numeric Label  
13292 0 no  
1686 1 yes, symptom present  
44 .

-----  
srq13srq13 -work suffering  
-----

type: numeric (byte)  
label: srq13

range: [0,1] units: 1  
unique values: 2 missing .: 49/15022

tabulation: Freq. Numeric Label  
13748 0 no  
1225 1 yes, symptom present  
49 .

-----  
srq14srq14 unable to play useful part  
-----

type: numeric (byte)  
label: srq14

range: [0,1] units: 1  
unique values: 2 missing .: 46/15022

tabulation: Freq. Numeric Label  
14282 0 no  
694 1 yes, symptom present  
46 .

-----  
srq15 srq15 - lost interest in things  
-----

type: numeric (byte)  
label: srq15

range: [0,1] units: 1  
unique values: 2 missing .: 44/15022

tabulation: Freq.    Numeric    Label  
              13561         0    no  
              1417         1    yes, symptom present  
              44            .

-----  
srq16 srq16 - worthless person  
-----

type: numeric (byte)  
label: srq16

range: [0,1] units: 1  
unique values: 2 missing .: 44/15022

tabulation: Freq.    Numeric    Label  
              14115         0    no  
              863            1    yes, symptom present  
              44            .

-----  
srq17 srq17 - though of ending life  
-----

type: numeric (byte)  
label: srq17

range: [0,1] units: 1  
unique values: 2 missing .: 45/15022

tabulation: Freq.    Numeric    Label  
              14370         0    no  
              607            1    yes, symptom present  
              45            .

-----  
srq18 srq18 - feels tired all the time  
-----

type: numeric (byte)  
label: srq18

range: [0,1] units: 1  
unique values: 2 missing .: 45/15022

tabulation: Freq.    Numeric    Label  
              12448         0    no  
              2529            1    yes, symptom present  
              45            .

-----  
srq19 srq19 - uncomfortable stomach  
-----

type: numeric (byte)  
label: srq19

range: [0,1] units: 1  
unique values: 2 missing .: 49/15022

tabulation: Freq.    Numeric    Label  
              12845         0    no  
              2128            1    yes, symptom present  
              49            .

-----  
srq20

srq20 - easily tired  
-----

type: numeric (byte)  
label: srq20  
  
range: [0,1] units: 1  
unique values: 2 missing .: 50/15022  
  
tabulation: Freq. Numeric Label  
11628 0 no  
3344 1 yes, symptom present  
50 .

-----  
careneed

need for care  
-----

type: numeric (byte)  
label: careneed  
  
range: [1,3] units: 1  
unique values: 3 missing .: 374/15022  
  
tabulation: Freq. Numeric Label  
769 1 needs care much of the time  
646 2 needs care some of the time  
13233 3 does not need care; they are  
able to do everything for them  
374 .

-----  
carewhol

informant's caregiving role  
-----

type: numeric (byte)  
label: carewhol  
  
range: [1,4] units: 1  
unique values: 4 missing .: 13614/15022  
  
tabulation: Freq. Numeric Label  
1166 1 informant is main 'hands on'  
caregiver  
143 2 informant is main  
'organisational caregiver'  
82 3 only slightly involved in  
providing or organising care  
17 4 not involved in providing or  
organising care  
13614 .

-----  
carewho2

who provides hands on care?  
-----

type: numeric (byte)  
label: carewho2  
  
range: [1,3] units: 1  
unique values: 3 missing .: 13620/15022  
  
tabulation: Freq. Numeric Label  
1230 1 one or more family members  
53 2 one or more unpaid friends or  
neighbours  
119 3 one or more paid caregivers  
13620 .

-----  
cutback carer cutback work to care?  
-----

type: numeric (byte)  
label: cutback  
range: [1,3] units: 1  
unique values: 3 missing .: 13607/15022  
tabulation: Freq. Numeric Label  
154 1 stopped work  
203 2 reduced hours  
1058 3 no cutback  
13607 .

-----  
cutwhen months since stopped work to care  
-----

type: numeric (int)  
range: [0,120] units: 1  
unique values: 34 missing .: 14878/15022  
mean: 30.5278  
std. dev: 32.2421  
percentiles: 10% 25% 50% 75% 90%  
1 6 24 48 84

-----  
cuthour hours per week carer cutback work to care  
-----

type: numeric (int)  
range: [0,168] units: 1  
unique values: 36 missing .: 14807/15022  
mean: 18.2  
std. dev: 20.2337  
percentiles: 10% 25% 50% 75% 90%  
3 6 14 24 40

-----  
carehelp additional informal support?  
-----

type: numeric (byte)  
label: carehelp  
range: [0,1] units: 1  
unique values: 2 missing .: 13618/15022  
tabulation: Freq. Numeric Label  
811 0 no  
593 1 yes  
13618 .

-----  
helphour hours per week of respite  
-----

type: numeric (int)  
range: [0,148] units: 1  
unique values: 43 missing .: 14468/15022  
mean: 19.1173  
std. dev: 18.9464  
percentiles: 10% 25% 50% 75% 90%  
3 5 12 25 56

-----  
helpweek additional carer's weeks off work in last 3/12  
-----

type: numeric (byte)  
range: [0,12] units: 1  
unique values: 8 missing .: 14985/15022

tabulation:	Freq.	Value
	10	0
	8	1
	5	2
	2	3
	5	4
	1	6
	1	8
	5	12
	14985	.

-----  
helpjob additional carer's job type  
-----

type: numeric (byte)  
label: helpjob  
range: [1,8] units: 1  
unique values: 8 missing .: 14979/15022

tabulation:	Freq.	Numeric	Label
	8	1	manager
	8	2	professional
	5	3	associate professional
	7	4	shop keeper
	5	5	shop keeper
	5	6	farmer
	4	7	skilled labourer
	1	8	semi-skilled labourer
	14979	.	

-----  
daypaid daytime paid carer  
-----

type: numeric (byte)  
label: daypaid  
range: [1,4] units: 1  
unique values: 4 missing .: 13625/15022

tabulation:	Freq.	Numeric	Label
	1158	1	no paid help
	16	2	occasional
	45	3	regular
	178	4	constant
	13625	.	

-----  
ntpaid paid carer at night time  
-----

type: numeric (byte)  
label: ntpaid  
range: [1,3] units: 1  
unique values: 3 missing .: 13628/15022

tabulation:	Freq.	Numeric	Label
	1234	1	no paid help
	71	2	sleep-in paid help
	89	3	waking paid help
	13628	.	

-----  
cashrs1 time spent assisting to communicate  
-----

type: numeric (byte)  
range: [0,24] units: 1  
unique values: 19 missing .: 13234/15022  
mean: 1.16499  
std. dev: 2.91671  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 1 3

-----  
cashrs2 time spent assisting to use transport  
-----

type: numeric (byte)  
label: cashrs2  
range: [0,3] units: 1  
unique values: 4 missing .: 13234/15022  
tabulation: Freq. Numeric Label  
1419 0 no time  
205 1 less than one hour  
114 2 1-2 hours  
50 3 more than 2 hours  
13234 .

-----  
cashrs3 time spent assisting to dress  
-----

type: numeric (byte)  
label: cashrs3  
range: [0,3] units: 1  
unique values: 4 missing .: 13234/15022  
tabulation: Freq. Numeric Label  
1072 0 no time  
503 1 less than one hour  
143 2 1-2 hours  
70 3 more than 2 hours  
13234 .

-----  
cashrs4 time spent assisting to eat  
-----

type: numeric (byte)  
label: cashrs4  
range: [0,3] units: 1  
unique values: 4 missing .: 13234/15022  
tabulation: Freq. Numeric Label  
1079 0 no time  
475 1 less than one hour  
170 2 1-2 hours  
64 3 more than 2 hours  
13234 .

-----  
cashrs5                                    time spent assisting to look after their appearance  
-----

          type: numeric (byte)  
          label: cashrs5  
  
          range: [0,3]                                    units: 1  
unique values: 4                                    missing .: 13234/15022

          tabulation: Freq.    Numeric    Label  
                          1108            0    no time  
                          473            1    less than one hour  
                          147            2    1-2 hours  
                          60            3    more than 2 hours  
                         13234            .

-----  
cashrs6                                    hours spent supervising the person  
-----

          type: numeric (byte)  
  
          range: [0,24]                                    units: 1  
unique values: 21                                    missing .: 13234/15022  
  
          mean:    1.27349  
          std. dev: 3.65505

          percentiles:            10%            25%            50%            75%            90%  
                                  0            0            0            0            3

-----  
cashrs7                                    time spent assisting with toileting  
-----

          type: numeric (byte)  
          label: cashrs7  
  
          range: [0,3]                                    units: 1  
unique values: 4                                    missing .: 13234/15022

          tabulation: Freq.    Numeric    Label  
                          1120            0    no time  
                          422            1    less than one hour  
                          159            2    1-2 hours  
                          87            3    more than 2 hours  
                         13234            .

-----  
cashrs8                                    time spent assisting with bathing  
-----

          type: numeric (byte)  
          label: cashrs8  
  
          range: [0,3]                                    units: 1  
unique values: 4                                    missing .: 13234/15022

          tabulation: Freq.    Numeric    Label  
                          1001            0    no time  
                          541            1    less than one hour  
                          201            2    1-2 hours  
                          45            3    more than 2 hours  
                         13234            .





-----  
zb5

zb5 - angry around rel.  
-----

type: numeric (byte)  
label: zb5  
range: [0,4] units: 1  
unique values: 5 missing .: 13619/15022

tabulation:	Freq.	Numeric	Label
	1009	0	never
	176	1	rarely
	165	2	sometimes
	41	3	quite frequently
	12	4	nearly always
	13619	.	

-----  
zb6

zb6 - rel. affects relations with others  
-----

type: numeric (byte)  
label: zb6  
range: [0,4] units: 1  
unique values: 5 missing .: 13619/15022

tabulation:	Freq.	Numeric	Label
	1106	0	never
	100	1	rarely
	107	2	sometimes
	61	3	quite frequently
	29	4	nearly always
	13619	.	

-----  
zb7

zb7 - fears for rel's future  
-----

type: numeric (byte)  
label: zb7  
range: [0,4] units: 1  
unique values: 5 missing .: 13619/15022

tabulation:	Freq.	Numeric	Label
	631	0	never
	184	1	rarely
	309	2	sometimes
	173	3	quite frequently
	106	4	nearly always
	13619	.	

-----  
zb8

zb8 - rel. dependent on you  
-----

type: numeric (byte)  
label: zb8  
range: [0,4] units: 1  
unique values: 5 missing .: 13620/15022

tabulation:	Freq.	Numeric	Label
	387	0	never
	154	1	rarely
	187	2	sometimes
	221	3	quite frequently
	453	4	nearly always
	13620	.	

---

zb9  
zb9 - strained when around rel.

---

type: numeric (byte)  
label: zb9  
range: [0,4] units: 1  
unique values: 5 missing .: 13620/15022

tabulation:	Freq.	Numeric	Label
	877	0	never
	158	1	rarely
	201	2	sometimes
	94	3	quite frequently
	72	4	nearly always
	13620	.	.

---

zb10  
zb10 - health suffered

---

type: numeric (byte)  
label: zb10  
range: [0,4] units: 1  
unique values: 5 missing .: 13618/15022

tabulation:	Freq.	Numeric	Label
	970	0	never
	121	1	rarely
	161	2	sometimes
	84	3	quite frequently
	68	4	nearly always
	13618	.	.

---

zb11  
zb11 - not enough privacy

---

type: numeric (byte)  
label: zb11  
range: [0,4] units: 1  
unique values: 5 missing .: 13618/15022

tabulation:	Freq.	Numeric	Label
	1003	0	never
	124	1	rarely
	134	2	sometimes
	76	3	quite frequently
	67	4	nearly always
	13618	.	.

---

zb12  
zb12 - social life has suffered

---

type: numeric (byte)  
label: zb12  
range: [0,4] units: 1  
unique values: 5 missing .: 13618/15022

tabulation:	Freq.	Numeric	Label
	933	0	never
	127	1	rarely
	145	2	sometimes
	97	3	quite frequently
	102	4	nearly always
	13618	.	.

```
-----  
zbl3                                     zbl3 - uncomfortable having friends over  
-----
```

```
      type: numeric (byte)  
      label: zbl3  
  
      range: [0,4]                               units: 1  
unique values: 5                               missing .: 13620/15022
```

```
      tabulation: Freq.  Numeric  Label  
                  1154      0  never  
                   77       1  rarely  
                   80       2  sometimes  
                   53       3  quite frequently  
                   38       4  nearly always  
                 13620      .
```

```
-----  
zbl4                                     zbl4 - rel. depends on you alone  
-----
```

```
      type: numeric (byte)  
      label: zbl4  
  
      range: [0,4]                               units: 1  
unique values: 5                               missing .: 13618/15022
```

```
      tabulation: Freq.  Numeric  Label  
                  700       0  never  
                  135       1  rarely  
                  156       2  sometimes  
                  141       3  quite frequently  
                  272       4  nearly always  
                 13618      .
```

```
-----  
zbl5                                     zbl5 - financial stress  
-----
```

```
      type: numeric (byte)  
      label: zbl5  
  
      range: [0,4]                               units: 1  
unique values: 5                               missing .: 13619/15022
```

```
      tabulation: Freq.  Numeric  Label  
                  712       0  never  
                  131       1  rarely  
                  236       2  sometimes  
                  143       3  quite frequently  
                  181       4  nearly always  
                 13619      .
```

```
-----  
zbl6                                     zbl6 - unable to take care much longer  
-----
```

```
      type: numeric (byte)  
      label: zbl6  
  
      range: [0,4]                               units: 1  
unique values: 5                               missing .: 13620/15022
```

```
      tabulation: Freq.  Numeric  Label  
                  1014      0  never  
                   128       1  rarely  
                   165       2  sometimes  
                    54       3  quite frequently  
                    41       4  nearly always  
                 13620      .
```

```
-----  
zb17                                     zb17 - lost control of life  
-----
```

```
      type: numeric (byte)  
      label: zb17  
  
      range: [0,4]                 units: 1  
unique values: 5                 missing .: 13620/15022  
  
      tabulation: Freq.  Numeric  Label  
                  1016       0  never  
                  124        1  rarely  
                  134        2  sometimes  
                   66        3  quite frequently  
                   62        4  nearly always  
                 13620       .
```

```
-----  
zb18                                     zb18 - wishes could leave care to others  
-----
```

```
      type: numeric (byte)  
      label: zb18  
  
      range: [0,4]                 units: 1  
unique values: 5                 missing .: 13621/15022  
  
      tabulation: Freq.  Numeric  Label  
                  1068       0  never  
                   116       1  rarely  
                   144       2  sometimes  
                   38        3  quite frequently  
                   35        4  nearly always  
                 13621       .
```

```
-----  
zb19                                     zb19 - uncertain what to do about rel.  
-----
```

```
      type: numeric (byte)  
      label: zb19  
  
      range: [0,4]                 units: 1  
unique values: 5                 missing .: 13621/15022  
  
      tabulation: Freq.  Numeric  Label  
                  930        0  never  
                  133        1  rarely  
                  199        2  sometimes  
                   87        3  quite frequently  
                   52        4  nearly always  
                 13621       .
```

```
-----  
zb20                                     zb20 - feels should do more  
-----
```

```
      type: numeric (byte)  
      label: zb20  
  
      range: [0,4]                 units: 1  
unique values: 5                 missing .: 13619/15022  
  
      tabulation: Freq.  Numeric  Label  
                  687        0  never  
                  176        1  rarely  
                  277        2  sometimes  
                  105        3  quite frequently  
                  158        4  nearly always  
                 13619       .
```

-----  
zb21

zb21 - feels could do a better job  
-----

type: numeric (byte)  
label: zb21  
range: [0,4] units: 1  
unique values: 5 missing .: 13621/15022

tabulation:	Freq.	Numeric	Label
	687	0	never
	207	1	rarely
	259	2	sometimes
	103	3	quite frequently
	145	4	nearly always
	13621	.	

-----  
zb22

zb22 - overall how burdened do you feel  
-----

type: numeric (byte)  
label: zb22  
range: [0,4] units: 1  
unique values: 5 missing .: 13618/15022

tabulation:	Freq.	Numeric	Label
	580	0	not at all
	264	1	a little
	279	2	fairly
	162	3	quite a bit
	119	4	very
	13618	.	

-----  
activ

change in daily activities  
-----

type: numeric (byte)  
label: activ  
range: [0,1] units: 1  
unique values: 2 missing .: 48/15022

tabulation:	Freq.	Numeric	Label
	12400	0	no change
	2574	1	diminution in activity or reduced ability
	48	.	

-----  
mental

general decline in mental function  
-----

type: numeric (byte)  
label: mental  
range: [0,1] units: 1  
unique values: 2 missing .: 47/15022

tabulation:	Freq.	Numeric	Label
	12984	0	no
	1991	1	yes
	47	.	

-----  
memory memory deterioration  
-----

type: numeric (byte)  
label: memory  
range: [0,1] units: 1  
unique values: 2 missing .: 50/15022  
tabulation: Freq. Numeric Label  
12055 0 no  
2917 1 yes  
50 .

-----  
put forgets where put things  
-----

type: numeric (byte)  
label: put  
range: [0,2] units: 1  
unique values: 3 missing .: 62/15022  
tabulation: Freq. Numeric Label  
7825 0 never  
6273 1 yes, sometimes  
862 2 yes, often  
62 .

-----  
kept forgets where things are kept  
-----

type: numeric (byte)  
label: kept  
range: [0,2] units: 1  
unique values: 3 missing .: 62/15022  
tabulation: Freq. Numeric Label  
11837 0 never  
2525 1 yes, sometimes  
598 2 yes, often  
62 .

-----  
frdname forgets friends names  
-----

type: numeric (byte)  
label: frdname  
range: [0,2] units: 1  
unique values: 3 missing .: 51/15022  
tabulation: Freq. Numeric Label  
13208 0 never  
1352 1 yes, sometimes  
411 2 yes, often  
51 .

-----  
famname forgets family members' names  
-----

type: numeric (byte)  
label: famname  
range: [0,2] units: 1  
unique values: 3 missing .: 52/15022  
tabulation: Freq. Numeric Label  
14002 0 never  
678 1 yes, sometimes  
290 2 yes, often  
52 .

-----  
convers loses place in conversation  
-----

type: numeric (byte)  
label: convers  
range: [0,2] units: 1  
unique values: 3 missing .: 53/15022  
tabulation: Freq. Numeric Label  
12533 0 never  
2049 1 yes, sometimes  
387 2 yes, often  
53 .

-----  
wordfind difficulty finding right word  
-----

type: numeric (byte)  
label: wordfind  
range: [0,2] units: 1  
unique values: 3 missing .: 53/15022  
tabulation: Freq. Numeric Label  
13662 0 never  
1009 1 yes, sometimes  
298 2 yes, often  
53 .

-----  
wordwrg uses wrong words  
-----

type: numeric (byte)  
label: wordwrg  
range: [0,2] units: 1  
unique values: 3 missing .: 55/15022  
tabulation: Freq. Numeric Label  
14001 0 never  
737 1 yes, sometimes  
229 2 yes, often  
55 .



-----  
pastdwells on past  
-----

type: numeric (byte)  
label: past

range: [0,2] units: 1  
unique values: 3 missing .: 54/15022

tabulation: Freq. Numeric Label  
12221 0 never  
2168 1 yes, sometimes  
579 2 yes, often  
54 .

-----  
lastseeforgets when last saw informant  
-----

type: numeric (byte)  
label: lastsee

range: [0,2] units: 1  
unique values: 3 missing .: 58/15022

tabulation: Freq. Numeric Label  
14309 0 never  
424 1 yes, sometimes  
231 2 yes, often  
58 .

-----  
lastdayforgets what he/she did previous day  
-----

type: numeric (byte)  
label: lastday

range: [0,2] units: 1  
unique values: 3 missing .: 61/15022

tabulation: Freq. Numeric Label  
13661 0 never  
921 1 yes, sometimes  
379 2 yes, often  
61 .

-----  
orientforgets where she is  
-----

type: numeric (byte)  
label: orient

range: [0,2] units: 1  
unique values: 3 missing .: 65/15022

tabulation: Freq. Numeric Label  
14468 0 never  
296 1 yes, sometimes  
193 2 yes, often  
65 .

-----  
lostout gets lost outside of the house  
-----

type: numeric (byte)  
label: lostout  
range: [0,2] units: 1  
unique values: 3 missing .: 123/15022  
tabulation: Freq. Numeric Label  
14466 0 never  
277 1 yes, sometimes  
156 2 yes, often  
123 .

-----  
lostin gets lost inside the house  
-----

type: numeric (byte)  
label: lostin  
range: [0,2] units: 1  
unique values: 3 missing .: 99/15022  
tabulation: Freq. Numeric Label  
14625 0 never  
173 1 yes, sometimes  
125 2 yes, often  
99 .

-----  
chores difficulty completing chores  
-----

type: numeric (byte)  
label: chores  
range: [0,2] units: 1  
unique values: 3 missing .: 114/15022  
tabulation: Freq. Numeric Label  
14323 0 never  
413 1 yes, sometimes  
172 2 yes, often  
114 .

-----  
choredis difficulty with chores because of physical disability  
-----

type: numeric (byte)  
label: choredis  
range: [0,1] units: 1  
unique values: 2 missing .: 12796/15022  
tabulation: Freq. Numeric Label  
1157 0 no  
1069 1 yes  
12796 .

-----  
hobby loss of skill or hobby  
-----

type: numeric (byte)  
label: hobby  
range: [0,1] units: 1  
unique values: 2 missing .: 59/15022  
tabulation: Freq. Numeric Label  
13403 0 no  
1560 1 yes  
59 .

-----  
money difficulty handling money  
-----

type: numeric (byte)  
label: money  
range: [0,2] units: 1  
unique values: 3 missing .: 66/15022

tabulation:	Freq.	Numeric	Label
	13863	0	no difficulty
	654	1	some difficulty
	439	2	cannot handle money
	66	.	

-----  
change difficulty coping with change in routine  
-----

type: numeric (byte)  
label: change  
range: [0,2] units: 1  
unique values: 3 missing .: 62/15022

tabulation:	Freq.	Numeric	Label
	13780	0	never
	834	1	yes, sometimes
	346	2	yes, often
	62	.	

-----  
reason change in ability to reason  
-----

type: numeric (byte)  
label: reason  
range: [0,1] units: 1  
unique values: 2 missing .: 48/15022

tabulation:	Freq.	Numeric	Label
	13581	0	no change
	1393	1	yes, some change
	48	.	

-----  
feed difficulty with feeding  
-----

type: numeric (byte)  
label: feed  
range: [0,3] units: 1  
unique values: 4 missing .: 50/15022

tabulation:	Freq.	Numeric	Label
	14799	0	eats cleanly with proper utensils
	104	1	eats messily with spoon only
	7	2	simple solids such as biscuits
	62	3	has to be fed
	50	.	

-----  
feedis   difficulty with feeding because of physical disability  
-----

          type: numeric (byte)  
          label: feedsis  
  
          range: [0,1]   units: 1  
unique values: 2   missing .: 14016/15022  
  
          tabulation: Freq.    Numeric    Label  
                          796            0    no  
                          210            1    yes  
                          14016           .

-----  
dress   difficulty with dressing  
-----

          type: numeric (byte)  
          label: dress  
  
          range: [0,3]   units: 1  
unique values: 4   missing .: 50/15022  
  
          tabulation: Freq.    Numeric    Label  
                          14698            0    dresses self  
                          125             1    occasionally misplaces buttons  
  etc.  
                          39             2    wrong sequences, commonly  
  forgets items  
                          110            3    cannot dress  
                          50             .

-----  
dressdis   difficulty with dressing because of physical disability  
-----

          type: numeric (byte)  
          label: dressdis  
  
          range: [0,1]   units: 1  
unique values: 2   missing .: 13754/15022  
  
          tabulation: Freq.    Numeric    Label  
                          872            0    no  
                          396            1    yes  
                          13754           .

-----  
toilet   difficulty with using toilet  
-----

          type: numeric (byte)  
          label: toilet  
  
          range: [0,3]   units: 1  
unique values: 4   missing .: 52/15022  
  
          tabulation: Freq.    Numeric    Label  
                          14759            0    no problems  
                          94             1    occasionally wets bed  
                          34             2    frequently wets bed  
                          83             3    double incontinence  
                          52             .

-----  
toildis difficulty with toileting because of physical disability  
-----

type: numeric (byte)  
label: toildis

range: [0,1] units: 1  
unique values: 2 missing .: 13909/15022

tabulation:	Freq.	Numeric	Label
	817	0	no
	296	1	yes
	13909	.	.

-----  
mistake misidentification  
-----

type: numeric (byte)  
label: mistake

range: [0,1] units: 1  
unique values: 2 missing .: 45/15022

tabulation:	Freq.	Numeric	Label
	14558	0	no
	419	1	yes
	45	.	.

-----  
decide difficulties making decisions  
-----

type: numeric (byte)  
label: decide

range: [0,1] units: 1  
unique values: 2 missing .: 61/15022

tabulation:	Freq.	Numeric	Label
	14093	0	no
	868	1	yes
	61	.	.

-----  
muddled muddled thinking  
-----

type: numeric (byte)  
label: muddled

range: [0,1] units: 1  
unique values: 2 missing .: 53/15022

tabulation:	Freq.	Numeric	Label
	13661	0	no
	1308	1	yes
	53	.	.

-----  
endif screened in for has-dds?  
-----

type: numeric (byte)  
label: endif

range: [0,1] units: 1  
unique values: 2 missing .: 50/15022

tabulation:	Freq.	Numeric	Label
	2272	0	csid 3 or more - screened in
	12700	1	csid 2 or less - screened out
	50	.	.

-----  
timeons time since onset in months  
-----

type: numeric (int)  
range: [0,384] units: 1  
unique values: 88 missing .: 12825/15022  
mean: 36.4442  
std. dev: 34.1924  
percentiles: 10% 25% 50% 75% 90%  
6 12 24 48 84

-----  
typeons rapid or gradual onset?  
-----

type: numeric (byte)  
label: typeons  
range: [1,3] units: 1  
unique values: 3 missing .: 12798/15022  
tabulation: Freq. Numeric Label  
232 1 rapid onset over 1-3 days  
158 2 rapid onset > 3 days but < 3  
weeks  
1834 3 gradual onset over longer period  
12798 .

-----  
ons1 early symptoms - memory  
-----

type: numeric (byte)  
label: ons1  
range: [0,1] units: 1  
unique values: 2 missing .: 12769/15022  
tabulation: Freq. Numeric Label  
775 0 no  
1478 1 yes  
12769 .

-----  
ons2 early symptoms - disorientation  
-----

type: numeric (byte)  
label: ons2  
range: [0,1] units: 1  
unique values: 2 missing .: 12766/15022  
tabulation: Freq. Numeric Label  
1375 0 no  
881 1 yes  
12766 .

-----  
ons3 early symptoms - drowsiness  
-----

type: numeric (byte)  
label: ons3  
range: [0,1] units: 1  
unique values: 2 missing .: 12766/15022  
tabulation: Freq. Numeric Label  
1604 0 no  
652 1 yes  
12766 .

-----  
ons4 early symptoms - depression  
-----

type: numeric (byte)  
label: ons4  
range: [0,1] units: 1  
unique values: 2 missing .: 12766/15022  
tabulation: Freq. Numeric Label  
1318 0 no  
938 1 yes  
12766 .

-----  
ons5 early symptoms - lack of energy or interest  
-----

type: numeric (byte)  
label: ons5  
range: [0,1] units: 1  
unique values: 2 missing .: 12766/15022  
tabulation: Freq. Numeric Label  
1184 0 no  
1072 1 yes  
12766 .

-----  
ons6 early symptoms - elation  
-----

type: numeric (byte)  
label: ons6  
range: [0,1] units: 1  
unique values: 2 missing .: 12766/15022  
tabulation: Freq. Numeric Label  
1679 0 no  
577 1 yes  
12766 .

-----  
ons7 early symptoms - excitedness/ overactivity  
-----

type: numeric (byte)  
label: ons7  
range: [0,1] units: 1  
unique values: 2 missing .: 12767/15022  
tabulation: Freq. Numeric Label  
1727 0 no  
528 1 yes  
12767 .

-----  
ons8 early symptoms - complaints of illness  
-----

type: numeric (byte)  
label: ons8  
range: [0,1] units: 1  
unique values: 2 missing .: 12767/15022  
tabulation: Freq. Numeric Label  
1271 0 no  
984 1 yes  
12767 .

-----  
ons9 early symptoms - difficulty sleeping  
-----

type: numeric (byte)  
label: ons9  
range: [0,1] units: 1  
unique values: 2 missing .: 12766/15022

tabulation:	Freq.	Numeric	Label
	1199	0	no
	1057	1	yes
	12766	.	

-----  
ons10 early symptoms - change in weight  
-----

type: numeric (byte)  
label: ons10  
range: [0,1] units: 1  
unique values: 2 missing .: 12767/15022

tabulation:	Freq.	Numeric	Label
	1349	0	no
	906	1	yes
	12767	.	

-----  
ons11 early symptoms - visual hallucinations  
-----

type: numeric (byte)  
label: ons11  
range: [0,1] units: 1  
unique values: 2 missing .: 12768/15022

tabulation:	Freq.	Numeric	Label
	1897	0	no
	357	1	yes
	12768	.	

-----  
ons12 early symptoms - auditory hallucinations  
-----

type: numeric (byte)  
label: ons12  
range: [0,1] units: 1  
unique values: 2 missing .: 12769/15022

tabulation:	Freq.	Numeric	Label
	1904	0	no
	349	1	yes
	12769	.	

-----  
ons13 early symptoms - stroke  
-----

type: numeric (byte)  
label: ons13  
range: [0,1] units: 1  
unique values: 2 missing .: 12772/15022

tabulation:	Freq.	Numeric	Label
	1915	0	no
	335	1	yes
	12772	.	



-----  
ons14 early symptoms - word finding problems  
-----

type: numeric (byte)  
label: ons14  
range: [0,1] units: 1  
unique values: 2 missing .: 12770/15022  
tabulation: Freq. Numeric Label  
1703 0 no  
549 1 yes  
12770 .

-----  
ons15 early symptoms - dressing apraxia  
-----

type: numeric (byte)  
label: ons15  
range: [0,1] units: 1  
unique values: 2 missing .: 12768/15022  
tabulation: Freq. Numeric Label  
1981 0 no  
273 1 yes  
12768 .

-----  
ons16 early symptoms - epileptic fit  
-----

type: numeric (byte)  
label: ons16  
range: [0,1] units: 1  
unique values: 2 missing .: 12767/15022  
tabulation: Freq. Numeric Label  
2191 0 no  
64 1 yes  
12767 .

-----  
ons17 early symptoms - blackouts  
-----

type: numeric (byte)  
label: ons17  
range: [0,1] units: 1  
unique values: 2 missing .: 12767/15022  
tabulation: Freq. Numeric Label  
1936 0 no  
319 1 yes  
12767 .

-----  
ons18 early symptoms - unsteadiness  
-----

type: numeric (byte)  
label: ons18  
range: [0,1] units: 1  
unique values: 2 missing .: 12777/15022  
tabulation: Freq. Numeric Label  
1298 0 no  
947 1 yes  
12777 .

-----  
ons19 early symptoms - falls  
-----

type: numeric (byte)  
label: ons19  
range: [0,1] units: 1  
unique values: 2 missing .: 12776/15022  
tabulation: Freq. Numeric Label  
1743 0 no  
503 1 yes  
12776 .

-----  
ons20 early symptoms - uncontrollable laughing or crying  
-----

type: numeric (byte)  
label: ons20  
range: [0,1] units: 1  
unique values: 2 missing .: 12770/15022  
tabulation: Freq. Numeric Label  
1932 0 no  
320 1 yes  
12770 .

-----  
ons21 early symptoms - urinary incontinence  
-----

type: numeric (byte)  
label: ons21  
range: [0,1] units: 1  
unique values: 2 missing .: 12771/15022  
tabulation: Freq. Numeric Label  
1822 0 no  
429 1 yes  
12771 .

-----  
ons221 change since onset  
-----

type: numeric (byte)  
label: ons221  
range: [1,3] units: 1  
unique values: 3 missing .: 12789/15022  
tabulation: Freq. Numeric Label  
1009 1 overall deterioration  
363 2 overall improvement  
861 3 none or very little change  
12789 .

-----  
fluct has illness shown marked fluctuation?  
-----

type: numeric (byte)  
label: fluct  
range: [0,1] units: 1  
unique values: 2 missing .: 12777/15022  
tabulation: Freq. Numeric Label  
1702 0 no  
543 1 yes  
12777 .

-----  
fluctcog                    did thinking/ memory/ concentration return to normal?  
-----

          type: numeric (byte)  
          label: fluctcog  
  
          range: [0,1]    units: 1  
unique values: 2    missing .: 14456/15022

          tabulation: Freq.    Numeric    Label  
                          242         0    no  
                          324         1    yes  
                         14456        .

-----  
fluctoft    how often have fluctuations occurred  
-----

          type: numeric (byte)  
          label: fluctoft  
  
          range: [1,4]    units: 1  
unique values: 4    missing .: 14713/15022

          tabulation: Freq.    Numeric    Label  
                          63            1    one  
                          73            2    twice  
                          60            3    three times  
                          113          4    four or more times  
                         14713        .

-----  
graddec    gradual decline over a period of more than 2 years  
-----

          type: numeric (byte)  
          label: graddec  
  
          range: [0,1]    units: 1  
unique values: 2    missing .: 12789/15022

          tabulation: Freq.    Numeric    Label  
                          814         0    no  
                          1419        1    yes  
                         12789        .

-----  
stepwise    stepwise decline (sudden deterioration within two days)  
-----

          type: numeric (byte)  
          label: stepwise  
  
          range: [0,1]    units: 1  
unique values: 2    missing .: 12783/15022

          tabulation: Freq.    Numeric    Label  
                          2041        0    no  
                          198            1    yes  
                         12783        .

-----  
step1    time in months since first stepwise deterioration  
-----

          type: numeric (byte)  
  
          range: [0,96]    units: 1  
unique values: 28    missing .: 14831/15022

          mean: 11.5393  
          std. dev: 19.0024  
  
          percentiles:            10%        25%        50%        75%        90%  
                                  0            2            4            12          36

-----  
step3 time in months since third stepwise deterioration  
-----

type: numeric (byte)  
range: [0,82] units: 1  
unique values: 15 missing .: 14954/15022  
mean: 5.26471  
std. dev: 12.6864  
percentiles: 10% 25% 50% 75% 90%  
0 0 .5 4 12

-----  
step2 time in months since second stepwise deterioration  
-----

type: numeric (byte)  
range: [0,69] units: 1  
unique values: 17 missing .: 14949/15022  
mean: 7.35616  
std. dev: 14.6509  
percentiles: 10% 25% 50% 75% 90%  
0 0 2 9 18

-----  
step4 time in months since fourth stepwise deterioration  
-----

type: numeric (byte)  
range: [0,36] units: 1  
unique values: 11 missing .: 14975/15022  
mean: 3  
std. dev: 7.28608  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 1 13

-----  
stepprel first episode preceded by an event?  
-----

type: numeric (byte)  
label: stepprel  
range: [0,4] units: 1  
unique values: 5 missing .: 14849/15022  
tabulation: Freq. Numeric Label  
90 0 no event  
32 1 blackouts or loc  
6 2 epileptic fit  
11 3 difficulties in speaking  
34 4 weakness on one side  
14849 .

-----  
steppre3 third episode preceded by an event?  
-----

type: numeric (byte)  
label: steppre3  
range: [0,4] units: 1  
unique values: 5 missing .: 14916/15022

tabulation:	Freq.	Numeric	Label
	77	0	no event
	9	1	blackouts or loc
	4	2	epileptic fit
	7	3	difficulties in speaking
	9	4	weakness on one side
	14916	.	

-----  
steppre2 second episode preceded by an event?  
-----

type: numeric (byte)  
label: steppre2  
range: [0,4] units: 1  
unique values: 5 missing .: 14912/15022

tabulation:	Freq.	Numeric	Label
	81	0	no event
	8	1	blackouts or loc
	5	2	epileptic fit
	7	3	difficulties in speaking
	9	4	weakness on one side
	14912	.	

-----  
steppre4 fourth episode preceded by an event?  
-----

type: numeric (byte)  
label: steppre4  
range: [0,4] units: 1  
unique values: 5 missing .: 14924/15022

tabulation:	Freq.	Numeric	Label
	82	0	no event
	5	1	blackouts or loc
	1	2	epileptic fit
	4	3	difficulties in speaking
	6	4	weakness on one side
	14924	.	

-----  
steprecl first episode followed by complete recovery?  
-----

type: numeric (byte)  
label: steprecl  
range: [0,1] units: 1  
unique values: 2 missing .: 14912/15022

tabulation:	Freq.	Numeric	Label
	65	0	no
	45	1	yes
	14912	.	

-----  
steprec3 third episode followed by complete recovery?  
-----

type: numeric (byte)  
label: steprec3  
range: [0,1] units: 1  
unique values: 2 missing .: 14951/15022  
tabulation: Freq. Numeric Label  
57 0 no  
14 1 yes  
14951 .

-----  
steprec2 second episode followed by complete recovery?  
-----

type: numeric (byte)  
label: steprec2  
range: [0,1] units: 1  
unique values: 2 missing .: 14951/15022  
tabulation: Freq. Numeric Label  
57 0 no  
14 1 yes  
14951 .

-----  
steprec4 fourth episode followed by complete recovery?  
-----

type: numeric (byte)  
label: steprec4  
range: [0,1] units: 1  
unique values: 2 missing .: 14960/15022  
tabulation: Freq. Numeric Label  
51 0 no  
11 1 yes  
14960 .

-----  
clouding clouding of consciousness  
-----

type: numeric (byte)  
label: clouding  
range: [0,1] units: 1  
unique values: 2 missing .: 12783/15022  
tabulation: Freq. Numeric Label  
1719 0 no  
520 1 yes  
12783 .

-----  
confnite nocturnal confusion  
-----

type: numeric (byte)  
label: confnite  
range: [0,1] units: 1  
unique values: 2 missing .: 12784/15022  
tabulation: Freq. Numeric Label  
1841 0 no  
397 1 yes  
12784 .

-----  
confday day time confusion  
-----

type: numeric (byte)  
label: confday  
range: [0,1] units: 1  
unique values: 2 missing .: 12781/15022

tabulation:	Freq.	Numeric	Label
	1911	0	no
	330	1	yes
	12781	.	.

-----  
nocturn confusion worst towards evening or night?  
-----

type: numeric (byte)  
label: nocturn  
range: [0,1] units: 1  
unique values: 2 missing .: 14397/15022

tabulation:	Freq.	Numeric	Label
	325	0	no
	300	1	yes
	14397	.	.

-----  
bchange lack of interest concern or affection?  
-----

type: numeric (byte)  
label: bchange  
range: [0,1] units: 1  
unique values: 2 missing .: 12784/15022

tabulation:	Freq.	Numeric	Label
	1482	0	no
	756	1	yes
	12784	.	.

-----  
bsuspicion suspicion?  
-----

type: numeric (byte)  
label: bsuspicion  
range: [0,1] units: 1  
unique values: 2 missing .: 12783/15022

tabulation:	Freq.	Numeric	Label
	1316	0	no
	923	1	yes
	12783	.	.

-----  
birrit irritability?  
-----

type: numeric (byte)  
label: birrit  
range: [0,1] units: 1  
unique values: 2 missing .: 12782/15022

tabulation:	Freq.	Numeric	Label
	1221	0	no
	1019	1	yes
	12782	.	.

-----  
baccuse accusing?  
-----

type: numeric (byte)  
label: baccuse

range: [0,1] units: 1  
unique values: 2 missing .: 12784/15022

tabulation:	Freq.	Numeric	Label
	1462	0	no
	776	1	yes
	12784	.	

-----  
bupset change in behaviour? upsetting behaviour?  
-----

type: numeric (byte)  
label: bupset

range: [0,1] units: 1  
unique values: 2 missing .: 12783/15022

tabulation:	Freq.	Numeric	Label
	1789	0	no
	450	1	yes
	12783	.	

-----  
bfirst timing of upsetting behaviour  
-----

type: numeric (byte)  
label: bfirst

range: [0,1] units: 1  
unique values: 2 missing .: 14549/15022

tabulation:	Freq.	Numeric	Label
	212	0	came on recently
	261	1	one of the first things noticed
	14549	.	

-----  
bvis visual hallucinations?  
-----

type: numeric (byte)  
label: bvis

range: [0,1] units: 1  
unique values: 2 missing .: 12793/15022

tabulation:	Freq.	Numeric	Label
	1839	0	no
	390	1	yes
	12793	.	

-----  
baud auditory hallucinations?  
-----

type: numeric (byte)  
label: baud

range: [0,1] units: 1  
unique values: 2 missing .: 12789/15022

tabulation:	Freq.	Numeric	Label
	1902	0	no
	331	1	yes
	12789	.	



-----  
bdelude delusions?  
-----

type: numeric (byte)  
label: bdelude  
range: [0,1] units: 1  
unique values: 2 missing .: 12785/15022

tabulation:	Freq.	Numeric	Label
	1903	0	no
	334	1	yes
	12785	.	

-----  
depress depressed/ low/ miserable?  
-----

type: numeric (byte)  
label: depress  
range: [0,1] units: 1  
unique values: 2 missing .: 12778/15022

tabulation:	Freq.	Numeric	Label
	960	0	no
	1284	1	yes
	12778	.	

-----  
depdur duration of depression  
-----

type: numeric (byte)  
label: depdur  
range: [1,3] units: 1  
unique values: 3 missing .: 13734/15022

tabulation:	Freq.	Numeric	Label
	580	1	less than a day
	333	2	1 day to 2 weeks
	375	3	more than 2 weeks
	13734	.	

-----  
cry cried or complained of feeling like crying?  
-----

type: numeric (byte)  
label: cry  
range: [0,1] units: 1  
unique values: 2 missing .: 12800/15022

tabulation:	Freq.	Numeric	Label
	1321	0	no
	901	1	yes
	12800	.	

-----  
crydur duration of crying  
-----

type: numeric (byte)  
label: crydur  
range: [0,1] units: 1  
unique values: 2 missing .: 14116/15022

tabulation:	Freq.	Numeric	Label
	576	0	only for a few hours
	330	1	lasted longer than a few hours
	14116	.	

-----  
wishdie said life not worth living?  
-----

type: numeric (byte)  
label: wishdie  
range: [0,1] units: 1  
unique values: 2 missing .: 12783/15022  
tabulation: Freq. Numeric Label  
1604 0 no  
635 1 yes  
12783 .

-----  
interest lost interest in things?  
-----

type: numeric (byte)  
label: interest  
range: [0,1] units: 1  
unique values: 2 missing .: 12779/15022  
tabulation: Freq. Numeric Label  
1606 0 no  
637 1 yes  
12779 .

-----  
anhed stopped enjoying life?  
-----

type: numeric (byte)  
label: anhed  
range: [0,1] units: 1  
unique values: 2 missing .: 12779/15022  
tabulation: Freq. Numeric Label  
1522 0 no  
721 1 yes  
12779 .

-----  
sleep difficulty sleeping?  
-----

type: numeric (byte)  
label: sleep  
range: [0,1] units: 1  
unique values: 2 missing .: 12778/15022  
tabulation: Freq. Numeric Label  
1356 0 no  
888 1 yes  
12778 .

-----  
eat loss of appetite?  
-----

type: numeric (byte)  
label: eat  
range: [0,1] units: 1  
unique values: 2 missing .: 12778/15022  
tabulation: Freq. Numeric Label  
1800 0 no  
444 1 yes  
12778 .

-----  
bereave bereavement?  
-----

type: numeric (byte)  
label: bereave

range: [0,1] units: 1  
unique values: 2 missing .: 12782/15022

tabulation:	Freq.	Numeric	Label
	1644	0	no
	596	1	yes
	12782	.	

-----  
berwhen bereavement details  
-----

type: numeric (byte)  
label: berwhen

range: [1,4] units: 1  
unique values: 4 missing .: 14431/15022

tabulation:	Freq.	Numeric	Label
	135	1	1st deg rel in last 6 weeks
	277	2	1st deg rel more than 6 weeks bet less than 2 yrs
	76	3	another close person in last 6 weeks
	103	4	another close person more than 6 weeks but less than 2 yrs
	14431	.	

-----  
depimp interviewer judgement on depression  
-----

type: numeric (byte)  
label: depimp

range: [0,2] units: 1  
unique values: 3 missing .: 12910/15022

tabulation:	Freq.	Numeric	Label
	961	0	no episode of depression
	707	1	probable episode
	444	2	definite episode
	12910	.	

-----  
toldbp participant told he/ she has hypertension  
-----

type: numeric (byte)  
label: toldbp

range: [0,1] units: 1  
unique values: 2 missing .: 12775/15022

tabulation:	Freq.	Numeric	Label
	1002	0	no
	1245	1	yes
	12775	.	

-----  
treatbp hypertension treated?  
-----

type: numeric (byte)  
label: treatbp  
range: [0,2] units: 1  
unique values: 3 missing .: 13767/15022

tabulation:	Freq.	Numeric	Label
	73	0	no treatment
	203	1	treated in the past
	979	2	treated now
	13767	.	

-----  
cvevent ever had a tia or cva?  
-----

type: numeric (byte)  
label: cvevent  
range: [0,1] units: 1  
unique values: 2 missing .: 12918/15022

tabulation:	Freq.	Numeric	Label
	1761	0	no
	343	1	yes
	12918	.	

-----  
cvtype1 a) cvtype1  
-----

type: numeric (byte)  
label: cvtype1  
range: [1,2] units: 1  
unique values: 2 missing .: 14709/15022

tabulation:	Freq.	Numeric	Label
	134	1	less than 24 hrs (tia)
	179	2	more than 24 hrs (cva)
	14709	.	

-----  
cvdate1 b) cvdate1  
-----

type: numeric (int)  
range: [0,432] units: 1  
unique values: 49 missing .: 14729/15022

mean:	39.2116				
std. dev:	54.2678				
percentiles:	10%	25%	50%	75%	90%
	1	5	18	60	108

-----  
cvtype2 a) cvtype2  
-----

type: numeric (byte)  
label: cvtype2  
range: [1,2] units: 1  
unique values: 2 missing .: 14957/15022

tabulation:	Freq.	Numeric	Label
	18	1	less than 24 hrs (tia)
	47	2	more than 24 hrs (cva)
	14957	.	

-----  
cvdate2 b) cvdate2  
-----

type: numeric (int)  
range: [0,120] units: 1  
unique values: 30 missing .: 14958/15022  
mean: 35.3281  
std. dev: 35.3172  
percentiles: 10% 25% 50% 75% 90%  
2 7 23 60 96

-----  
cvtype3 a) cvtype3  
-----

type: numeric (byte)  
label: cvtype3  
range: [1,2] units: 1  
unique values: 2 missing .: 15000/15022  
tabulation: Freq. Numeric Label  
8 1 less than 24 hrs (tia)  
14 2 more than 24 hrs (cva)  
15000 .

-----  
cvdate3 b) cvdate3  
-----

type: numeric (int)  
range: [0,108] units: 1  
unique values: 17 missing .: 14999/15022  
mean: 21  
std. dev: 24.1604  
percentiles: 10% 25% 50% 75% 90%  
1 5 13 36 48

-----  
cvtype4 a) cvtype4  
-----

type: numeric (byte)  
label: cvtype4  
range: [1,2] units: 1  
unique values: 2 missing .: 15016/15022  
tabulation: Freq. Numeric Label  
1 1 less than 24 hrs (tia)  
5 2 more than 24 hrs (cva)  
15016 .

-----  
cvdate4 b) cvdate4  
-----

type: numeric (byte)  
range: [0,24] units: 1  
unique values: 5 missing .: 15016/15022  
tabulation: Freq. Value  
1 0  
1 4  
1 8  
1 11  
2 24  
15016 .

-----  
affincon uncontrorollable laughter or tears?  
-----

type: numeric (byte)  
label: affincon  
range: [0,1] units: 1  
unique values: 2 missing .: 12966/15022

tabulation:	Freq.	Numeric	Label
	1545	0	no
	511	1	yes
	12966	.	

-----  
angina angina?  
-----

type: numeric (byte)  
label: angina  
range: [0,1] units: 1  
unique values: 2 missing .: 12911/15022

tabulation:	Freq.	Numeric	Label
	1699	0	no
	412	1	yes
	12911	.	

-----  
intclaud intermittent claudication?  
-----

type: numeric (byte)  
label: intclaud  
range: [0,1] units: 1  
unique values: 2 missing .: 12923/15022

tabulation:	Freq.	Numeric	Label
	1867	0	no
	232	1	yes
	12923	.	

-----  
midiag heart attack diagnosed by doctor  
-----

type: numeric (byte)  
label: midiag  
range: [0,1] units: 1  
unique values: 2 missing .: 12909/15022

tabulation:	Freq.	Numeric	Label
	1928	0	no
	185	1	yes
	12909	.	

-----  
park parkinson's disease  
-----

type: numeric (byte)  
label: park  
range: [0,2] units: 1  
unique values: 3 missing .: 12885/15022

tabulation:	Freq.	Numeric	Label
	2042	0	no
	40	1	probable
	55	2	certain
	12885	.	

-----  
tremortremor?  
-----

type: numeric (byte)  
label: tremor  
range: [0,2] units: 1  
unique values: 3 missing .: 13057/15022

tabulation:	Freq.	Numeric	Label
	1641	0	no
	208	1	yes, intention
	116	2	yes, resting
	13057	.	

-----  
initiatedifficulty initiating movement?  
-----

type: numeric (byte)  
label: initiate  
range: [0,2] units: 1  
unique values: 3 missing .: 13054/15022

tabulation:	Freq.	Numeric	Label
	1342	0	no
	107	1	yes - prob. due to park
	519	2	yes, prob. due to other problem
	13054	.	

-----  
slowslowness?  
-----

type: numeric (byte)  
label: slow  
range: [0,2] units: 1  
unique values: 3 missing .: 12971/15022

tabulation:	Freq.	Numeric	Label
	1070	0	no
	132	1	yes - prob. due to park
	849	2	yes, prob. due to other problem
	12971	.	

-----  
microgchange in handwriting?  
-----

type: numeric (byte)  
label: microg  
range: [0,2] units: 1  
unique values: 3 missing .: 13038/15022

tabulation:	Freq.	Numeric	Label
	1535	0	no
	121	1	yes, become smaller
	328	2	yes, some other change
	13038	.	

-----  
fallsno number of falls in last year  
-----

type: numeric (byte)  
range: [0,50] units: 1  
unique values: 18 missing .: 12918/15022  
mean: .838403  
std. dev: 2.39383  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 1 3

-----  
alcpast alcohol, units/ weeks before the age of 65  
-----

type: numeric (int)  
range: [0,400] units: 1  
unique values: 63 missing .: 12977/15022  
mean: 11.8782  
std. dev: 43.7628  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 32

-----  
alcnow alcohol, units/ week now  
-----

type: numeric (int)  
range: [0,400] units: 1  
unique values: 41 missing .: 12963/15022  
mean: 4.22972  
std. dev: 25.441  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 1

-----  
heavyalc ever been a heavy drinker?  
-----

type: numeric (byte)  
label: heavyalc  
range: [0,1] units: 1  
unique values: 2 missing .: 14460/15022  
tabulation: Freq. Numeric Label  
395 0 no  
167 1 yes  
14460 .

-----  
alctreat ever had treatment for alcohol problem?  
-----

type: numeric (byte)  
label: alctreat  
range: [0,1] units: 1  
unique values: 2 missing .: 14467/15022  
tabulation: Freq. Numeric Label  
535 0 no  
20 1 yes  
14467 .



-----  
alcprob interviewer judgement - alcohol problem?  
-----

type: numeric (byte)  
label: alcprob  
range: [0,1] units: 1  
unique values: 2 missing .: 14433/15022  
tabulation: Freq. Numeric Label  
532 0 no  
57 1 yes  
14433 .

-----  
hypothy hypothyroidism?  
-----

type: numeric (byte)  
label: hypothy  
range: [0,1] units: 1  
unique values: 2 missing .: 12793/15022  
tabulation: Freq. Numeric Label  
2191 0 no  
38 1 yes  
12793 .

-----  
hyperthy hyperthyroidism?  
-----

type: numeric (byte)  
label: hyperthy  
range: [0,1] units: 1  
unique values: 2 missing .: 12824/15022  
tabulation: Freq. Numeric Label  
2174 0 no  
24 1 yes  
12824 .

-----  
hi serious head injury  
-----

type: numeric (byte)  
label: hi  
range: [0,2] units: 1  
unique values: 3 missing .: 12792/15022  
tabulation: Freq. Numeric Label  
2011 0 no  
119 1 probably  
100 2 definitely  
12792 .

-----  
hill0 illness or infection affecting brain?  
-----

type: numeric (byte)  
label: hill0  
range: [0,2] units: 1  
unique values: 3 missing .: 12792/15022  
tabulation: Freq. Numeric Label  
2082 0 no  
55 1 probably  
93 2 definitely  
12792 .

-----  
loc period of loc after hi or infection?  
-----

type: numeric (byte)  
label: loc  
range: [1,2] units: 1  
unique values: 2 missing .: 14928/15022  
tabulation: Freq. Numeric Label  
50 1 a few minutes to an hour  
44 2 longer than an hour  
14928 .

-----  
behchang change in behaviour after injury?  
-----

type: numeric (byte)  
label: behchang  
range: [0,1] units: 1  
unique values: 2 missing .: 14845/15022  
tabulation: Freq. Numeric Label  
81 0 no  
96 1 yes  
14845 .

-----  
fitsever ever have epileptic fits?  
-----

type: numeric (byte)  
label: fitsever  
range: [0,1] units: 1  
unique values: 2 missing .: 12800/15022  
tabulation: Freq. Numeric Label  
2151 0 no  
71 1 yes  
12800 .

-----  
longfits epileptic fits over a long period?  
-----

type: numeric (byte)  
label: longfits  
range: [0,1] units: 1  
unique values: 2 missing .: 14930/15022  
tabulation: Freq. Numeric Label  
58 0 no  
34 1 yes  
14930 .

-----  
earlychg interviewer judgement - intellectual  
impairment is longstanding - from  
pathology  
-----

type: numeric (byte)  
label: earlychg  
range: [0,1] units: 1  
unique values: 2 missing .: 12835/15022  
tabulation: Freq. Numeric Label  
1888 0 no  
299 1 yes  
12835 .

-----  
npil npil - delusions  
-----

type: numeric (byte)  
label: npil

range: [0,1] units: 1  
unique values: 2 missing .: 59/15022

tabulation:	Freq.	Numeric	Label
	13901	0	no
	1062	1	yes
	59	.	

-----  
npilsev npil - delusions - severity  
-----

type: numeric (byte)  
label: npilsev

range: [0,3] units: 1  
unique values: 4 missing .: 61/15022

tabulation:	Freq.	Numeric	Label
	13895	0	no such symptom
	485	1	mild
	384	2	moderate
	197	3	severe
	61	.	

-----  
npild npil - delusions - distress  
-----

type: numeric (byte)  
label: npild

range: [0,5] units: 1  
unique values: 6 missing .: 63/15022

tabulation:	Freq.	Numeric	Label
	14097	0	no symptom, or not distressing
	291	1	minimal
	260	2	mild
	206	3	moderate
	83	4	severe
	22	5	extreme
	63	.	

-----  
npi2 npi2 - hallucinations  
-----

type: numeric (byte)  
label: npi2

range: [0,1] units: 1  
unique values: 2 missing .: 64/15022

tabulation:	Freq.	Numeric	Label
	14390	0	no
	568	1	yes
	64	.	

-----  
npi2sev npi2 - hallucinations - severity  
-----

type: numeric (byte)  
label: npi2sev  
range: [0,3] units: 1  
unique values: 4 missing .: 67/15022

tabulation:	Freq.	Numeric	Label
	14386	0	no such symptom
	289	1	mild
	197	2	moderate
	83	3	severe
	67	.	

-----  
npi2dis npi2 - hallucinations - distress  
-----

type: numeric (byte)  
label: npi2dis  
range: [0,5] units: 1  
unique values: 6 missing .: 68/15022

tabulation:	Freq.	Numeric	Label
	14537	0	no symptom, or not distressing
	171	1	minimal
	124	2	mild
	83	3	moderate
	30	4	severe
	9	5	extreme
	68	.	

-----  
npi3 npi3 - agitation/ aggression  
-----

type: numeric (byte)  
label: npi3  
range: [0,1] units: 1  
unique values: 2 missing .: 63/15022

tabulation:	Freq.	Numeric	Label
	12187	0	no
	2772	1	yes
	63	.	

-----  
npi3sev npi3 - agitation/ aggression - severity  
-----

type: numeric (byte)  
label: npi3sev  
range: [0,3] units: 1  
unique values: 4 missing .: 66/15022

tabulation:	Freq.	Numeric	Label
	12179	0	no such symptom
	1245	1	mild
	1064	2	moderate
	468	3	severe
	66	.	



-----  
npi5npi5 - anxiety  
-----

type: numeric (byte)  
label: npi5

range: [0,1] units: 1  
unique values: 2 missing .: 66/15022

tabulation: Freq. Numeric Label  
13000 0 no  
1956 1 yes  
66 .

-----  
npi5sevnpi5 - anxiety - severity  
-----

type: numeric (byte)  
label: npi5sev

range: [0,3] units: 1  
unique values: 4 missing .: 71/15022

tabulation: Freq. Numeric Label  
12987 0 no such symptom  
898 1 mild  
733 2 moderate  
333 3 severe  
71 .

-----  
npi5disnpi5 - anxiety - distress  
-----

type: numeric (byte)  
label: npi5dis

range: [0,5] units: 1  
unique values: 6 missing .: 73/15022

tabulation: Freq. Numeric Label  
13238 0 no symptom, or not distressing  
676 1 minimal  
505 2 mild  
362 3 moderate  
114 4 severe  
54 5 extreme  
73 .

-----  
npi6npi6 - elation  
-----

type: numeric (byte)  
label: npi6

range: [0,1] units: 1  
unique values: 2 missing .: 72/15022

tabulation: Freq. Numeric Label  
14528 0 no  
422 1 yes  
72 .

-----  
npi6sevnpi6 - elation - severity  
-----

type: numeric (byte)  
label: npi6sev  
range: [0,3] units: 1  
unique values: 4 missing .: 73/15022

tabulation:	Freq.	Numeric	Label
	14517	0	no such symptom
	233	1	mild
	158	2	moderate
	41	3	severe
	73	.	

-----  
npi6disnpi6 - elation - distress  
-----

type: numeric (byte)  
label: npi6dis  
range: [0,5] units: 1  
unique values: 6 missing .: 80/15022

tabulation:	Freq.	Numeric	Label
	14695	0	no symptom, or not distressing
	103	1	minimal
	68	2	mild
	57	3	moderate
	11	4	severe
	8	5	extreme
	80	.	

-----  
npi7npi7 - apathy  
-----

type: numeric (byte)  
label: npi7  
range: [0,1] units: 1  
unique values: 2 missing .: 63/15022

tabulation:	Freq.	Numeric	Label
	13789	0	no
	1170	1	yes
	63	.	

-----  
npi7sevnpi7 - apathy - severity  
-----

type: numeric (byte)  
label: npi7sev  
range: [0,3] units: 1  
unique values: 4 missing .: 65/15022

tabulation:	Freq.	Numeric	Label
	13781	0	no such symptom
	532	1	mild
	449	2	moderate
	195	3	severe
	65	.	

-----  
npi7dis npi7 - apathy - distress  
-----

type: numeric (byte)  
label: npi7dis

range: [0,5] units: 1  
unique values: 6 missing .: 70/15022

tabulation:

Freq.	Numeric	Label
14026	0	no symptom, or not distressing
327	1	minimal
316	2	mild
186	3	moderate
70	4	severe
27	5	extreme
70	.	.

-----  
npi8 npi8 - disinhibition  
-----

type: numeric (byte)  
label: npi8

range: [0,1] units: 1  
unique values: 2 missing .: 65/15022

tabulation:

Freq.	Numeric	Label
13857	0	no
1100	1	yes
65	.	.

-----  
npi8sev npi8 - disinhibition - severity  
-----

type: numeric (byte)  
label: npi8sev

range: [0,3] units: 1  
unique values: 4 missing .: 68/15022

tabulation:

Freq.	Numeric	Label
13847	0	no such symptom
471	1	mild
461	2	moderate
175	3	severe
68	.	.

-----  
npi8dis npi8 - disinhibition - distress  
-----

type: numeric (byte)  
label: npi8dis

range: [0,5] units: 1  
unique values: 6 missing .: 70/15022

tabulation:

Freq.	Numeric	Label
13982	0	no symptom, or not distressing
298	1	minimal
332	2	mild
219	3	moderate
96	4	severe
25	5	extreme
70	.	.



-----  
npi9 npi9 - irritability  
-----

type: numeric (byte)  
label: npi9

range: [0,1] units: 1  
unique values: 2 missing .: 63/15022

tabulation:	Freq.	Numeric	Label
	12022	0	no
	2937	1	yes
	63	.	

-----  
npi9sev npi9 - irritability - severity  
-----

type: numeric (byte)  
label: npi9sev

range: [0,3] units: 1  
unique values: 4 missing .: 68/15022

tabulation:	Freq.	Numeric	Label
	12012	0	no such symptom
	1317	1	mild
	1175	2	moderate
	450	3	severe
	68	.	

-----  
npi9dis npi9 - irritability - distress  
-----

type: numeric (byte)  
label: npi9dis

range: [0,5] units: 1  
unique values: 6 missing .: 71/15022

tabulation:	Freq.	Numeric	Label
	12429	0	no symptom, or not distressing
	915	1	minimal
	739	2	mild
	596	3	moderate
	197	4	severe
	75	5	extreme
	71	.	

-----  
npi10 npi10 - motor disturbance  
-----

type: numeric (byte)  
label: npi10

range: [0,1] units: 1  
unique values: 2 missing .: 75/15022

tabulation:	Freq.	Numeric	Label
	14228	0	no
	719	1	yes
	75	.	

-----  
npil0sev npil0 - motor disturbance - severity  
-----

type: numeric (byte)  
label: npil0sev  
range: [0,3] units: 1  
unique values: 4 missing .: 73/15022

tabulation:	Freq.	Numeric	Label
	14219	0	no such symptom
	331	1	mild
	239	2	moderate
	160	3	severe
	73	.	

-----  
npil0dis npil0 - motor disturbance - distress  
-----

type: numeric (byte)  
label: npil0dis  
range: [0,5] units: 1  
unique values: 6 missing .: 79/15022

tabulation:	Freq.	Numeric	Label
	14418	0	no symptom, or not distressing
	190	1	minimal
	136	2	mild
	109	3	moderate
	52	4	severe
	38	5	extreme
	79	.	

-----  
npill npill- night disturbance  
-----

type: numeric (byte)  
label: npill  
range: [0,1] units: 1  
unique values: 2 missing .: 73/15022

tabulation:	Freq.	Numeric	Label
	11652	0	no
	3297	1	yes
	73	.	

-----  
npillsev npill- night disturbance - severity  
-----

type: numeric (byte)  
label: npillsev  
range: [0,3] units: 1  
unique values: 4 missing .: 77/15022

tabulation:	Freq.	Numeric	Label
	11643	0	no such symptom
	1551	1	mild
	1316	2	moderate
	435	3	severe
	77	.	

-----  
npil1dis  
----- npil1- night disturbance - distress  
-----

type: numeric (byte)  
label: npil1dis  
range: [0,5] units: 1  
unique values: 6 missing .: 85/15022

tabulation:	Freq.	Numeric	Label
	12636	0	no symptom, or not distressing
	924	1	minimal
	688	2	mild
	518	3	moderate
	124	4	severe
	47	5	extreme
	85	.	.

-----  
npil2  
----- npil2 - appetite  
-----

type: numeric (byte)  
label: npil2  
range: [0,1] units: 1  
unique values: 2 missing .: 67/15022

tabulation:	Freq.	Numeric	Label
	12765	0	no
	2190	1	yes
	67	.	.

-----  
npil2sev  
----- npil2 - appetite - severity  
-----

type: numeric (byte)  
label: npil2sev  
range: [0,3] units: 1  
unique values: 4 missing .: 72/15022

tabulation:	Freq.	Numeric	Label
	12757	0	no such symptom
	1086	1	mild
	820	2	moderate
	287	3	severe
	72	.	.

-----  
npil2dis  
----- npil2 - appetite - distress  
-----

type: numeric (byte)  
label: npil2dis  
range: [0,5] units: 1  
unique values: 6 missing .: 78/15022

tabulation:	Freq.	Numeric	Label
	13274	0	no symptom, or not distressing
	636	1	minimal
	516	2	mild
	353	3	moderate
	123	4	severe
	42	5	extreme
	78	.	.

-----  
hasconf confidence in data  
-----

type: numeric (byte)  
label: hasconf  
range: [0,4] units: 1  
unique values: 5 missing .: 1742/15022

tabulation:	Freq.	Numeric	Label
	12695	0	reasonable
	490	1	few doubts
	76	2	moderate doubts
	14	3	grave doubts
	5	4	worthless
	1742	.	

-----  
miss1 csi'd' informant interview - missing 0/1 items  
-----

type: numeric (byte)  
range: [0,21] units: 1  
unique values: 14 missing .: 20/15022

mean: .061592  
std. dev: .871333

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

-----  
miss3 csi'd' informant interview - missing 0/1/2/3 items  
-----

type: numeric (byte)  
range: [0,3] units: 1  
unique values: 3 missing .: 20/15022

tabulation:	Freq.	Value
	14962	0
	13	1
	27	3
	20	.

-----  
misstot csi'd' informant interview - missing items  
-----

type: numeric (byte)  
range: [0,30] units: 1  
unique values: 18 missing .: 20/15022

mean: .080389  
std. dev: 1.21413

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

-----  
srqtot total srq score  
-----

type: numeric (byte)  
range: [0,20] units: 1  
unique values: 21 missing .: 45/15022

mean: 2.66061  
std. dev: 3.45325

percentiles:	10%	25%	50%	75%	90%
	0	0	1	4	8

-----  
srqcase srq case? (8+)  
-----

type: numeric (byte)  
range: [0,1] units: 1  
unique values: 2 missing .: 25/15022  
tabulation: Freq. Value  
              13491 0  
              1506 1  
              25 .

-----  
zmiss number of zarit missing value items  
-----

type: numeric (byte)  
range: [0,4] units: 1  
unique values: 4 missing .: 20/15022  
tabulation: Freq. Value  
              14993 0  
              6 1  
              1 3  
              2 4  
              20 .

-----  
zbtot total zarit carer burden score  
-----

type: numeric (float)  
range: [0,81] units: 1.000e-07  
unique values: 82 missing .: 13622/15022  
mean: 19.6849  
std. dev: 16.0928  
percentiles:           10%       25%       50%       75%       90%  
                          2           8           16           29           43

-----  
c\_family carer income from family  
-----

type: numeric (long)  
range: [0,240000] units: 1  
unique values: 192 missing .: 0/15022  
mean: 458.066  
std. dev: 2757.84  
percentiles:           10%       25%       50%       75%       90%  
                          0           0           0           0           1200

-----  
c\_gov carer income from govt pension  
-----

type: numeric (long)  
range: [0,36000] units: 1  
unique values: 311 missing .: 0/15022  
mean: 68.0517  
std. dev: 493.738  
percentiles:           10%       25%       50%       75%       90%  
                          0           0           0           0           0

-----  
c\_occup carer income from occup. pension  
-----

type: numeric (long)  
range: [0,50000] units: 1  
unique values: 343 missing .: 0/15022  
mean: 113.592  
std. dev: 671.325  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 180

-----  
c\_disab carer income from disability pension  
-----

type: numeric (int)  
range: [0,11000] units: 1  
unique values: 68 missing .: 0/15022  
mean: 3.70031  
std. dev: 119.056  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 0

-----  
c\_rent carer income from rent  
-----

type: numeric (int)  
range: [0,20000] units: 1  
unique values: 83 missing .: 0/15022  
mean: 63.967  
std. dev: 511.183  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 0

-----  
c\_work carer income from work  
-----

type: numeric (long)  
range: [0,150000] units: 1  
unique values: 357 missing .: 0/15022  
mean: 252.023  
std. dev: 1612.22  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 496

-----  
c\_care carer income from carer benefit  
-----

type: numeric (int)  
range: [0,7000] units: 1  
unique values: 66 missing .: 0/15022  
mean: 8.96592  
std. dev: 137.95  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 0

-----  
c\_oth carer income (other)  
-----

type: numeric (int)  
range: [0,10000] units: 1  
unique values: 58 missing .: 0/15022  
mean: 18.5957  
std. dev: 230.913  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 0

-----  
cno\_f\_tot carer income (excl. family)  
-----

type: numeric (long)  
range: [0,150000] units: 1  
unique values: 656 missing .: 0/15022  
mean: 528.896  
std. dev: 1878.78  
percentiles: 10% 25% 50% 75% 90%  
0 0 100 450 1200

-----  
c\_tot carer income (incl. family)  
-----

type: numeric (long)  
range: [0,240000] units: 1  
unique values: 714 missing .: 0/15022  
mean: 986.962  
std. dev: 3301.3  
percentiles: 10% 25% 50% 75% 90%  
0 0 233 900 2500

-----  
tw\_dep carer ave. daily time with sbj.  
-----

type: numeric (float)  
range: [0,66] units: .1  
unique values: 26 missing .: 92/15022  
mean: 15.9612  
std. dev: 7.43718  
percentiles: 10% 25% 50% 75% 90%  
6 10.5 18 24 24

-----  
tadl time spent helping with adl (scale)  
-----

type: numeric (byte)  
range: [0,18] units: 1  
unique values: 18 missing .: 1/15022  
mean: .37381  
std. dev: 1.57265  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 0

-----  
npisevnpi total severity score  
-----

type: numeric (byte)  
range: [0,36] units: 1  
unique values: 32 missing .: 193/15022  
mean: 2.48203  
std. dev: 3.84895  
percentiles: 10% 25% 50% 75% 90%  
0 0 1 4 7

-----  
npidisnpi total distress score  
-----

type: numeric (byte)  
range: [0,52] units: 1  
unique values: 49 missing .: 223/15022  
mean: 2.60822  
std. dev: 4.84193  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 3 8

-----  
learn110 word list learning - instant recall - first trial  
-----

type: numeric (byte)  
range: [0,10] units: 1  
unique values: 11 missing .: 0/15022  
mean: 3.26734  
std. dev: 1.69262  
percentiles: 10% 25% 50% 75% 90%  
1 2 3 4 5

-----  
learn210 word list learning - instant recall - second trial  
-----

type: numeric (byte)  
range: [0,10] units: 1  
unique values: 11 missing .: 0/15022  
mean: 4.69851  
std. dev: 1.88889  
percentiles: 10% 25% 50% 75% 90%  
2 4 5 6 7

-----  
learn310 word list learning - instant recall - third trial  
-----

type: numeric (byte)  
range: [0,10] units: 1  
unique values: 11 missing .: 0/15022  
mean: 5.50899  
std. dev: 2.12213  
percentiles: 10% 25% 50% 75% 90%  
3 4 6 7 8



-----  
name repeats interviewers name  
-----

type: numeric (byte)  
label: name  
range: [0,1] units: 1  
unique values: 2 missing .: 0/15022  
tabulation: Freq. Numeric Label  
                  478          0 incorrect  
                 14544         1 correct

-----  
pencil object naming - pencil  
-----

type: numeric (byte)  
label: pencil  
range: [0,1] units: 1  
unique values: 2 missing .: 0/15022  
tabulation: Freq. Numeric Label  
                  306          0 incorrect  
                 14716         1 correct

-----  
watch object naming - watch  
-----

type: numeric (byte)  
label: watch  
range: [0,1] units: 1  
unique values: 2 missing .: 0/15022  
tabulation: Freq. Numeric Label  
                  312          0 incorrect  
                 14710         1 correct

-----  
chair object naming - chair  
-----

type: numeric (byte)  
label: chair  
range: [0,1] units: 1  
unique values: 2 missing .: 0/15022  
tabulation: Freq. Numeric Label  
                  330          0 incorrect  
                 14692         1 correct

-----  
shoes object naming - shoes  
-----

type: numeric (byte)  
label: shoes  
range: [0,1] units: 1  
unique values: 2 missing .: 0/15022  
tabulation: Freq. Numeric Label  
                  371          0 incorrect  
                 14651         1 correct

-----  
knuckle object naming - knuckle  
-----

type: numeric (byte)  
label: knuckle

range: [0,1] units: 1  
unique values: 2 missing .: 0/15022

tabulation:	Freq.	Numeric	Label
	2495	0	incorrect
	12527	1	correct

-----  
elbow object naming - elbow  
-----

type: numeric (byte)  
label: elbow

range: [0,1] units: 1  
unique values: 2 missing .: 0/15022

tabulation:	Freq.	Numeric	Label
	485	0	incorrect
	14537	1	correct

-----  
should object naming - shoulder  
-----

type: numeric (byte)  
label: should

range: [0,1] units: 1  
unique values: 2 missing .: 0/15022

tabulation:	Freq.	Numeric	Label
	991	0	incorrect
	14031	1	correct

-----  
bridge language expression - what is a bridge for?  
-----

type: numeric (byte)  
label: bridge

range: [0,1] units: 1  
unique values: 2 missing .: 0/15022

tabulation:	Freq.	Numeric	Label
	599	0	incorrect
	14423	1	correct

-----  
hammer language expression - what is a hammer for?  
-----

type: numeric (byte)  
label: hammer

range: [0,1] units: 1  
unique values: 2 missing .: 0/15022

tabulation:	Freq.	Numeric	Label
	364	0	incorrect
	14658	1	correct

-----  
pray language expression - what do you do in a church/ temple?  
-----

type: numeric (byte)  
label: pray  
range: [0,1] units: 1  
unique values: 2 missing .: 0/15022  
tabulation: Freq. Numeric Label  
357 0 incorrect  
14665 1 correct

-----  
chemist language expression - where do you buy medicine?  
-----

type: numeric (byte)  
label: chemist  
range: [0,1] units: 1  
unique values: 2 missing .: 0/15022  
tabulation: Freq. Numeric Label  
380 0 incorrect  
14642 1 correct

-----  
repeat language fluency - no ifs ands or buts  
-----

type: numeric (byte)  
label: repeat  
range: [0,1] units: 1  
unique values: 2 missing .: 0/15022  
tabulation: Freq. Numeric Label  
2064 0 incorrect  
12958 1 correct

-----  
nrecall memory - remembers interviewers name  
-----

type: numeric (byte)  
label: nrecall  
range: [0,1] units: 1  
unique values: 2 missing .: 0/15022  
tabulation: Freq. Numeric Label  
3103 0 incorrect  
11919 1 correct

-----  
animals verbal fluency - cerad animal naming  
-----

type: numeric (byte)  
range: [0,44] units: 1  
unique values: 43 missing .: 0/15022  
mean: 14.4593  
std. dev: 6.28246  
percentiles: 10% 25% 50% 75% 90%  
7 10 14 19 22



-----  
store spatial orientation - location of nearest store  
-----

type: numeric (byte)  
label: store

range: [0,1] units: 1  
unique values: 2 missing .: 0/15022

tabulation: Freq. Numeric Label  
893 0 incorrect  
14129 1 correct

-----  
address spatial orientation - address  
-----

type: numeric (byte)  
label: address

range: [0,1] units: 1  
unique values: 2 missing .: 0/15022

tabulation: Freq. Numeric Label  
1178 0 incorrect  
13844 1 correct

-----  
worddel memory - three word list (delayed recall)  
-----

type: numeric (byte)

range: [0,3] units: 1  
unique values: 4 missing .: 0/15022

tabulation: Freq. Value  
4251 0  
2468 1  
3597 2  
4706 3

-----  
longmem long term memory item  
-----

type: numeric (byte)  
label: longmem

range: [0,1] units: 1  
unique values: 2 missing .: 0/15022

tabulation: Freq. Numeric Label  
3105 0 incorrect  
11917 1 correct

-----  
month temporal orientation - month  
-----

type: numeric (byte)  
label: month

range: [0,1] units: 1  
unique values: 2 missing .: 0/15022

tabulation: Freq. Numeric Label  
1368 0 incorrect  
13654 1 correct

-----  
day temporal orientation - day of week  
-----

type: numeric (byte)  
label: day  
range: [0,1] units: 1  
unique values: 2 missing .: 0/15022  
tabulation: Freq. Numeric Label  
1499 0 incorrect  
13523 1 correct

-----  
year temporal orientation - year  
-----

type: numeric (byte)  
label: year  
range: [0,1] units: 1  
unique values: 2 missing .: 0/15022  
tabulation: Freq. Numeric Label  
2986 0 incorrect  
12036 1 correct

-----  
season temporal orientation - season  
-----

type: numeric (byte)  
label: season  
range: [0,1] units: 1  
unique values: 2 missing .: 0/15022  
tabulation: Freq. Numeric Label  
935 0 incorrect  
14087 1 correct

-----  
nod language comprehension - nod your head  
-----

type: numeric (byte)  
label: nod  
range: [0,1] units: 1  
unique values: 2 missing .: 0/15022  
tabulation: Freq. Numeric Label  
480 0 incorrect  
14542 1 correct

-----  
point language comprehension - point to ceiling then to floor  
-----

type: numeric (byte)  
label: point  
range: [0,1] units: 1  
unique values: 2 missing .: 0/15022  
tabulation: Freq. Numeric Label  
606 0 incorrect  
14416 1 correct

-----  
paper praxis - fold paper - number of actions completed correctly  
-----

type: numeric (byte)  
range: [0,3] units: 1  
unique values: 4 missing .: 0/15022  
tabulation: Freq. Value  
512 0  
870 1  
2817 2  
10823 3

-----  
circle praxis - draw circles  
-----

type: numeric (byte)  
label: circle  
range: [0,1] units: 1  
unique values: 2 missing .: 0/15022  
tabulation: Freq. Numeric Label  
2344 0 incorrect  
12678 1 correct

-----  
pentag praxis - draw pentagons  
-----

type: numeric (byte)  
label: pentag  
range: [0,1] units: 1  
unique values: 2 missing .: 0/15022  
tabulation: Freq. Numeric Label  
7472 0 incorrect  
7550 1 correct

-----  
story memory - logical memory (story recall)  
-----

type: numeric (byte)  
range: [0,6] units: 1  
unique values: 7 missing .: 0/15022  
tabulation: Freq. Value  
697 0  
381 1  
826 2  
1929 3  
3557 4  
4424 5  
3208 6

-----  
cogscore csi 'd' participant cognitive test score (cogscore)  
-----

type: numeric (float)  
range: [0,33.76223] units: 1.000e-07  
unique values: 1673 missing .: 0/15022  
mean: 29.0597  
std. dev: 4.90017  
percentiles: 10% 25% 50% 75% 90%  
24.8546 28.2921 30.4518 31.6997 32.4395

-----  
immed 10 word list learning immediate recall total /30  
-----

type: numeric (byte)  
range: [0,30] units: 1  
unique values: 31 missing .: 5/15022  
mean: 13.4707  
std. dev: 5.18143  
percentiles: 10% 25% 50% 75% 90%  
7 10 14 17 20

-----  
langexpr subscale - language expression  
-----

type: numeric (byte)  
range: [0,4] units: 1  
unique values: 5 missing .: 0/15022  
tabulation: Freq. Value  
261 0  
38 1  
79 2  
384 3  
14260 4

-----  
langcomp subscale - language comprehension  
-----

type: numeric (byte)  
range: [0,2] units: 1  
unique values: 3 missing .: 0/15022  
tabulation: Freq. Value  
340 0  
406 1  
14276 2

-----  
orientti subscale - orientation in time  
-----

type: numeric (byte)  
range: [0,4] units: 1  
unique values: 5 missing .: 0/15022  
tabulation: Freq. Value  
494 0  
430 1  
682 2  
2158 3  
11258 4

-----  
orientsp subscale - orientation in place  
-----

type: numeric (byte)  
range: [0,4] units: 1  
unique values: 5 missing .: 0/15022  
tabulation: Freq. Value  
382 0  
220 1  
343 2  
1091 3  
12986 4



-----  
objname subscale - object naming  
-----

type: numeric (byte)  
range: [0,7] units: 1  
unique values: 8 missing .: 0/15022

tabulation: Freq. Value  
243 0  
17 1  
22 2  
32 3  
74 4  
308 5  
2411 6  
11915 7

-----  
mem subscale - memory recall  
-----

type: numeric (byte)  
range: [0,13] units: 1  
unique values: 14 missing .: 2/15022

mean: 9.41591  
std. dev: 2.69336

percentiles: 10% 25% 50% 75% 90%  
6 8 10 11 12

-----  
language subscale - language  
-----

type: numeric (byte)  
range: [0,6] units: 1  
unique values: 7 missing .: 0/15022

tabulation: Freq. Value  
212 0  
35 1  
53 2  
47 3  
191 4  
604 5  
13880 6

-----  
orientat subscale - orientation  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 10 missing .: 0/15022

mean: 8.07323  
std. dev: 1.82642

percentiles: 10% 25% 50% 75% 90%  
6 8 9 9 9



-----  
schiz stage 1 - schizophrenia cluster  
-----

type: numeric (byte)  
label: schiz  
range: [0,3] units: 1  
unique values: 4 missing .: 0/15022

tabulation:	Freq.	Numeric	Label
	13552	0	srp0
	679	1	srp1
	678	2	srp2
	113	3	srp3

-----  
dep stage 1 - depression clusters  
-----

type: numeric (byte)  
label: dep  
range: [0,7] units: 1  
unique values: 8 missing .: 0/15022

tabulation:	Freq.	Numeric	Label
	7730	0	d0
	493	1	d1
	2123	2	d2
	325	3	dp3
	1478	4	dp4
	10	5	dp5
	2568	6	dn3
	295	7	dn4

-----  
anx stage 1 - anxiety cluster  
-----

type: numeric (byte)  
label: anx  
range: [0,5] units: 1  
unique values: 6 missing .: 0/15022

tabulation:	Freq.	Numeric	Label
	8534	0	an0
	5192	1	an1
	545	2	an2
	389	3	an3
	249	4	an4
	113	5	an5

-----  
uflags flags - unusual symptom pattern  
-----

type: numeric (byte)  
label: uflags  
range: [0,9] units: 1  
unique values: 4 missing .: 0/15022

tabulation:	Freq.	Numeric	Label
	12959	0	none
	1992	1	uorg
	66	8	udep
	5	9	uorgdep

-----  
adiag stage 2 diagnosis - numeric  
-----

type: numeric (int)  
label: addiag  
range: [0,2803] units: 1  
unique values: 27 missing .: 0/15022  
examples: 0 well  
          103 dn3  
          301 d1  
          1203 o3

-----  
diag stage 2 diagnosis - string  
-----

type: string (str5)  
unique values: 27 missing "": 0/15022  
examples: "Well"  
          "an1"  
          "dn3"  
          "o1"  
warning: variable has leading blanks

-----  
gmsdiag stage 2 diagnosis - summary  
-----

type: numeric (byte)  
label: gmsdiag  
range: [1,6] units: 1  
unique values: 6 missing .: 0/15022  
tabulation: Freq. Numeric Label  
            2570 1 organic case  
            325 2 organic sub-case  
            3539 3 depression case  
            1741 4 depression subcase  
            1486 5 other case or sub-case  
            5361 6 well

-----  
q11 1.1 cannot repeat rater's name correctly  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 20/15022  
tabulation: Freq. Value  
            14215 0  
            611 1  
            1 2  
            78 8  
            97 9  
            20 .

-----  
q21 2.1 cannot spell both names correctly  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 21/15022

tabulation: Freq. Value  
12437 0  
2045 1  
1 2  
96 8  
422 9  
21 .

-----  
q31 3.1 states or indicates by gesture does not know d.o.b  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 72/15022

tabulation: Freq. Value  
12819 0  
1876 1  
1 2  
90 8  
164 9  
72 .

-----  
q32 3.2 incomplete, irrelevant or no reply  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 103/15022

tabulation: Freq. Value  
13772 0  
824 1  
1 2  
79 8  
243 9  
103 .

-----  
q41 4.1 states or indicates by gesture does not know age  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 126/15022

tabulation: Freq. Value  
14164 0  
492 1  
1 2  
87 8  
152 9  
126 .

-----  
q42 4.2 incomplete, irrelevant or no reply  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 144/15022

tabulation: Freq. Value  
14102 0  
425 1  
1 2  
75 8  
275 9  
144 .

-----  
q51 5.1 shows marked uncertainty about age and birthdate  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 13477/15022

tabulation: Freq. Value  
566 0  
833 1  
33 8  
113 9  
13477 .

-----  
q52 5.2 persistent discrepancy between stated birthdate and age  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 13481/15022

tabulation: Freq. Value  
598 0  
734 1  
38 8  
171 9  
13481 .

-----  
q53 5.3 error of 2 or 3 years  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 13484/15022

tabulation: Freq. Value  
982 0  
341 1  
34 8  
181 9  
13484 .

-----  
q54

5.4 error of more than 3 years  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 13482/15022

tabulation: Freq. Value  
902 0  
428 1  
34 8  
176 9  
13482 .

-----  
q71

7.1 error in day of week  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 738/15022

tabulation: Freq. Value  
10945 0  
693 1  
363 2  
122 8  
2161 9  
738 .

-----  
q72

7.2 error in month  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 742/15022

tabulation: Freq. Value  
11345 0  
380 1  
271 2  
114 8  
2170 9  
742 .

-----  
q73

7.3 states or indicates by gesture does not know month  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 742/15022

tabulation: Freq. Value  
11409 0  
618 1  
1 2  
93 8  
2159 9  
742 .

-----  
q74 7.4 some of the response is incomplete, irrelevant or no reply  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 745/15022

tabulation: Freq. Value  
11220 0  
807 1  
1 2  
89 8  
2160 9  
745 .

-----  
q75 7.5 error in year  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 744/15022

tabulation: Freq. Value  
10964 0  
634 1  
384 2  
116 8  
2180 9  
744 .

-----  
q76 7.6 states or indicates by gesture does not know year  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 746/15022

tabulation: Freq. Value  
10103 0  
1912 1  
1 2  
101 8  
2159 9  
746 .

-----  
q81 8.1 gives incorrect or incomplete address  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 1860/15022

tabulation: Freq. Value  
12312 0  
518 1  
1 2  
93 8  
238 9  
1860 .



-----  
q82 8.2 states or indicates by gesture does not know  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 1878/15022

tabulation: Freq. Value  
12288 0  
307 1  
1 2  
91 8  
457 9  
1878 .

-----  
q83 8.3 incomplete, irrelevant or no reply  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 1877/15022

tabulation: Freq. Value  
12315 0  
294 1  
1 2  
78 8  
457 9  
1877 .

-----  
q91 or address  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 12770/15022

tabulation: Freq. Value  
1949 0  
56 1  
1 2  
6 8  
240 9  
12770 .

-----  
q92 9.2 incomplete, irrelevant or no reply  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 12794/15022

tabulation: Freq. Value  
1894 0  
51 1  
1 2  
3 8  
279 9  
12794 .

-----  
q93 9.3 error in name (partial name accepted)  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 12800/15022

tabulation: Freq. Value  
1891 0  
47 1  
1 2  
5 8  
278 9  
12800 .

-----  
q101 10.1 gives a positive answer and a simple explanation  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 26/15022

tabulation: Freq. Value  
14443 0  
338 1  
103 8  
112 9  
26 .

-----  
q102 10.2 confabulation. an elaborate description of events  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 41/15022

tabulation: Freq. Value  
14310 0  
256 1  
103 8  
312 9  
41 .

-----  
q111 observation - talks in aimless fashion  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 36/15022

tabulation: Freq. Value  
14297 0  
394 1  
30 8  
265 9  
36 .

-----  
xxx2

12.1 any kind of worries mentioned  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 106/15022

tabulation: Freq. Value  
5169 0  
9635 1  
1 2  
71 8  
40 9  
106 .

-----  
q161

16.1 own health  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 5254/15022

tabulation: Freq. Value  
4050 0  
5571 1  
4 2  
76 8  
67 9  
5254 .

-----  
q162

16.2 others' health  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 5257/15022

tabulation: Freq. Value  
5371 0  
4245 1  
2 2  
73 8  
74 9  
5257 .

-----  
q163

16.3 own finances  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 5260/15022

tabulation: Freq. Value  
5337 0  
4276 1  
3 2  
72 8  
74 9  
5260 .

-----  
q164

16.4 family problem  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 5258/15022

tabulation: Freq. Value  
5309 0  
4304 1  
4 2  
72 8  
75 9  
5258 .

-----  
q141

14.1 worries a lot (i.e. about one or two things)  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 5260/15022

tabulation: Freq. Value  
3893 0  
5724 1  
2 2  
71 8  
72 9  
5260 .

-----  
q142

14.2 is a worrier or worries about almost everything  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 5263/15022

tabulation: Freq. Value  
7330 0  
2277 1  
70 8  
82 9  
5263 .

-----  
q151

15.1 unpleasant worrying which keeps coming back or cannot be stopped  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 5265/15022

tabulation: Freq. Value  
7247 0  
2357 1  
75 8  
78 9  
5265 .

-----  
q171 17. do you have any children?  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 124/15022

tabulation: Freq. Value  
1788 0  
13005 1  
46 8  
59 9  
124 .

-----  
q181 18.1 upset or bothered by relationship with children  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 1872/15022

tabulation: Freq. Value  
10272 0  
2748 1  
1 2  
68 8  
61 9  
1872 .

-----  
q191 19.1 subjective fear or anxiety, out of proportion to  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 112/15022

tabulation: Freq. Value  
12401 0  
2232 1  
151 2  
76 8  
50 9  
112 .

-----  
q201 20.1 episode of anxiety which subject tries to terminate  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 114/15022

tabulation: Freq. Value  
14124 0  
599 1  
53 2  
80 8  
52 9  
114 .

-----  
q211 21.1 depressed mood  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 111/15022

tabulation: Freq. Value  
9299 0  
4773 1  
725 2  
68 8  
46 9  
111 .

-----  
q221 22.1 has cried  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 113/15022

tabulation: Freq. Value  
10759 0  
3439 1  
596 2  
68 8  
47 9  
113 .

-----  
q231 23.1 has felt like crying  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 4089/15022

tabulation: Freq. Value  
9403 0  
1221 1  
48 2  
67 8  
194 9  
4089 .

-----  
q241 24.1 depression, crying or feeling like crying lasts  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 8529/15022

tabulation: Freq. Value  
2780 0  
3310 1  
5 2  
62 8  
336 9  
8529 .

-----  
q242 24.2 depression, crying or feeling like crying  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 8540/15022

tabulation: Freq. Value  
4700 0  
1360 1  
5 2  
64 8  
353 9  
8540 .

-----  
q243 24.3 present for at least two continuous weeks in the last month  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 8538/15022

tabulation: Freq. Value  
4423 0  
1638 1  
3 2  
65 8  
355 9  
8538 .

-----  
q251 25.1 fluctuating mood  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 8536/15022

tabulation: Freq. Value  
3739 0  
2309 1  
35 2  
64 8  
339 9  
8536 .

-----  
q261 26.1 morning predominantly  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 8548/15022

tabulation: Freq. Value  
4425 0  
1635 1  
63 8  
351 9  
8548 .

-----  
q262 26.2 afternoon predominantly  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 8547/15022  
tabulation: Freq. Value  
4508 0  
1542 1  
63 8  
362 9  
8547 .

-----  
q263 26.3 evening predominantly  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 8548/15022  
tabulation: Freq. Value  
3968 0  
2081 1  
62 8  
363 9  
8548 .

-----  
q271 27.1 nothing relieves  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 8545/15022  
tabulation: Freq. Value  
5480 0  
581 1  
67 8  
349 9  
8545 .

-----  
q272 27.2 depression not relieved for several hours at a time  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 8546/15022  
tabulation: Freq. Value  
5301 0  
735 1  
23 2  
68 8  
349 9  
8546 .



-----  
q281 28.1 has felt life was not worth living  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 116/15022

tabulation:	Freq.	Value
	11777	0
	2796	1
	189	2
	77	8
	67	9
	116	.

-----  
q291 29.1 not pessimistic, but has empty expectations  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 114/15022

tabulation:	Freq.	Value
	11726	0
	3007	1
	102	8
	73	9
	114	.

-----  
q292 29.2 is pessimistic or future seems bleak or can see  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 143/15022

tabulation:	Freq.	Value
	13321	0
	1242	1
	105	8
	211	9
	143	.

-----  
q293 29.3 a general feeling of hopelessness, despair  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 151/15022

tabulation:	Freq.	Value
	13578	0
	983	1
	97	8
	213	9
	151	.

-----  
q294 29.4 pessimism obviously warranted by circumstances  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 156/15022

tabulation:	Freq.	Value
	12249	0
	2311	1
	95	8
	211	9
	156	.

-----  
q301 30.1 has ever felt suicidal or wished to be dead  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 120/15022

tabulation:	Freq.	Value
	13006	0
	1741	1
	80	8
	75	9
	120	.

-----  
q311 31.1 in last month  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 13044/15022

tabulation:	Freq.	Value
	949	0
	847	1
	61	8
	121	9
	13044	.

-----  
q312 31.2 in last year  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 13875/15022

tabulation:	Freq.	Value
	465	0
	499	1
	62	8
	121	9
	13875	.

-----  
q313 31.3 has felt a wish to be dead for at least two weeks  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 13873/15022

tabulation: Freq. Value  
524 0  
440 1  
62 8  
123 9  
13873 .

-----  
q321 32.1 has done something or planned to do something about killing self  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 13919/15022

tabulation: Freq. Value  
828 0  
94 1  
61 8  
120 9  
13919 .

-----  
q322 32.2 has rejected suicide but has wished to be dead  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 13919/15022

tabulation: Freq. Value  
479 0  
440 1  
61 8  
123 9  
13919 .

-----  
q331 33.1 looks or sounds tense, worried,depressed or fearful  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 151/15022

tabulation: Freq. Value  
11422 0  
2825 1  
481 2  
20 8  
123 9  
151 .

-----  
q332 33.2 looks or sounds tense or worried  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 11444/15022

tabulation: Freq. Value  
1289 0  
1831 1  
301 2  
19 8  
138 9  
11444 .

-----  
q333 33.3 looks or sounds sad, gloomy, mournful or depressed  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 11447/15022

tabulation: Freq. Value  
1630 0  
1517 1  
270 2  
19 8  
139 9  
11447 .

-----  
q334 33.4 looks or sounds apprehensive or fearful  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 11451/15022

tabulation: Freq. Value  
2796 0  
507 1  
110 2  
19 8  
139 9  
11451 .

-----  
q335 33.5 eyes moist: tearful or crying  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 11444/15022

tabulation: Freq. Value  
2111 0  
1088 1  
225 2  
19 8  
135 9  
11444 .

-----  
q341 34.1 subjective difficulty, i.e.implies memory impairment  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 118/15022  
tabulation: Freq. Value  
8664 0  
5598 1  
512 2  
78 8  
52 9  
118 .

-----  
q351 35.1 forgets names of family or friends, or misnames them  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 118/15022  
tabulation: Freq. Value  
12310 0  
2233 1  
220 2  
82 8  
59 9  
118 .

-----  
q352 35.2 forgets where he/she has placed things  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 128/15022  
tabulation: Freq. Value  
7956 0  
6243 1  
546 2  
78 8  
71 9  
128 .

-----  
q361 36.1 has to make a greater effort to remember things than used to  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 135/15022  
tabulation: Freq. Value  
7487 0  
7165 1  
90 8  
145 9  
135 .

-----  
q362 36.2 came on during the last 1 - 2 years  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 7769/15022  
tabulation: Freq. Value  
2921 0  
4266 1  
23 8  
43 9  
7769 .

-----  
q363 36.3 came on during the last 3 - 4 years  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 7774/15022  
tabulation: Freq. Value  
5301 0  
1860 1  
24 8  
63 9  
7774 .

-----  
q364 36.4 came on during the last 5 - 10 years  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 7772/15022  
tabulation: Freq. Value  
6232 0  
915 1  
24 8  
79 9  
7772 .

-----  
q365 36.5 came on over 10 years ago  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 7772/15022  
tabulation: Freq. Value  
6614 0  
534 1  
24 8  
78 9  
7772 .

-----  
q371 37.1 does not recall rater's name correctly  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 124/15022

tabulation:	Freq.	Value
	12134	0
	2625	1
	1	2
	65	8
	73	9
	124	.

-----  
q381 38.1 does not recall name of prime minister  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 122/15022

tabulation:	Freq.	Value
	12238	0
	2385	1
	74	8
	203	9
	122	.

-----  
q391 39.1 does not recall name of previous prime minister  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 125/15022

tabulation:	Freq.	Value
	11668	0
	2932	1
	1	2
	77	8
	219	9
	125	.

-----  
q401 40.1 in rater's opinion subject has difficulty with memory  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 135/15022

tabulation:	Freq.	Value
	10326	0
	3921	1
	569	2
	19	8
	52	9
	135	.





-----  
q491 49.1 difficulty in relaxing  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 118/15022

tabulation: Freq. Value  
12609 0  
1960 1  
201 2  
81 8  
53 9  
118 .

-----  
q501 50.1 describes headaches  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 127/15022

tabulation: Freq. Value  
12144 0  
2366 1  
264 2  
67 8  
54 9  
127 .

-----  
q502 50.2 describes tension headaches  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 133/15022

tabulation: Freq. Value  
12892 0  
1595 1  
261 2  
68 8  
73 9  
133 .

-----  
q511 51.1 diminution in the desire for food  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 118/15022

tabulation: Freq. Value  
12947 0  
1682 1  
154 2  
67 8  
54 9  
118 .

-----  
q512 51.2 increase in the desire for food  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 126/15022

tabulation: Freq. Value  
14377 0  
352 1  
22 2  
65 8  
80 9  
126 .

-----  
q521 52.1 poor appetite in the absence of known medical  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 12663/15022

tabulation: Freq. Value  
1161 0  
1020 1  
2 2  
59 8  
117 9  
12663 .

-----  
q522 52.2 poor appetite present most days for at least 2 weeks  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 12665/15022

tabulation: Freq. Value  
1260 0  
919 1  
2 2  
59 8  
117 9  
12665 .

-----  
q523 52.3 increased appetite present most days for 2 weeks  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 12663/15022

tabulation: Freq. Value  
1902 0  
278 1  
1 2  
58 8  
120 9  
12663 .

-----  
q531 53.1 lost 10 lbs (4.5 kg) or more over the past 3 months  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 163/15022

tabulation: Freq. Value  
13353 0  
1286 1  
81 8  
139 9  
163 .

-----  
q532 53.2 lost 10 lbs (4.5 kg) or more within the past 1 month  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 162/15022

tabulation: Freq. Value  
14361 0  
253 1  
79 8  
167 9  
162 .

-----  
q533 53.3 gained 10 lbs (4.5 kg) or more within the past 1 month  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 172/15022

tabulation: Freq. Value  
14162 0  
439 1  
80 8  
169 9  
172 .

-----  
q541 54.1 trouble with sleep or recent change in pattern  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 125/15022

tabulation: Freq. Value  
10499 0  
4266 1  
62 8  
70 9  
125 .

-----  
q542            54.2 trouble falling or staying asleep, or taking medication to sleep  
-----

          type: numeric (byte)  
          range: [0,9]                               units: 1  
unique values: 5                                   missing .: 10548/15022

tabulation: Freq. Value  
              2447 0  
              1732 1  
              142 2  
              51 8  
              102 9  
             10548 .

-----  
q543            54.3 has insomnia for most of the night and sleeps in the day  
-----

          type: numeric (byte)  
          range: [0,9]                               units: 1  
unique values: 5                                   missing .: 10561/15022

tabulation: Freq. Value  
              3335 0  
              836 1  
              122 2  
              52 8  
              116 9  
             10561 .

-----  
q544            54.4 marked insomnia most nights for at least two weeks  
-----

          type: numeric (byte)  
          range: [0,9]                               units: 1  
unique values: 5                                   missing .: 10561/15022

tabulation: Freq. Value  
              2662 0  
              1346 1  
              290 2  
              52 8  
              111 9  
             10561 .

-----  
q545            54.5 marked excessive sleep most nights for at least two weeks  
-----

          type: numeric (byte)  
          range: [0,9]                               units: 1  
unique values: 5                                   missing .: 10562/15022

tabulation: Freq. Value  
              4088 0  
              170 1  
              30 2  
              53 8  
              119 9  
             10562 .

-----  
q551 interviewee thinks would have happened without them  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 10542/15022

tabulation: Freq. Value  
2216 0  
2088 1  
18 2  
55 8  
103 9  
10542 .

-----  
q561 happened without them  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 10537/15022

tabulation: Freq. Value  
1422 0  
2624 1  
281 2  
55 8  
103 9  
10537 .

-----  
q571 57.1 awakens about two hours or more before normal time  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 11887/15022

tabulation: Freq. Value  
1513 0  
1464 1  
54 8  
104 9  
11887 .

-----  
q581 58.1 difficulty is due to altered moods or thoughts, or tension  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 11891/15022

tabulation: Freq. Value  
1586 0  
1237 1  
147 2  
54 8  
107 9  
11891 .

-----  
q582 58.2 mainly due to physical cause or noise, etc  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 11888/15022

tabulation: Freq. Value  
1298 0  
1650 1  
24 2  
55 8  
107 9  
11888 .

-----  
q611 61.1 palpitations  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 116/15022

tabulation: Freq. Value  
12333 0  
2241 1  
205 2  
68 8  
59 9  
116 .

-----  
q612 61.2 trembling or tremulous feeling due to anxiety  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 121/15022

tabulation: Freq. Value  
13278 0  
1347 1  
120 2  
66 8  
90 9  
121 .

-----  
q613 61.3 other bodily features due to anxiety  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 124/15022

tabulation: Freq. Value  
13816 0  
875 1  
50 2  
66 8  
91 9  
124 .

-----  
q621 62.1 subjective slowing in thinking  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 116/15022  
tabulation: Freq. Value  
11431 0  
3023 1  
273 2  
112 8  
67 9  
116 .

-----  
q631 63.1 feeling of being muddled  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 115/15022  
tabulation: Freq. Value  
12495 0  
2001 1  
218 2  
121 8  
72 9  
115 .

-----  
q641 64.1 feels indecisive  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 118/15022  
tabulation: Freq. Value  
12608 0  
1928 1  
159 2  
124 8  
85 9  
118 .

-----  
q642 64.2 a feeling of muddled thinking or indecisiveness has  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 123/15022  
tabulation: Freq. Value  
13718 0  
856 1  
107 2  
123 8  
95 9  
123 .

-----  
q643 64.3 feeling of not coping properly with everyday routine  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 118/15022  
tabulation: Freq. Value  
13787 0  
772 1  
127 2  
114 8  
104 9  
118 .

-----  
q644 64.4 loss of confidence in self  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 120/15022  
tabulation: Freq. Value  
13806 0  
808 1  
75 2  
113 8  
100 9  
120 .

-----  
q651 65.1 sounds (seems) muddled  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 121/15022  
tabulation: Freq. Value  
13509 0  
1074 1  
211 2  
33 8  
74 9  
121 .

-----  
q652 65.2 appears indecisive  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 124/15022  
tabulation: Freq. Value  
13637 0  
994 1  
159 2  
32 8  
76 9  
124 .



-----  
q711 71.1 subjectively slowed in movements  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 116/15022  
tabulation: Freq. Value  
9103 0  
5061 1  
593 2  
77 8  
72 9  
116 .

-----  
q721 72.1 listlessness or subjective restriction of energy  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 115/15022  
tabulation: Freq. Value  
10634 0  
3710 1  
403 2  
81 8  
79 9  
115 .

-----  
q722 72.2 present most days for at least two weeks  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 131/15022  
tabulation: Freq. Value  
12104 0  
2240 1  
360 2  
84 8  
103 9  
131 .

-----  
q731 73.1 doing less than usual  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 129/15022  
tabulation: Freq. Value  
10719 0  
3489 1  
521 2  
80 8  
84 9  
129 .

-----  
q741 74.1 started or became worse in the last three months  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 8382/15022

tabulation: Freq. Value  
4066 0  
2206 1  
67 8  
301 9  
8382 .

-----  
q751 75.1 slowness or anergia is worst in the morning  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 8388/15022

tabulation: Freq. Value  
4178 0  
2073 1  
70 8  
313 9  
8388 .

-----  
q752 75.2 slowness or anergia is worst in the evening  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 8391/15022

tabulation: Freq. Value  
4049 0  
2197 1  
70 8  
315 9  
8391 .

-----  
q753 75.3 slowness is present most days for at least two weeks  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 8389/15022

tabulation: Freq. Value  
4652 0  
1506 1  
96 2  
69 8  
310 9  
8389 .

-----  
q761 76.1 does not lift with usually pleasant activities  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 8393/15022  
tabulation: Freq. Value  
5273 0  
981 1  
71 8  
304 9  
8393 .

-----  
q771 77.1 sits or lies around because of lack of energy  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 8384/15022  
tabulation: Freq. Value  
4252 0  
1658 1  
365 2  
63 8  
300 9  
8384 .

-----  
q781 78.1 very slow in all movements  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 160/15022  
tabulation: Freq. Value  
12100 0  
2325 1  
305 2  
20 8  
112 9  
160 .

-----  
q871 87.1 admits to feeling lonely  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 120/15022  
tabulation: Freq. Value  
11052 0  
3252 1  
467 2  
74 8  
57 9  
120 .

-----  
q881 88.1 feels lonely and cannot turn away from it  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 11092/15022

tabulation: Freq. Value  
1944 0  
1815 1  
5 2  
66 8  
100 9  
11092 .

-----  
q882 88.2 bothered or depressed by current loneliness  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 11094/15022

tabulation: Freq. Value  
1650 0  
2108 1  
1 2  
67 8  
102 9  
11094 .

-----  
q891 89.1 worries about being alone in the future  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 11088/15022

tabulation: Freq. Value  
1556 0  
2205 1  
68 8  
105 9  
11088 .

-----  
q901 90.1 feels ill at ease  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 115/15022

tabulation: Freq. Value  
14486 0  
249 1  
30 2  
82 8  
60 9  
115 .

-----  
q911 91.1 does have that feeling  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 126/15022

tabulation:	Freq.	Value
	14202	0
	513	1
	33	2
	83	8
	65	9
	126	.

-----  
q921 92.1 probably not true  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 14245/15022

tabulation:	Freq.	Value
	434	0
	166	1
	65	8
	112	9
	14245	.

-----  
q922 92.2 considers it is true  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 14247/15022

tabulation:	Freq.	Value
	306	0
	294	1
	65	8
	110	9
	14247	.

-----  
q923 92.3 convinced it is true  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 14243/15022

tabulation:	Freq.	Value
	417	0
	186	1
	65	8
	111	9
	14243	.

-----  
q931 93.1 there is such a person/persons  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 133/15022  
tabulation: Freq. Value  
14047 0  
604 1  
84 8  
154 9  
133 .

-----  
q941 94.1 unrealistic belief that someone is trying to annoy or harm him  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 707/15022  
tabulation: Freq. Value  
13783 0  
102 1  
78 8  
352 9  
707 .

-----  
q951 95.1 says it is their fault but subject has doubts  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 13834/15022  
tabulation: Freq. Value  
559 0  
178 1  
60 8  
391 9  
13834 .

-----  
q952 95.2 says it is their fault and subject has no doubts  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 13838/15022  
tabulation: Freq. Value  
357 0  
353 1  
60 8  
414 9  
13838 .

-----  
q961 96.1 subject believes they are  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 13838/15022

tabulation: Freq. Value  
329 0  
357 1  
26 2  
59 8  
413 9  
13838 .

-----  
q971 97.1 subject unrealistically believes people are  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 13843/15022

tabulation: Freq. Value  
471 0  
214 1  
22 2  
57 8  
415 9  
13843 .

-----  
q981 98.1 indicates he/she feels strongly about it  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 13846/15022

tabulation: Freq. Value  
455 0  
232 1  
14 2  
59 8  
416 9  
13846 .

-----  
q982 98.2 indicates he/she deserves to be persecuted  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 13845/15022

tabulation: Freq. Value  
654 0  
45 1  
2 2  
60 8  
416 9  
13845 .

-----  
q991 99.1 subject does not believe he/she is mistaken  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 13843/15022

tabulation: Freq. Value  
424 0  
269 1  
10 2  
59 8  
417 9  
13843 .

-----  
q1001 100.1 subject believes person/persons are trying to upset  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 14207/15022

tabulation: Freq. Value  
137 0  
177 1  
20 2  
58 8  
423 9  
14207 .

-----  
q1002 100.2 subject believes person/persons are trying to do harm  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 14208/15022

tabulation: Freq. Value  
264 0  
58 1  
9 2  
59 8  
424 9  
14208 .

-----  
q1003 100.3 no = 0 yes= 1 q1003  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 14204/15022

tabulation: Freq. Value  
223 0  
123 1  
57 8  
415 9  
14204 .











-----  
q1153                    115.3 loss of interest or enjoyment most days for at least  
-----

          type: numeric (byte)  
          range: [0,9]    units: 1  
unique values: 5    missing .: 13078/15022

          tabulation: Freq. Value  
                          937 0  
                          671 1  
                          103 2  
                          70 8  
                          163 9  
                         13078 .

-----  
q1161                    116.1 too depressed or nervous  
-----

          type: numeric (byte)  
          range: [0,9]    units: 1  
unique values: 5    missing .: 13077/15022

          tabulation: Freq. Value  
                          855 0  
                          876 1  
                          1 2  
                          62 8  
                          151 9  
                         13077 .

-----  
q1171                    117.1 difficulty in concentrating on entertainment  
-----

          type: numeric (byte)  
          range: [0,9]    units: 1  
unique values: 5    missing .: 122/15022

          tabulation: Freq. Value  
                         13317 0  
                          1266 1  
                          100 2  
                          100 8  
                          117 9  
                          122 .

-----  
q1181                    118.1 difficulty in concentrating on reading  
-----

          type: numeric (byte)  
          range: [0,9]    units: 1  
unique values: 5    missing .: 129/15022

          tabulation: Freq. Value  
                         11322 0  
                          1346 1  
                          168 2  
                          95 8  
                          1962 9  
                          129 .



-----  
q1221 122.1 somatic hallucinations  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 116/15022

tabulation: Freq. Value  
14271 0  
365 1  
91 2  
95 8  
84 9  
116 .

-----  
q1222 122.2 delusions involving sexual sensations  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 119/15022

tabulation: Freq. Value  
14478 0  
170 1  
60 2  
94 8  
101 9  
119 .

-----  
q1231 123.1 olfactory hallucinations  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 116/15022

tabulation: Freq. Value  
14342 0  
332 1  
49 2  
96 8  
87 9  
116 .

-----  
q1232 123.2 delusions involving smell, gas pumped into rooms etc  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 120/15022

tabulation: Freq. Value  
14414 0  
244 1  
48 2  
92 8  
104 9  
120 .

-----  
q1233 123.3 subject claims that he/she gives off a bad smell  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 125/15022  
tabulation: Freq. Value  
14516 0  
160 1  
25 2  
91 8  
105 9  
125 .

-----  
q1241 124.1 unpleasant tastes not necessarily hallucinations eg bitter taste  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 119/15022  
tabulation: Freq. Value  
14392 0  
284 1  
55 2  
84 8  
88 9  
119 .

-----  
q1242 124.2 gustatory hallucinations  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 129/15022  
tabulation: Freq. Value  
14514 0  
164 1  
27 2  
87 8  
101 9  
129 .

-----  
q1251 125.1 indicates he/she hears voices  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 119/15022  
tabulation: Freq. Value  
14170 0  
507 1  
56 2  
83 8  
87 9  
119 .



-----  
q1271 127.1 indicates he/she experiences visual perceptions  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 122/15022

tabulation: Freq. Value  
14089 0  
557 1  
72 2  
84 8  
98 9  
122 .

-----  
q1281 128.1 visions while wide awake  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 14083/15022

tabulation: Freq. Value  
246 0  
448 1  
3 2  
68 8  
174 9  
14083 .

-----  
q1291 129.1 thought it was real  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 14085/15022

tabulation: Freq. Value  
346 0  
344 1  
4 2  
68 8  
175 9  
14085 .

-----  
q1301 130.1 marked affective response  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 13739/15022

tabulation: Freq. Value  
721 0  
198 1  
19 2  
25 8  
320 9  
13739 .

-----  
q1302                    130.2 indignantly feels the experiences are not deserved  
-----

          type: numeric (byte)  
          range: [0,9]                                    units: 1  
unique values: 5                                    missing .: 13752/15022

          tabulation: Freq. Value  
                          854 0  
                          56 1  
                          7 2  
                          26 8  
                          327 9  
                         13752 .

-----  
q1303                    130.3 feels the experiences are deserved punishment  
-----

          type: numeric (byte)  
          range: [0,9]                                    units: 1  
unique values: 5                                    missing .: 13753/15022

          tabulation: Freq. Value  
                          886 0  
                          28 1  
                          2 2  
                          28 8  
                          325 9  
                         13753 .

-----  
q1304                    130.4 subject seems indifferent and apathetic or does  
-----

          type: numeric (byte)  
          range: [0,9]                                    units: 1  
unique values: 5                                    missing .: 13748/15022

          tabulation: Freq. Value  
                          571 0  
                          322 1  
                          32 2  
                          26 8  
                          323 9  
                         13748 .

-----  
q1305                    130.5 persecutory, but not resented and consistent with depression  
-----

          type: numeric (byte)  
          range: [0,9]                                    units: 1  
unique values: 4                                    missing .: 13748/15022

          tabulation: Freq. Value  
                          771 0  
                          151 1  
                          25 8  
                          327 9  
                         13748 .



-----  
q1362 136.2 hallucinogens  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 907/15022  
tabulation: Freq. Value  
11679 0  
11 1  
45 8  
2380 9  
907 .

-----  
q1363 136.3 cannabis  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 907/15022  
tabulation: Freq. Value  
11687 0  
2 1  
45 8  
2381 9  
907 .

-----  
q1364 136.4 other psychostimulants (e.g. amphetamines)  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 908/15022  
tabulation: Freq. Value  
11673 0  
17 1  
45 8  
2379 9  
908 .

-----  
q1365 136.5 barbiturates  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 906/15022  
tabulation: Freq. Value  
11629 0  
62 1  
45 8  
2380 9  
906 .

-----  
q1366 136.6 other hypnotics and sedatives  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 904/15022

tabulation: Freq. Value  
11386 0  
313 1  
45 8  
2374 9  
904 .

-----  
q1367 136.7 tranquilizers (valium, librium etc.)  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 904/15022

tabulation: Freq. Value  
11069 0  
639 1  
45 8  
2365 9  
904 .

-----  
q1368 136.8 other  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 907/15022

tabulation: Freq. Value  
11317 0  
407 1  
46 8  
2345 9  
907 .

-----  
q1371 137.1 drinks 5 days per week  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 116/15022

tabulation: Freq. Value  
14214 0  
532 1  
56 8  
104 9  
116 .

-----  
q1381 138.1 goes without and then drinks for several days at a time  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 121/15022

tabulation: Freq. Value  
14401 0  
293 1  
55 8  
152 9  
121 .









-----  
q1561 156.1 how happy are you?  
-----

type: numeric (byte)  
label: q1561  
range: [0,3] units: 1  
unique values: 4 missing .: 253/15022

tabulation:	Freq.	Numeric	Label
	5284	0	very happy
	6866	1	fairly happy
	2206	2	not very happy
	413	3	not happy at all
	253	.	

-----  
q1581 158.1 looks or sounds sad or mournful or depressed  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 12776/15022

tabulation:	Freq.	Value
	1241	0
	767	1
	224	2
	2	8
	12	9
	12776	.

-----  
q1582 158.2 eyes moist: tearful or crying  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 12816/15022

tabulation:	Freq.	Value
	1852	0
	254	1
	84	2
	1	8
	15	9
	12816	.

-----  
q1591 159.1 very slow in all movements  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 12825/15022

tabulation:	Freq.	Value
	1535	0
	468	1
	173	2
	2	8
	19	9
	12825	.

-----  
q1601 160.1 sounds muddled  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 12837/15022

tabulation: Freq. Value  
1547 0  
483 1  
125 2  
3 8  
27 9  
12837 .

-----  
q1602 160.2 appears indecisive  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 12836/15022

tabulation: Freq. Value  
1724 0  
332 1  
99 2  
3 8  
28 9  
12836 .

-----  
q1611 161.1 looks or sounds unduly suspicious  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 12842/15022

tabulation: Freq. Value  
1924 0  
192 1  
42 2  
2 8  
20 9  
12842 .

-----  
q1621 162.1 obvious difficulty in concentrating on interview  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 12782/15022

tabulation: Freq. Value  
1764 0  
317 1  
141 2  
3 8  
15 9  
12782 .

-----  
q1631 163.1 expressionless face  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 97/15022  
tabulation: Freq. Value  
13625 0  
890 1  
98 2  
4 8  
308 9  
97 .

-----  
q1632 163.2 monotonous voice  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 99/15022  
tabulation: Freq. Value  
13936 0  
600 1  
51 2  
8 8  
328 9  
99 .

-----  
q1633 163.3 no gesture accompanying speech  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 98/15022  
tabulation: Freq. Value  
13872 0  
637 1  
80 2  
6 8  
329 9  
98 .

-----  
q1634 163.4 no appropriate emotion shown when delusional or normal material  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 99/15022  
tabulation: Freq. Value  
14088 0  
433 1  
65 2  
5 8  
332 9  
99 .



-----  
q1652 165.2 infectious gaiety  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 98/15022  
tabulation: Freq. Value  
14371 0  
221 1  
15 2  
4 8  
313 9  
98 .

-----  
q1661 166.1 facetious: silly jokes, flippant remarks  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 99/15022  
tabulation: Freq. Value  
14504 0  
86 1  
11 2  
4 8  
318 9  
99 .

-----  
q1671 167.1 tries to start an argument  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 99/15022  
tabulation: Freq. Value  
14154 0  
394 1  
53 2  
4 8  
318 9  
99 .

-----  
q1701 170.1 choreiform movements  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 94/15022  
tabulation: Freq. Value  
14445 0  
134 1  
21 2  
3 8  
325 9  
94 .

-----  
q1702 170.2 athetoid movements  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 94/15022  
tabulation: Freq. Value  
14465 0  
111 1  
22 2  
3 8  
327 9  
94 .

-----  
q1703 170.3 parkinsonian movements  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 93/15022  
tabulation: Freq. Value  
14296 0  
246 1  
56 2  
3 8  
328 9  
93 .

-----  
q1704 170.4 gait - obvious abnormality of walking  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 100/15022  
tabulation: Freq. Value  
13241 0  
1033 1  
261 2  
7 8  
380 9  
100 .

-----  
q1705 170.5 gait - obvious evidence of paralysis or stroke  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 100/15022  
tabulation: Freq. Value  
14199 0  
244 1  
121 2  
6 8  
352 9  
100 .



-----  
q1741 174.1 vague quality to speech  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 79/15022

tabulation: Freq. Value  
14225 0  
292 1  
94 2  
9 8  
323 9  
79 .

-----  
q1742 174.2 patient talks fairly freely but vaguely and ambiguously  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 302/15022

tabulation: Freq. Value  
13206 0  
220 1  
74 2  
9 8  
1211 9  
302 .

-----  
q1743 174.3 irrelevance:  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 93/15022

tabulation: Freq. Value  
13265 0  
376 1  
97 2  
8 8  
1183 9  
93 .

-----  
q1744 174.4 circumstantial:  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 91/15022

tabulation: Freq. Value  
12860 0  
739 1  
143 2  
9 8  
1180 9  
91 .



-----  
q1745 174.5 rambling:  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 93/15022  
tabulation: Freq. Value  
13523 0  
159 1  
61 2  
8 8  
1178 9  
93 .

-----  
q1751 175.1 extremely rapid speech but can be interrupted  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 62/15022  
tabulation: Freq. Value  
14044 0  
314 1  
52 2  
9 8  
541 9  
62 .

-----  
q1752 175.2 pressure of speech:  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 60/15022  
tabulation: Freq. Value  
14240 0  
135 1  
34 2  
9 8  
544 9  
60 .

-----  
q1753 175.3 flight of ideas:  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 61/15022  
tabulation: Freq. Value  
13861 0  
405 1  
147 2  
8 8  
540 9  
61 .

-----  
q1754 175.4 speech very slow. distinct pauses between words  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 1217/15022  
tabulation: Freq. Value  
12822 0  
379 1  
58 2  
8 8  
538 9  
1217 .

-----  
q1755 175.5 long pauses before replying  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 1210/15022  
tabulation: Freq. Value  
12966 0  
252 1  
49 2  
8 8  
537 9  
1210 .

-----  
q1771 177.1 repeats answers inappropriately  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 56/15022  
tabulation: Freq. Value  
14150 0  
222 1  
51 2  
8 8  
535 9  
56 .

-----  
q1781 178.1 problems with memory are more prominent than problems  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 59/15022  
tabulation: Freq. Value  
12495 0  
1611 1  
321 2  
4 8  
532 9  
59 .

-----  
q1791 179.1 foreign language  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 176/15022  
tabulation: Freq. Value  
10968 0  
29 1  
4 8  
3845 9  
176 .

-----  
q1792 179.2 unclear english dialect or accent  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 179/15022  
tabulation: Freq. Value  
10931 0  
75 1  
4 8  
3833 9  
179 .

-----  
q1794 179.3 dysphasia (due to brain damage)  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 98/15022  
tabulation: Freq. Value  
14479 0  
107 1  
6 8  
332 9  
98 .

-----  
q1795 179.4 dysarthria (due to brain damage)  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 98/15022  
tabulation: Freq. Value  
14404 0  
187 1  
6 8  
327 9  
98 .

-----  
q1796 179.5 dysarthria (due to speech organs)  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 98/15022  
tabulation: Freq. Value  
14333 0  
260 1  
7 8  
324 9  
98 .

-----  
q1798 179.6 deafness - severe  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 97/15022

tabulation: Freq. Value  
14023 0  
578 1  
1 2  
4 8  
319 9  
97 .

-----  
q1799 179.7 blindness - nearly total  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 97/15022

tabulation: Freq. Value  
14223 0  
375 1  
1 2  
5 8  
321 9  
97 .

-----  
q17910 179.8 stuttering  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 98/15022

tabulation: Freq. Value  
14526 0  
70 1  
4 8  
324 9  
98 .

-----  
q17911 179.9 mutism specified as due to physical defect  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 98/15022

tabulation: Freq. Value  
14514 0  
86 1  
4 8  
320 9  
98 .

-----  
q17912 179.10 weakness - severe  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 98/15022  
tabulation: Freq. Value  
14186 0  
417 1  
4 8  
317 9  
98 .

-----  
q17913 179.11 other  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 99/15022  
tabulation: Freq. Value  
14415 0  
186 1  
4 8  
318 9  
99 .

-----  
q17914 179.12 low intelligence  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 100/15022  
tabulation: Freq. Value  
12971 0  
1622 1  
4 2  
5 8  
320 9  
100 .

-----  
q17920 179.18 slurring not specified as due to physical defect or drugs  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 100/15022  
tabulation: Freq. Value  
14467 0  
126 1  
5 8  
324 9  
100 .

-----  
q17921 179.19 other  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 101/15022  
tabulation: Freq. Value  
14524 0  
71 1  
4 8  
322 9  
101 .

-----  
ivcondit 179.20 interview conditions unfavourable  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 99/15022  
tabulation: Freq. Value  
13844 0  
756 1  
1 2  
4 8  
318 9  
99 .

-----  
q17922 179.21 patient repeatedly falls asleep  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 103/15022  
tabulation: Freq. Value  
14540 0  
56 1  
4 8  
319 9  
103 .

-----  
q17923 179.22 patient appears generally sleepy  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 102/15022  
tabulation: Freq. Value  
14470 0  
129 1  
4 8  
317 9  
102 .

-----  
q1801 180.1 memory defect (clear-cut)  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 103/15022  
tabulation: Freq. Value  
13722 0  
854 1  
5 2  
5 8  
333 9  
103 .

-----  
q1802 180.2 memory defect (dubious)  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 103/15022  
tabulation: Freq. Value  
13306 0  
1270 1  
1 2  
5 8  
337 9  
103 .

-----  
q1803 180.3 incoherent in clear consciousness  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 106/15022  
tabulation: Freq. Value  
14435 0  
144 1  
6 8  
331 9  
106 .

-----  
q1804 180.4 keeps referring to delusions or hallucinations  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 99/15022  
tabulation: Freq. Value  
14328 0  
257 1  
5 8  
333 9  
99 .

-----  
q1805 180.5 incorporates rater in delusions  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 99/15022  
tabulation: Freq. Value  
14506 0  
79 1  
5 8  
333 9  
99 .

-----  
q1806 180.6 posturing  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 99/15022  
tabulation: Freq. Value  
14547 0  
42 1  
4 8  
330 9  
99 .

-----  
q1807 180.7 speaks coherently to self; speaks to voice  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 99/15022  
tabulation: Freq. Value  
14529 0  
54 1  
5 8  
335 9  
99 .

-----  
q1808 180.8 cries uncontrollably  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 99/15022  
tabulation: Freq. Value  
14517 0  
79 1  
4 8  
323 9  
99 .



-----  
q1809 180.9 pressure of speech  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 100/15022  
tabulation: Freq. Value  
14410 0  
168 1  
6 8  
338 9  
100 .

-----  
q18010 180.10 gross suspiciousness  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 100/15022  
tabulation: Freq. Value  
14231 0  
358 1  
6 8  
327 9  
100 .

-----  
q18011 180.11 other  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 107/15022  
tabulation: Freq. Value  
14525 0  
62 1  
5 8  
323 9  
107 .

-----  
q18012 180.12 mutism not specified as due to physical defect  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 100/15022  
tabulation: Freq. Value  
13515 0  
123 1  
5 8  
1279 9  
100 .

-----  
q18013 180.13 suspicious. negativistic  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 100/15022  
tabulation: Freq. Value  
14385 0  
202 1  
3 8  
332 9  
100 .

-----  
q18014 180.14 withdrawal or apparant apathy  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 100/15022

tabulation: Freq. Value  
14242 0  
350 1  
4 8  
326 9  
100 .

-----  
q18015 180.15 over-talkative but not pressure of speech  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 100/15022

tabulation: Freq. Value  
14067 0  
513 1  
3 8  
339 9  
100 .

-----  
q18016 180.16 lack of insight. total denial of symptoms or illness  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 102/15022

tabulation: Freq. Value  
14028 0  
555 1  
1 2  
4 8  
332 9  
102 .

-----  
q18017 180.17 excited or agitated or obviously elated  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 103/15022

tabulation: Freq. Value  
14452 0  
135 1  
4 8  
328 9  
103 .

-----  
q18018 180.18 pre-occupied with inner experiences  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 102/15022  
tabulation: Freq. Value  
13722 0  
866 1  
4 8  
328 9  
102 .

-----  
q18019 180.19 distractability  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 105/15022  
tabulation: Freq. Value  
14068 0  
522 1  
1 2  
3 8  
323 9  
105 .

-----  
q18020 180.20 other  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 4 missing .: 107/15022  
tabulation: Freq. Value  
14510 0  
81 1  
4 8  
320 9  
107 .

-----  
q1811 181.1 rater's confidence in data  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 7 missing .: 50/15022  
tabulation: Freq. Value  
13908 0  
787 1  
162 2  
62 3  
36 4  
3 8  
14 9  
50 .

-----  
q1821 182.1 exaggeration or tendency to say yes indiscriminately  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 13753/15022

tabulation: Freq. Value  
1050 0  
161 1  
7 2  
7 8  
44 9  
13753 .

-----  
q1822 182.2 minimization or tendency to say no indiscriminately  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 5 missing .: 13738/15022

tabulation: Freq. Value  
771 0  
440 1  
25 2  
8 8  
40 9  
13738 .

-----  
dem1066 lancet 10/66 dementia diagnosis  
-----

type: numeric (byte)  
label: dem1066

range: [0,1] units: 1  
unique values: 2 missing .: 32/15022

tabulation: Freq. Numeric Label  
13417 0 non-case  
1573 1 case  
32 .

-----  
pinter information from participant or informant?  
-----

type: numeric (byte)  
label: pinter, but 2 nonmissing values are not labeled

range: [0,4] units: 1  
unique values: 4 missing .: 154/15022

tabulation: Freq. Numeric Label  
9709 0 participant only  
5065 1 participant and informant  
93 2  
1 4  
154 .

-----  
plived years in current city/ town/ village  
-----

type: numeric (int)  
range: [0,104] units: 1  
unique values: 101 missing .: 5088/15022  
mean: 53.1988  
std. dev: 21.9593  
percentiles: 10% 25% 50% 75% 90%  
17 43 56 70 77

-----  
pborn residence at birth  
-----

type: numeric (byte)  
label: pborn  
range: [0,2] units: 1  
unique values: 3 missing .: 56/15022  
tabulation: Freq. Numeric Label  
4898 0 city  
4983 1 town  
5085 2 country  
56 .

-----  
pmidlife residence age 20-60  
-----

type: numeric (byte)  
label: pmidlife  
range: [0,2] units: 1  
unique values: 3 missing .: 59/15022  
tabulation: Freq. Numeric Label  
10011 0 city  
2402 1 town  
2550 2 country  
59 .

-----  
platlife residence after 60 years  
-----

type: numeric (byte)  
label: platlife  
range: [0,2] units: 1  
unique values: 3 missing .: 60/15022  
tabulation: Freq. Numeric Label  
10905 0 city  
1816 1 town  
2241 2 country  
60 .

-----  
peduc level of education  
-----

type: numeric (byte)  
label: peduc  
range: [1,5] units: 1  
unique values: 5 missing .: 87/15022

tabulation:	Freq.	Numeric	Label
	3197	1	none
	3913	2	some, did not complete primary
	4282	3	completed primary
	2263	4	completed secondary
	1280	5	tertiary (college)
	87	.	.

-----  
pread can you read?  
-----

type: numeric (byte)  
label: pread  
range: [0,1] units: 1  
unique values: 2 missing .: 182/15022

tabulation:	Freq.	Numeric	Label
	3901	0	no
	10939	1	yes
	182	.	.

-----  
pwrite can you write?  
-----

type: numeric (byte)  
label: pwrite  
range: [0,1] units: 1  
unique values: 2 missing .: 179/15022

tabulation:	Freq.	Numeric	Label
	4834	0	no
	10009	1	yes
	179	.	.

-----  
pheadhse is respondent head of household?  
-----

type: numeric (byte)  
label: pheadhse  
range: [0,1] units: 1  
unique values: 2 missing .: 50/15022

tabulation:	Freq.	Numeric	Label
	5343	0	no
	9629	1	yes
	50	.	.

-----  
prel who is head of household?  
-----

type: numeric (byte)  
label: prel  
range: [1,6] units: 1  
unique values: 6 missing .: 9732/15022

tabulation:	Freq.	Numeric	Label
	2331	1	spouse
	2110	2	son/ daughter
	262	3	son/ daughter-in-law
	248	4	brother or sister
	306	5	other relative
	33	6	friend
	9732	.	.

-----  
pmarry marital status  
-----

type: numeric (byte)  
label: pmarry  
range: [1,4] units: 1  
unique values: 4 missing .: 83/15022

tabulation:	Freq.	Numeric	Label
	972	1	never married
	7296	2	married/ cohabiting
	5216	3	widowed
	1455	4	divorced/ separated
	83	.	.

-----  
prelig religious affiliation  
-----

type: numeric (byte)  
label: prelig  
range: [0,8] units: 1  
unique values: 9 missing .: 76/15022

tabulation:	Freq.	Numeric	Label
	3453	0	agnostic/ atheist
	7926	1	roman catholic
	341	2	protestant/ anglican
	684	3	other christian
	14	4	jewish
	109	5	muslim
	28	6	buddhist
	1809	7	hindu
	582	8	other
	76	.	.

-----  
pgochch frequency of religious observance  
-----

type: numeric (byte)  
label: pgochch  
range: [0,2] units: 1  
unique values: 3 missing .: 66/15022

tabulation:	Freq.	Numeric	Label
	6917	0	no
	4458	1	yes, regularly
	3581	2	yes, occasionally
	66	.	.

-----  
pclubs frequency of attending clubs  
-----

type: numeric (byte)  
label: pclubs  
range: [0,2] units: 1  
unique values: 3 missing .: 68/15022

tabulation:	Freq.	Numeric	Label
	9350	0	no
	3233	1	yes, regularly
	2371	2	yes, occasionally
	68	.	

-----  
preldist distance from nearest relative  
-----

type: numeric (byte)  
label: preldist  
range: [1,5] units: 1  
unique values: 5 missing .: 211/15022

tabulation:	Freq.	Numeric	Label
	9887	1	within 1 mile (or same home)
	1961	2	1-5 miles
	1044	3	6-15 miles
	677	4	16-50 miles
	1242	5	> 50 miles
	211	.	

-----  
psibdist distance from nearest sibling  
-----

type: numeric (byte)  
label: psibdist  
range: [0,5] units: 1  
unique values: 6 missing .: 232/15022

tabulation:	Freq.	Numeric	Label
	2374	0	no living sibling
	3404	1	within 1 mile (or same home)
	2703	2	1-5 miles
	2033	3	6-15 miles
	1419	4	16-50 miles
	2857	5	> 50 miles
	232	.	

-----  
pch has children?  
-----

type: numeric (byte)  
label: pch  
range: [0,1] units: 1  
unique values: 2 missing .: 74/15022

tabulation:	Freq.	Numeric	Label
	1196	0	no
	13752	1	yes
	74	.	



-----  
pchdist distance from nearest child  
-----

type: numeric (byte)  
label: pchdist  
range: [0,5] units: 1  
unique values: 6 missing .: 120/15022

tabulation:	Freq.	Numeric	Label
	1304	0	no living child
	10949	1	within 1 mile (or same home)
	1113	2	1-5 miles
	618	3	6-15 miles
	348	4	16-50 miles
	570	5	> 50 miles
	120	.	

-----  
prelfrq frequency of seeing relatives  
-----

type: numeric (byte)  
label: prelfrq  
range: [0,5] units: 1  
unique values: 6 missing .: 1244/15022

tabulation:	Freq.	Numeric	Label
	265	0	never
	10818	1	daily
	1000	2	2-3 times/ week
	732	3	at least weekly
	450	4	at least monthly
	513	5	less often
	1244	.	

-----  
pfrd has friends?  
-----

type: numeric (byte)  
label: pfrd  
range: [0,1] units: 1  
unique values: 2 missing .: 73/15022

tabulation:	Freq.	Numeric	Label
	4183	0	no
	10766	1	yes
	73	.	

-----  
pfrdfrq frequency of seeing friends  
-----

type: numeric (byte)  
label: pfrdfrq  
range: [0,5] units: 1  
unique values: 6 missing .: 89/15022

tabulation:	Freq.	Numeric	Label
	4288	0	no friends/ never
	6303	1	daily
	2440	2	2-3 times/ week
	1250	3	at least weekly
	414	4	at least monthly
	238	5	less often
	89	.	

-----  
pfrdnum number of close friends  
-----

type: numeric (byte)  
range: [0,98] units: 1  
unique values: 41 missing .: 4433/15022  
mean: 3.89045  
std. dev: 5.3397  
percentiles: 10% 25% 50% 75% 90%  
1 1 3 4 8

-----  
pfrdsat satisfaction with support from friends  
-----

type: numeric (byte)  
label: pfrdsat  
range: [0,1] units: 1  
unique values: 2 missing .: 4667/15022  
tabulation: Freq. Numeric Label  
427 0 dissatisfied  
9928 1 satisfied  
4667 .

-----  
pneifrq frequency of seeing neighbours  
-----

type: numeric (byte)  
label: pneifrq  
range: [0,5] units: 1  
unique values: 6 missing .: 226/15022  
tabulation: Freq. Numeric Label  
2354 0 never  
7462 1 daily  
2644 2 2-3 times/ week  
1461 3 at least weekly  
476 4 at least monthly  
399 5 less often  
226 .

-----  
pneinum number of close neighbours  
-----

type: numeric (byte)  
range: [0,98] units: 1  
unique values: 55 missing .: 708/15022  
mean: 4.05414  
std. dev: 5.51538  
percentiles: 10% 25% 50% 75% 90%  
0 1 3 5 10

-----  
pjob occupation  
-----

type: numeric (byte)  
label: pjob  
range: [1,6] units: 1  
unique values: 6 missing .: 237/15022

tabulation:	Freq.	Numeric	Label
	1030	1	paid full time work
	716	2	paid part time work
	939	3	unemployed (looking for work)
	18	4	student
	4806	5	housewife/ househusband
	7276	6	retired
	237	.	

-----  
pjobcat highest job status  
-----

type: numeric (byte)  
label: pjobcat  
range: [1,9] units: 1  
unique values: 9 missing .: 1459/15022

tabulation:	Freq.	Numeric	Label
	616	1	manager/ administrator
	1029	2	professional
	968	3	associate professional
	989	4	clerical worker
	572	5	shop keeper
	2100	6	skilled labourer
	1499	7	semi skilled
	2788	8	labourer
	3002	9	agricultural worker
	1459	.	

-----  
pcjobcat spouse's highest job status  
-----

type: numeric (byte)  
label: pcjobcat  
range: [1,9] units: 1  
unique values: 9 missing .: 3240/15022

tabulation:	Freq.	Numeric	Label
	602	1	manager/ administrator
	906	2	professional
	790	3	associate professional
	796	4	clerical worker
	490	5	shop keeper
	1823	6	skilled labourer
	1245	7	semi skilled
	2321	8	labourer
	2809	9	agricultural worker
	3240	.	

-----  
pincome do you receive any income?  
-----

type: numeric (byte)  
label: pincome  
range: [0,1] units: 1  
unique values: 2 missing .: 170/15022

tabulation:	Freq.	Numeric	Label
	3495	0	no
	11357	1	yes
	170	.	



-----  
bentype3 income type (3)  
-----

type: numeric (byte)  
label: bentype3  
range: [1,9] units: 1  
unique values: 8 missing .: 13305/15022

tabulation:	Freq.	Numeric	Label
	19	1	government pension
	12	2	occupational pension
	1	3	disability pension
	79	4	money from family
	24	5	income from rent or land
	25	6	income from paid work
	18	7	other
	1539	9	no more benefits
	13305	.	

-----  
ben3 income amount (3)  
-----

type: numeric (int)  
range: [8,9998] units: 1  
unique values: 64 missing .: 14844/15022

mean: 2252.56  
std. dev: 2859.4  
percentiles:      10%      25%      50%      75%      90%  
                     50        128      600      5000      7000

-----  
bentype4 income type (4)  
-----

type: numeric (byte)  
label: bentype4  
range: [1,9] units: 1  
unique values: 6 missing .: 14894/15022

tabulation:	Freq.	Numeric	Label
	2	1	government pension
	1	2	occupational pension
	16	4	money from family
	1	5	income from rent or land
	4	6	income from paid work
	104	9	no more benefits
	14894	.	

-----  
ben4 income amount (4)  
-----

type: numeric (int)  
range: [15,9998] units: 1  
unique values: 16 missing .: 14989/15022

mean: 3876.15  
std. dev: 3142.85  
percentiles:      10%      25%      50%      75%      90%  
                     300      1000      3000      6250      9000

-----  
ptoldbp told had high blood pressure  
-----

type: numeric (byte)  
label: ptoldbp

range: [0,1] units: 1  
unique values: 2 missing .: 73/15022

tabulation:	Freq.	Numeric	Label
	7968	0	no
	6981	1	yes
	73	.	

-----  
pbpyear when told high blood pressure?  
-----

type: numeric (byte)  
label: pbpyear

range: [1,3] units: 1  
unique values: 3 missing .: 8033/15022

tabulation:	Freq.	Numeric	Label
	2339	1	0-5 years ago
	1378	2	5-10 years ago
	3272	3	more than 1 years ago
	8033	.	

-----  
pbptreat were you started on bp treatment?  
-----

type: numeric (byte)  
label: pbptreat

range: [0,1] units: 1  
unique values: 2 missing .: 8019/15022

tabulation:	Freq.	Numeric	Label
	477	0	no
	6526	1	yes
	8019	.	

-----  
pbpcon are you still on bp treatment?  
-----

type: numeric (byte)  
label: pbpcon

range: [0,1] units: 1  
unique values: 2 missing .: 8031/15022

tabulation:	Freq.	Numeric	Label
	974	0	no
	6017	1	yes
	8031	.	

-----  
ptoldhrt told had heart problem?  
-----

type: numeric (byte)  
label: ptoldhrt

range: [0,1] units: 1  
unique values: 2 missing .: 62/15022

tabulation:	Freq.	Numeric	Label
	12233	0	no
	2727	1	yes
	62	.	

-----  
phrtyear when told heart problem?  
-----

type: numeric (byte)  
label: phrtyear  
range: [1,3] units: 1  
unique values: 3 missing .: 12314/15022

tabulation:	Freq.	Numeric	Label
	1068	1	0-5 years ago
	626	2	5-10 years ago
	1014	3	more than 10 years ago
	12314	.	

-----  
phrtwhat what was the heart problem?  
-----

type: numeric (byte)  
label: phrtwhat  
range: [1,5] units: 1  
unique values: 5 missing .: 12359/15022

tabulation:	Freq.	Numeric	Label
	421	1	heart attack
	547	2	angina
	329	3	heart failure
	168	4	valve problem
	1198	5	other
	12359	.	

-----  
pcva told had stroke?  
-----

type: numeric (byte)  
label: pcva  
range: [0,1] units: 1  
unique values: 2 missing .: 71/15022

tabulation:	Freq.	Numeric	Label
	13980	0	no
	971	1	yes
	71	.	

-----  
pcvadiag who diagnosed stroke?  
-----

type: numeric (byte)  
label: pcvadiag  
range: [0,2] units: 1  
unique values: 3 missing .: 14045/15022

tabulation:	Freq.	Numeric	Label
	68	0	no one
	272	1	gp
	637	2	specialist
	14045	.	

-----  
ptia ever had tia?  
-----

type: numeric (byte)  
label: ptia  
range: [0,1] units: 1  
unique values: 2 missing .: 155/15022  
tabulation: Freq. Numeric Label  
13935 0 no  
932 1 yes  
155 .

-----  
ploc ever had head injury with loc?  
-----

type: numeric (byte)  
label: ploc  
range: [0,1] units: 1  
unique values: 2 missing .: 99/15022  
tabulation: Freq. Numeric Label  
13513 0 no  
1410 1 yes  
99 .

-----  
plochrs hours of loc  
-----

type: numeric (int)  
range: [0,360] units: 1  
unique values: 43 missing .: 13870/15022  
mean: 16.6797  
std. dev: 34.654  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 7 99

-----  
locmins minutes of loc  
-----

type: numeric (byte)  
range: [0,98] units: 1  
unique values: 44 missing .: 13944/15022  
mean: 11.5399  
std. dev: 16.1669  
percentiles: 10% 25% 50% 75% 90%  
0 1 5 15 30

-----  
plocage age in years at time of head injury  
-----

type: numeric (byte)  
range: [0,98] units: 1  
unique values: 95 missing .: 13669/15022  
mean: 43.6282  
std. dev: 25.3811  
percentiles: 10% 25% 50% 75% 90%  
10 19 45 65 75



-----  
ptolddm told had diabetes?  
-----

type: numeric (byte)  
label: ptolddm  
range: [0,1] units: 1  
unique values: 2 missing .: 73/15022  
tabulation: Freq. Numeric Label  
12817 0 no  
2132 1 yes  
73 .

-----  
pdmtrt had treatment for diabetes?  
-----

type: numeric (byte)  
label: pdmtrt  
range: [1,4] units: 1  
unique values: 4 missing .: 12916/15022  
tabulation: Freq. Numeric Label  
506 1 diet alone  
1278 2 oral hypglycaemics  
224 3 insulin  
98 4 no treatment  
12916 .

-----  
pcoad productive cough?  
-----

type: numeric (byte)  
label: pcoad  
range: [0,1] units: 1  
unique values: 2 missing .: 89/15022  
tabulation: Freq. Numeric Label  
13096 0 no  
1837 1 yes  
89 .

-----  
pcoad1 cough for how much of the year?  
-----

type: numeric (byte)  
label: pcoad1  
range: [1,2] units: 1  
unique values: 2 missing .: 13192/15022  
tabulation: Freq. Numeric Label  
1092 1 < 3 months/ year  
738 2 3 or more months/ year  
13192 .

-----  
pmal malaria?  
-----

type: numeric (byte)  
label: pmal  
range: [0,2] units: 1  
unique values: 3 missing .: 75/15022

tabulation:	Freq.	Numeric	Label
	14250	0	never
	118	1	in the last 5 years
	579	2	more than 5 years ago
	75	.	.

-----  
ptb tuberculosis?  
-----

type: numeric (byte)  
label: ptb  
range: [0,2] units: 1  
unique values: 3 missing .: 68/15022

tabulation:	Freq.	Numeric	Label
	14690	0	never
	86	1	in the last 5 years
	178	2	more than 5 years ago
	68	.	.

-----  
pcyst cysticercosis?  
-----

type: numeric (byte)  
label: pcyst  
range: [0,2] units: 1  
unique values: 3 missing .: 72/15022

tabulation:	Freq.	Numeric	Label
	14907	0	never
	21	1	in the last 5 years
	22	2	more than 5 years ago
	72	.	.

-----  
ppasthx past history of depression?  
-----

type: numeric (byte)  
label: ppasthx  
range: [0,1] units: 1  
unique values: 2 missing .: 72/15022

tabulation:	Freq.	Numeric	Label
	12418	0	no
	2532	1	yes
	72	.	.



-----  
pfathage father age at onset  
-----

type: numeric (byte)  
range: [2,96] units: 1  
unique values: 53 missing .: 14710/15022  
mean: 72.9583  
std. dev: 15.9352  
percentiles: 10% 25% 50% 75% 90%  
53 67 75.5 84 90

-----  
pmother mother affected by dementia?  
-----

type: numeric (byte)  
label: pmother  
range: [0,1] units: 1  
unique values: 2 missing .: 13902/15022  
tabulation: Freq. Numeric Label  
572 0 no  
548 1 yes  
13902 .

-----  
pmothage mother age at onset  
-----

type: numeric (byte)  
range: [1,98] units: 1  
unique values: 56 missing .: 14497/15022  
mean: 76.3886  
std. dev: 13.8154  
percentiles: 10% 25% 50% 75% 90%  
60 70 80 85 90

-----  
psibl sibling 1 affected by dementia?  
-----

type: numeric (byte)  
label: psibl  
range: [0,1] units: 1  
unique values: 2 missing .: 13877/15022  
tabulation: Freq. Numeric Label  
646 0 no  
499 1 yes  
13877 .

-----  
psibage1 sibling 1 age at onset  
-----

type: numeric (byte)  
range: [1,98] units: 1  
unique values: 79 missing .: 14546/15022  
mean: 65.0819  
std. dev: 20.5173  
percentiles: 10% 25% 50% 75% 90%  
30 60 70 80 85

-----  
psib2 sibling 2 affected by dementia?  
-----

type: numeric (byte)  
label: psib2  
range: [0,1] units: 1  
unique values: 2 missing .: 14634/15022  
tabulation: Freq. Numeric Label  
318 0 no  
70 1 yes  
14634 .

-----  
psibage2 sibling 2 age at onset  
-----

type: numeric (byte)  
range: [2,96] units: 1  
unique values: 33 missing .: 14956/15022  
mean: 63.9091  
std. dev: 25.1932  
percentiles: 10% 25% 50% 75% 90%  
20 60 73.5 80 87

-----  
psib3 sibling 3 affected by dementia?  
-----

type: numeric (byte)  
label: psib3  
range: [0,1] units: 1  
unique values: 2 missing .: 14940/15022  
tabulation: Freq. Numeric Label  
66 0 no  
16 1 yes  
14940 .

-----  
psibage3 sibling 3 age at onset  
-----

type: numeric (byte)  
range: [9,98] units: 1  
unique values: 14 missing .: 15004/15022  
mean: 61.2222  
std. dev: 28.727  
percentiles: 10% 25% 50% 75% 90%  
9 40 70 80 91

-----  
psib4 sibling 4 affected by dementia?  
-----

type: numeric (byte)  
label: psib4  
range: [0,1] units: 1  
unique values: 2 missing .: 14975/15022  
tabulation: Freq. Numeric Label  
37 0 no  
10 1 yes  
14975 .

-----  
psibage4 sibling 4 age at onset  
-----

type: numeric (byte)  
range: [9,90] units: 1  
unique values: 11 missing .: 15010/15022  
mean: 50.5  
std. dev: 31.7504  
percentiles: 10% 25% 50% 75% 90%  
9 15.5 66.5 77 80

-----  
parth arthritis problem  
-----

type: numeric (byte)  
label: parth  
range: [0,3] units: 1  
unique values: 4 missing .: 61/15022  
tabulation: Freq. Numeric Label  
9169 0 no problem  
2462 1 has problem, interferes not at  
all  
2205 2 has problem, interferes a little  
1125 3 has problem, interferes a lot  
61 .

-----  
peye eye problem  
-----

type: numeric (byte)  
label: peye  
range: [0,3] units: 1  
unique values: 4 missing .: 64/15022  
tabulation: Freq. Numeric Label  
5242 0 no problem  
5438 1 has problem, interferes not at  
all  
3078 2 has problem, interferes a little  
1200 3 has problem, interferes a lot  
64 .

-----  
pear hearing problem  
-----

type: numeric (byte)  
label: pear  
range: [0,3] units: 1  
unique values: 4 missing .: 58/15022  
tabulation: Freq. Numeric Label  
11128 0 no problem  
1795 1 has problem, interferes not at  
all  
1522 2 has problem, interferes a little  
519 3 has problem, interferes a lot  
58 .

-----  
pcough cough problem  
-----

type: numeric (byte)  
label: pcough  
range: [0,3] units: 1  
unique values: 4 missing .: 60/15022

tabulation:	Freq.	Numeric	Label
	13156	0	no problem
	1059	1	has problem, interferes not at all
	554	2	has problem, interferes a little
	193	3	has problem, interferes a lot
	60	.	.

-----  
presp breathing problem  
-----

type: numeric (byte)  
label: presp  
range: [0,3] units: 1  
unique values: 4 missing .: 59/15022

tabulation:	Freq.	Numeric	Label
	12829	0	no problem
	1130	1	has problem, interferes not at all
	729	2	has problem, interferes a little
	275	3	has problem, interferes a lot
	59	.	.

-----  
pbp blood pressure problem  
-----

type: numeric (byte)  
label: pbp  
range: [0,3] units: 1  
unique values: 4 missing .: 59/15022

tabulation:	Freq.	Numeric	Label
	8819	0	no problem
	4211	1	has problem, interferes not at all
	1373	2	has problem, interferes a little
	560	3	has problem, interferes a lot
	59	.	.

-----  
phear heart problem  
-----

type: numeric (byte)  
label: phear  
range: [0,3] units: 1  
unique values: 4 missing .: 59/15022

tabulation:	Freq.	Numeric	Label
	12568	0	no problem
	1366	1	has problem, interferes not at all
	662	2	has problem, interferes a little
	367	3	has problem, interferes a lot
	59	.	.

-----  
pgut gastrointestinal problem  
-----

type: numeric (byte)  
label: pgut  
range: [0,3] units: 1  
unique values: 4 missing .: 60/15022

tabulation:	Freq.	Numeric	Label
	11491	0	no problem
	1734	1	has problem, interferes not at all
	1258	2	has problem, interferes a little
	479	3	has problem, interferes a lot
	60	.	.

-----  
pfaint fainting problem  
-----

type: numeric (byte)  
label: pfaint  
range: [0,3] units: 1  
unique values: 4 missing .: 61/15022

tabulation:	Freq.	Numeric	Label
	14000	0	no problem
	542	1	has problem, interferes not at all
	313	2	has problem, interferes a little
	106	3	has problem, interferes a lot
	61	.	.

-----  
plimb limb problem  
-----

type: numeric (byte)  
label: plimb  
range: [0,3] units: 1  
unique values: 4 missing .: 60/15022

tabulation:	Freq.	Numeric	Label
	14072	0	no problem
	266	1	has problem, interferes not at all
	327	2	has problem, interferes a little
	297	3	has problem, interferes a lot
	60	.	.

-----  
pskin skin problem  
-----

type: numeric (byte)  
label: pskin  
range: [0,3] units: 1  
unique values: 4 missing .: 61/15022

tabulation:	Freq.	Numeric	Label
	14043	0	no problem
	536	1	has problem, interferes not at all
	271	2	has problem, interferes a little
	111	3	has problem, interferes a lot
	61	.	.



-----  
ppain1pain - how often?  
-----

type: numeric (byte)  
label: ppain1

range: [1,5] units: 1  
unique values: 5 missing .: 46/15022

tabulation:	Freq.	Numeric	Label
	9035	1	never
	2239	2	2-3 times in the month
	694	3	once a week
	1099	4	2-3 days a week
	1909	5	every day
	46	.	

-----  
ppain2pain - how severe?  
-----

type: numeric (byte)  
label: ppain2

range: [0,5] units: 1  
unique values: 6 missing .: 50/15022

tabulation:	Freq.	Numeric	Label
	9017	0	no pain
	1904	1	mild
	2357	2	moderate
	1042	3	severe
	417	4	very severe
	235	5	unbearable
	50	.	

-----  
ppain3pain - impact?  
-----

type: numeric (byte)  
label: ppain3

range: [0,4] units: 1  
unique values: 5 missing .: 52/15022

tabulation:	Freq.	Numeric	Label
	9010	0	no pain
	1782	1	not at all
	2063	2	not very much
	1448	3	moderately
	667	4	very much
	52	.	

-----  
pdasall1self rated health in past 30 days  
-----

type: numeric (byte)  
label: pdasall1

range: [0,4] units: 1  
unique values: 5 missing .: 68/15022

tabulation:	Freq.	Numeric	Label
	2376	0	very good
	5313	1	good
	6242	2	moderate
	836	3	bad
	187	4	very bad
	68	.	

-----  
pdas1 difficulty with standing  
-----

type: numeric (byte)  
label: pdas1  
range: [0,4] units: 1  
unique values: 5 missing .: 90/15022

tabulation:	Freq.	Numeric	Label
	9136	0	none
	2182	1	mild difficulty
	1976	2	moderate difficulty
	857	3	severe difficulty
	781	4	extreme difficulty/ cannot do
	90	.	.

-----  
pdas2 difficulty with household responsibilities  
-----

type: numeric (byte)  
label: pdas2  
range: [0,4] units: 1  
unique values: 5 missing .: 92/15022

tabulation:	Freq.	Numeric	Label
	10452	0	none
	1938	1	mild difficulty
	1384	2	moderate difficulty
	555	3	severe difficulty
	601	4	extreme difficulty/ cannot do
	92	.	.

-----  
pdas3 difficulty with learning a new task  
-----

type: numeric (byte)  
label: pdas3  
range: [0,4] units: 1  
unique values: 5 missing .: 91/15022

tabulation:	Freq.	Numeric	Label
	10770	0	none
	1888	1	mild difficulty
	1074	2	moderate difficulty
	528	3	severe difficulty
	671	4	extreme difficulty/ cannot do
	91	.	.

-----  
pdas4 difficulty with joining in community activities  
-----

type: numeric (byte)  
label: pdas4  
range: [0,4] units: 1  
unique values: 5 missing .: 104/15022

tabulation:	Freq.	Numeric	Label
	11178	0	none
	1600	1	mild difficulty
	984	2	moderate difficulty
	440	3	severe difficulty
	716	4	extreme difficulty/ cannot do
	104	.	.

-----  
pdas5 how much emotionally affected?  
-----

type: numeric (byte)  
label: pdas5  
range: [0,4] units: 1  
unique values: 5 missing .: 89/15022

tabulation:	Freq.	Numeric	Label
	10119	0	none
	2227	1	mildly
	1689	2	moderately
	586	3	severely
	312	4	extremely
	89	.	

-----  
pdas6 difficulty with concentrating  
-----

type: numeric (byte)  
label: pdas6  
range: [0,4] units: 1  
unique values: 5 missing .: 91/15022

tabulation:	Freq.	Numeric	Label
	12261	0	none
	1407	1	mild difficulty
	699	2	moderate difficulty
	258	3	severe difficulty
	306	4	extreme difficulty/ cannot do
	91	.	

-----  
pdas7 difficulty with walking a kilometre  
-----

type: numeric (byte)  
label: pdas7  
range: [0,4] units: 1  
unique values: 5 missing .: 95/15022

tabulation:	Freq.	Numeric	Label
	9373	0	none
	1840	1	mild difficulty
	1601	2	moderate difficulty
	919	3	severe difficulty
	1194	4	extreme difficulty/ cannot do
	95	.	

-----  
pdas8 difficulty with washing whole body  
-----

type: numeric (byte)  
label: pdas8  
range: [0,4] units: 1  
unique values: 5 missing .: 93/15022

tabulation:	Freq.	Numeric	Label
	13046	0	none
	790	1	mild difficulty
	422	2	moderate difficulty
	233	3	severe difficulty
	438	4	extreme difficulty/ cannot do
	93	.	

-----  
pdas9 difficulty with getting dressed  
-----

type: numeric (byte)  
label: pdas9

range: [0,4] units: 1  
unique values: 5 missing .: 93/15022

tabulation: Freq. Numeric Label

13611	0	none
563	1	mild difficulty
300	2	moderate difficulty
145	3	severe difficulty
310	4	extreme difficulty/ cannot do
93	.	

-----  
pdas10 difficulty with dealing with people you don't know  
-----

type: numeric (byte)  
label: pdas10

range: [0,4] units: 1  
unique values: 5 missing .: 91/15022

tabulation: Freq. Numeric Label

13420	0	none
840	1	mild difficulty
357	2	moderate difficulty
116	3	severe difficulty
198	4	extreme difficulty/ cannot do
91	.	

-----  
pdas11 difficulty with maintaing a friendship  
-----

type: numeric (byte)  
label: pdas11

range: [0,4] units: 1  
unique values: 5 missing .: 93/15022

tabulation: Freq. Numeric Label

13497	0	none
745	1	mild difficulty
342	2	moderate difficulty
119	3	severe difficulty
226	4	extreme difficulty/ cannot do
93	.	

-----  
pdas12 difficulty with carrying out work and everyday activities  
-----

type: numeric (byte)  
label: pdas12

range: [0,4] units: 1  
unique values: 5 missing .: 99/15022

tabulation: Freq. Numeric Label

11441	0	none
1563	1	mild difficulty
1025	2	moderate difficulty
398	3	severe difficulty
496	4	extreme difficulty/ cannot do
99	.	

-----  
pdasall2                    how much did these difficulties interfere with your life?  
-----

          type: numeric (byte)  
          label: pdasall2  
  
          range: [0,4]    units: 1  
unique values: 5    missing .: 116/15022

tabulation:	Freq.	Numeric	Label
	9679	0	none
	2409	1	mildly
	1811	2	moderately
	615	3	severely
	392	4	extremely
	116	.	

-----  
pdasall3                    how many days were they present (in the last 30 days?)  
-----

          type: numeric (byte)  
  
          range: [0,30]    units: 1  
unique values: 30    missing .: 1015/15022  
  
          mean: 8.82909  
          std. dev: 12.715  
  
percentiles:                    10%                    25%                    50%                    75%                    90%  
                                  0                    0                    0                    21                    30

-----  
pdasall4                    how many days in last 30 were you totally unable?  
-----

          type: numeric (byte)  
  
          range: [0,30]    units: 1  
unique values: 31    missing .: 900/15022  
  
          mean: 3.13907  
          std. dev: 8.19574  
  
percentiles:                    10%                    25%                    50%                    75%                    90%  
                                  0                    0                    0                    0                    13

-----  
pdasall5                    how many days in the last 30 were you partly unable?  
-----

          type: numeric (byte)  
  
          range: [0,30]    units: 1  
unique values: 31    missing .: 933/15022  
  
          mean: 3.78366  
          std. dev: 8.90211  
  
percentiles:                    10%                    25%                    50%                    75%                    90%  
                                  0                    0                    0                    1                    20

-----  
psexre gender  
-----

type: numeric (byte)  
label: psexre  
range: [1,2] units: 1  
unique values: 2 missing .: 38/15022  
tabulation: Freq. Numeric Label  
9254 1 female  
5730 2 male  
38 .

-----  
pmenarc age at menarche  
-----

type: numeric (byte)  
range: [8,24] units: 1  
unique values: 17 missing .: 6060/15022  
mean: 13.5328  
std. dev: 1.86286  
percentiles: 10% 25% 50% 75% 90%  
11 12 14 15 16

-----  
pchino no of children  
-----

type: numeric (byte)  
range: [0,23] units: 1  
unique values: 22 missing .: 5937/15022  
mean: 4.30545  
std. dev: 3.06963  
percentiles: 10% 25% 50% 75% 90%  
1 2 4 6 9

-----  
pchiage age at birth of first child  
-----

type: numeric (byte)  
range: [9,48] units: 1  
unique values: 38 missing .: 6667/15022  
mean: 21.7642  
std. dev: 5.11652  
percentiles: 10% 25% 50% 75% 90%  
16 18 21 24 29

-----  
pmenpau age at menopause  
-----

type: numeric (byte)  
range: [17,74] units: 1  
unique values: 44 missing .: 6270/15022  
mean: 47.4345  
std. dev: 5.75914  
percentiles: 10% 25% 50% 75% 90%  
40 45 49 50 54

-----  
psmoke ever smoked?  
-----

type: numeric (byte)  
label: psmoke  
range: [0,1] units: 1  
unique values: 2 missing .: 93/15022  
tabulation: Freq. Numeric Label  
9444 0 no  
5485 1 yes  
93 .

-----  
psmoke2 what did you smoke?  
-----

type: numeric (byte)  
label: psmoke2  
range: [1,5] units: 1  
unique values: 5 missing .: 9539/15022  
tabulation: Freq. Numeric Label  
4363 1 cigarettes  
639 2 cigars  
86 3 pipe  
238 4 chewing tobacco  
157 5 snuff  
9539 .

-----  
pstart age when first smoked  
-----

type: numeric (byte)  
range: [5,90] units: 1  
unique values: 78 missing .: 9627/15022  
mean: 21.0109  
std. dev: 10.8399  
percentiles: 10% 25% 50% 75% 90%  
12 15 18 23 33

-----  
psmknow still smoking regularly?  
-----

type: numeric (byte)  
label: psmknow  
range: [0,1] units: 1  
unique values: 2 missing .: 9556/15022  
tabulation: Freq. Numeric Label  
3022 0 no  
2444 1 yes  
9556 .

-----  
pstop age when stopped smoking  
-----

type: numeric (byte)  
range: [10,98] units: 1  
unique values: 86 missing .: 12165/15022  
mean: 51.6811  
std. dev: 16.8494  
percentiles: 10% 25% 50% 75% 90%  
27 40 54 65 72

-----  
pcigdose amount smoked  
-----

type: numeric (byte)  
range: [1,60] units: 1  
unique values: 43 missing .: 9725/15022  
mean: 11.388  
std. dev: 12.4029  
percentiles: 10% 25% 50% 75% 90%  
1 2 7 20 24

-----  
palcpast alcohol - units drunk per week before age of 65 years  
-----

type: numeric (int)  
range: [0,400] units: 1  
unique values: 108 missing .: 963/15022  
mean: 8.25386  
std. dev: 35.1799  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 16

-----  
palcnow alcohol - units drunk per week now  
-----

type: numeric (int)  
range: [0,400] units: 1  
unique values: 82 missing .: 1067/15022  
mean: 2.54575  
std. dev: 16.4762  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 1

-----  
pheavy ever been a heavy drinker?  
-----

type: numeric (byte)  
label: pheavy  
range: [0,1] units: 1  
unique values: 2 missing .: 12646/15022  
tabulation: Freq. Numeric Label  
1847 0 no  
529 1 yes  
12646 .





-----  
phunger frequency of hunger through shortage of food  
-----

type: numeric (byte)  
label: phunger  
range: [0,3] units: 1  
unique values: 4 missing .: 178/15022

tabulation:	Freq.	Numeric	Label
	13732	0	never
	973	1	some days
	86	2	most days
	53	3	every day
	178	.	

-----  
pactive physical activity  
-----

type: numeric (byte)  
label: pactive  
range: [1,4] units: 1  
unique values: 4 missing .: 119/15022

tabulation:	Freq.	Numeric	Label
	3515	1	very physically active
	6343	2	fairly
	3999	3	not very
	1046	4	not at all
	119	.	

-----  
pwalkany walk of 0.5 kilometre in last month?  
-----

type: numeric (byte)  
label: pwalkany  
range: [0,1] units: 1  
unique values: 2 missing .: 138/15022

tabulation:	Freq.	Numeric	Label
	4903	0	no
	9981	1	yes
	138	.	

-----  
pwalkoft how many walks of 0.5 kilometre in last month?  
-----

type: numeric (byte)  
range: [0,60] units: 1  
unique values: 38 missing .: 973/15022  
mean: 10.3861  
std. dev: 11.7489  
percentiles: 10% 25% 50% 75% 90%  
0 0 4 20 30

-----  
ppastex exercise compared with 10 years ago  
-----

type: numeric (byte)  
label: ppastex  
range: [1,3] units: 1  
unique values: 3 missing .: 152/15022  
tabulation: Freq. Numeric Label  
10267 1 less now  
3716 2 as much now  
887 3 more now  
152 .

-----  
ppc consulted primary care in last 3 months  
-----

type: numeric (byte)  
label: ppc  
range: [0,1] units: 1  
unique values: 2 missing .: 44/15022  
tabulation: Freq. Numeric Label  
11801 0 no  
3177 1 yes  
44 .

-----  
ppccare accompanied to phc  
-----

type: numeric (byte)  
label: ppccare  
range: [0,1] units: 1  
unique values: 2 missing .: 46/15022  
tabulation: Freq. Numeric Label  
13584 0 no  
1392 1 yes  
46 .

-----  
ppctrmin travel time to phc  
-----

type: numeric (int)  
range: [0,5305] units: 1  
unique values: 37 missing .: 47/15022  
mean: 3.79432  
std. dev: 60.6012  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 10

-----  
ppctrkst travel cost to phc  
-----

type: numeric (int)  
range: [0,800] units: 1  
unique values: 45 missing .: 46/15022  
mean: .782986  
std. dev: 9.37744  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 0

-----  
ppcmins time with phc  
-----

type: numeric (int)  
range: [0,700] units: 1  
unique values: 35 missing .: 47/15022  
mean: 4.2213  
std. dev: 13.1657  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 15

-----  
ppccost average cost of phc visit  
-----

type: numeric (int)  
range: [0,10000] units: 1  
unique values: 70 missing .: 46/15022  
mean: 11.3999  
std. dev: 160.086  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 0

-----  
ppcvis number of visits to phc in last 3 months  
-----

type: numeric (byte)  
range: [0,90] units: 1  
unique values: 26 missing .: 53/15022  
mean: .559757  
std. dev: 2.05449  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 2

-----  
phosp consulted hospital doctor in last 3 months  
-----

type: numeric (byte)  
label: phosp  
range: [0,1] units: 1  
unique values: 2 missing .: 44/15022  
tabulation: Freq. Numeric Label  
11781 0 no  
3197 1 yes  
44 .

-----  
phpcare accompanied to hos doc  
-----

type: numeric (byte)  
label: phpcare  
range: [0,1] units: 1  
unique values: 2 missing .: 48/15022  
tabulation: Freq. Numeric Label  
13028 0 no  
1946 1 yes  
48 .

-----  
phptrmin travel time to hos doc  
-----

type: numeric (int)  
range: [0,300] units: 1  
unique values: 43 missing .: 47/15022  
mean: 6.18224  
std. dev: 17.2992  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 20

-----  
phptrcst travel cost to hos doc  
-----

type: numeric (int)  
range: [0,1000] units: 1  
unique values: 56 missing .: 46/15022  
mean: 2.28753  
std. dev: 17.6862  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 2

-----  
phpmins time with hos doc  
-----

type: numeric (int)  
range: [0,360] units: 1  
unique values: 42 missing .: 47/15022  
mean: 5.04922  
std. dev: 15.9506  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 20

-----  
phpcost cost of hos doc  
-----

type: numeric (long)  
range: [0,50000] units: 1  
unique values: 98 missing .: 47/15022  
mean: 29.0842  
std. dev: 624.13  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 0

-----  
phpvis number of visits to hos doc in last 3 months  
-----

type: numeric (byte)  
range: [0,96] units: 1  
unique values: 28 missing .: 54/15022  
mean: .549238  
std. dev: 2.17525  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 2

-----  
poth consulted other government health care worker in last 3 months  
-----

type: numeric (byte)  
label: poth  
range: [0,1] units: 1  
unique values: 2 missing .: 45/15022  
tabulation: Freq. Numeric Label  
14261 0 no  
716 1 yes  
45 .

-----  
potcare accompanied to other  
-----

type: numeric (byte)  
label: potcare  
range: [0,1] units: 1  
unique values: 2 missing .: 47/15022  
tabulation: Freq. Numeric Label  
14624 0 no  
351 1 yes  
47 .

-----  
pottrmin travel time to other  
-----

type: numeric (int)  
range: [0,190] units: 1  
unique values: 25 missing .: 46/15022  
mean: 1.04854  
std. dev: 7.63507  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 0

-----  
pottrcst travel cost to other  
-----

type: numeric (int)  
range: [0,1200] units: 1  
unique values: 35 missing .: 46/15022  
mean: .396368  
std. dev: 11.1038  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 0

-----  
potmins time with other  
-----

type: numeric (int)  
range: [0,180] units: 1  
unique values: 22 missing .: 46/15022  
mean: 1.1455  
std. dev: 7.46232  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 0

-----  
potcost average cost for other  
-----

type: numeric (int)  
range: [0,15000] units: 1  
unique values: 61 missing .: 46/15022  
mean: 2.67041  
std. dev: 125.88  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 0

-----  
potvis number of visits to other in last 3 months  
-----

type: numeric (byte)  
range: [0,90] units: 1  
unique values: 31 missing .: 46/15022  
mean: .219284  
std. dev: 2.07701  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 0

-----  
ppd consulted private doctor in last 3 months  
-----

type: numeric (byte)  
label: ppd  
range: [0,1] units: 1  
unique values: 2 missing .: 44/15022  
tabulation: Freq. Numeric Label  
12554 0 no  
2424 1 yes  
44 .

-----  
ppdcare accompanied to pd?  
-----

type: numeric (byte)  
label: ppdcare  
range: [0,1] units: 1  
unique values: 2 missing .: 48/15022  
tabulation: Freq. Numeric Label  
13262 0 no  
1712 1 yes  
48 .

-----  
ppdtrmin travel time to pd  
-----

type: numeric (int)  
range: [0,1440] units: 1  
unique values: 42 missing .: 45/15022  
mean: 5.54951  
std. dev: 22.0542  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 20

-----  
ppdtrcst travel cost to pd  
-----

type: numeric (int)  
range: [0,2500] units: 1  
unique values: 50 missing .: 45/15022  
mean: 2.05115  
std. dev: 24.9719  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 0

-----  
ppdmins time with pd  
-----

type: numeric (int)  
range: [0,300] units: 1  
unique values: 35 missing .: 45/15022  
mean: 3.85772  
std. dev: 12.7845  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 15

-----  
ppdcost average cost of pd visit  
-----

type: numeric (int)  
range: [0,10000] units: 1  
unique values: 93 missing .: 45/15022  
mean: 11.3962  
std. dev: 128.542  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 20

-----  
ppdvis number of pd visits in last 3 months  
-----

type: numeric (byte)  
range: [0,48] units: 1  
unique values: 22 missing .: 50/15022  
mean: .295618  
std. dev: 1.2319  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 1

-----  
pdent consulted dentist in last 3 months  
-----

type: numeric (byte)  
label: pdent  
range: [0,1] units: 1  
unique values: 2 missing .: 44/15022  
tabulation: Freq. Numeric Label  
14196 0 no  
782 1 yes  
44 .



-----  
pdncareaccompanied to dentist?  
-----

type: numeric (byte)  
label: pdncare

range: [0,1] units: 1  
unique values: 2 missing .: 45/15022

tabulation:	Freq.	Numeric	Label
	14644	0	no
	333	1	yes
	45	.	

-----  
pdentrmitravel time to dentist  
-----

type: numeric (int)

range: [0,480] units: 1  
unique values: 32 missing .: 44/15022

mean: 1.26052  
std. dev: 8.44329

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

-----  
pdentrcttravel cost to dentist  
-----

type: numeric (int)

range: [0,600] units: 1  
unique values: 32 missing .: 44/15022

mean: .322072  
std. dev: 6.4281

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

-----  
pdenminstime in minutes with dentist  
-----

type: numeric (int)

range: [0,240] units: 1  
unique values: 30 missing .: 44/15022

mean: 1.73388  
std. dev: 9.74072

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

-----  
pdencostaverage cost of dentist visit  
-----

type: numeric (int)

range: [0,8500] units: 1  
unique values: 92 missing .: 44/15022

mean: 9.15643  
std. dev: 160.151

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

-----  
pdenvis number of dentist visits in last 3 months  
-----

type: numeric (byte)  
range: [0,24] units: 1  
unique values: 15 missing .: 49/15022  
mean: .109998  
std. dev: .740684  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 0

-----  
pth consulted traditional healer in last 3 months  
-----

type: numeric (byte)  
label: pth  
range: [0,1] units: 1  
unique values: 2 missing .: 44/15022  
tabulation: Freq. Numeric Label  
14798 0 no  
180 1 yes  
44 .

-----  
pthcare accompanied to th  
-----

type: numeric (byte)  
label: pthcare  
range: [0,1] units: 1  
unique values: 2 missing .: 45/15022  
tabulation: Freq. Numeric Label  
14877 0 no  
100 1 yes  
45 .

-----  
pthtrmin travel time to th  
-----

type: numeric (int)  
range: [0,240] units: 1  
unique values: 19 missing .: 45/15022  
mean: .293984  
std. dev: 4.14438  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 0

-----  
pthtrcst travel cost to th  
-----

type: numeric (int)  
range: [0,500] units: 1  
unique values: 27 missing .: 45/15022  
mean: .245376  
std. dev: 6.57151  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 0

-----  
pthmins time in mins with th  
-----

type: numeric (int)  
range: [0,120] units: 1  
unique values: 16 missing .: 45/15022  
mean: .277292  
std. dev: 3.43247  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 0

-----  
pthcost average cost of th visit  
-----

type: numeric (int)  
range: [0,8000] units: 1  
unique values: 31 missing .: 45/15022  
mean: 1.45797  
std. dev: 72.0052  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 0

-----  
pthvis number of th visits in last 3 months  
-----

type: numeric (byte)  
range: [0,42] units: 1  
unique values: 10 missing .: 45/15022  
mean: .022368  
std. dev: .484089  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 0

-----  
phosad admitted to hospital in last 3 months  
-----

type: numeric (byte)  
label: phosad  
range: [0,1] units: 1  
unique values: 2 missing .: 44/15022  
tabulation: Freq. Numeric Label  
14646 0 no  
332 1 yes  
44 .

-----  
phosday days in hospital in last 3 monts  
-----

type: numeric (byte)  
range: [0,90] units: 1  
unique values: 33 missing .: 46/15022  
mean: .188101  
std. dev: 2.288  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 0

-----  
phoscost cost of hospital admissions in last 3 months  
-----

type: numeric (long)  
range: [0,68000] units: 1  
unique values: 88 missing .: 45/15022  
mean: 59.9993  
std. dev: 1279.01  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 0

-----  
pmeds has used medicines in last 3 months?  
-----

type: numeric (byte)  
label: pmeds, but 1 nonmissing value is not labeled  
range: [0,9] units: 1  
unique values: 3 missing .: 44/15022  
tabulation: Freq. Numeric Label  
5574 0 no  
9403 1 yes  
1 9  
44 .

-----  
pmedcost cost of medicines in last 3 months  
-----

type: numeric (int)  
range: [0,30000] units: 1  
unique values: 271 missing .: 50/15022  
mean: 122.598  
std. dev: 568.062  
percentiles: 10% 25% 50% 75% 90%  
0 0 3 60 240

-----  
pinsura has private insurance?  
-----

type: numeric (byte)  
label: pinsura  
range: [0,1] units: 1  
unique values: 2 missing .: 93/15022  
tabulation: Freq. Numeric Label  
10501 0 no  
4428 1 yes  
93 .

-----  
pinscove who does private insurance cover?  
-----

type: numeric (byte)  
label: pinscove  
range: [1,2] units: 1  
unique values: 2 missing .: 10724/15022  
tabulation: Freq. Numeric Label  
2263 1 self only  
2035 2 self and family  
10724 .

-----  
pinscost cost per year of private insurance  
-----

type: numeric (long)  
range: [0,99999] units: 1  
unique values: 253 missing .: 11453/15022  
mean: 17909.9  
std. dev: 38199.7  
percentiles: 10% 25% 50% 75% 90%  
0 0 15 312 99999

-----  
prfrate quality of data  
-----

type: numeric (byte)  
label: prfrate  
range: [0,4] units: 1  
unique values: 5 missing .: 146/15022  
tabulation: Freq. Numeric Label  
14330 0 reasonable  
472 1 few doubts  
53 2 moderate doubts  
18 3 grave doubts  
3 4 worthless  
146 .

-----  
whodas5 total whodas ii score based on 5 items  
-----

type: numeric (float)  
range: [0,100] units: .01  
unique values: 17 missing .: 120/15022  
mean: 16.4101  
std. dev: 22.4766  
percentiles: 10% 25% 50% 75% 90%  
0 0 6.25 25 50

-----  
whodas11 total whodas ii score based on 11 items  
-----

type: numeric (float)  
range: [0,100] units: 1.000e-07  
unique values: 35 missing .: 147/15022  
mean: 12.8902  
std. dev: 18.9457  
percentiles: 10% 25% 50% 75% 90%  
0 0 5.88235 17.6471 38.2353

-----  
whodas12 total whodas ii score based on all 12 items (use this)  
-----

type: numeric (float)  
range: [0,100] units: 1.000e-07  
unique values: 37 missing .: 153/15022  
mean: 12.9755  
std. dev: 19.143  
percentiles: 10% 25% 50% 75% 90%  
0 0 5.55556 19.4444 38.8889

-----  
whodasdd whodas disability days in last month  
-----

type: numeric (float)  
range: [0,45] units: .1  
unique values: 79 missing .: 961/15022  
mean: 4.87903  
std. dev: 11.0715  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 2 16

-----  
wenger wenger social network typology  
-----

type: numeric (byte)  
label: wenger  
range: [1,5] units: 1  
unique values: 5 missing .: 48/15022  
tabulation: Freq. Numeric Label  
3374 1 family dependent  
8359 2 locally integrated  
980 3 locally self-contained  
734 4 wider community focused  
1527 5 private  
48 .

-----  
p\_family income from family  
-----

type: numeric (long)  
range: [0,36000] units: 1  
unique values: 166 missing .: 0/15022  
mean: 245.175  
std. dev: 1378.48  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 150

-----  
p\_gov income from government pension  
-----

type: numeric (int)  
range: [0,16709] units: 1  
unique values: 474 missing .: 0/15022  
mean: 166.678  
std. dev: 591.562  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 90 415

-----  
p\_occup income from occupational pension  
-----

type: numeric (int)  
range: [0,25000] units: 1  
unique values: 446 missing .: 0/15022  
mean: 167.307  
std. dev: 646.362  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 415

-----  
p\_disab income from disability pension  
-----

type: numeric (int)  
range: [0,3000] units: 1  
unique values: 63 missing .: 0/15022  
mean: 3.16762  
std. dev: 66.5393  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 0

-----  
p\_rent income from rent  
-----

type: numeric (int)  
range: [0,29994] units: 1  
unique values: 90 missing .: 0/15022  
mean: 54.1126  
std. dev: 513.558  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 0

-----  
p\_work income from work  
-----

type: numeric (int)  
range: [0,15000] units: 1  
unique values: 176 missing .: 0/15022  
mean: 43.6102  
std. dev: 366.734  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 0

-----  
p\_care income from caregiver benefit  
-----

type: numeric (int)  
range: [0,10000] units: 1  
unique values: 112 missing .: 0/15022  
mean: 13.4017  
std. dev: 166.12  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 0

-----  
p\_oth other income  
-----

type: numeric (byte)  
range: [0,0] units: 1  
unique values: 1 missing .: 0/15022  
tabulation: Freq. Value  
15022 0

-----  
pnof\_tot total income (not including family transfers)  
-----

type: numeric (long)  
range: [0,32794] units: 1  
unique values: 818 missing .: 0/15022  
mean: 448.277  
std. dev: 1090.64  
percentiles: 10% 25% 50% 75% 90%  
0 0 105 406 1100

-----  
p\_tot total income  
-----

type: numeric (long)  
range: [0,36000] units: 1  
unique values: 904 missing .: 0/15022  
mean: 693.451  
std. dev: 1780.18  
percentiles: 10% 25% 50% 75% 90%  
0 0 167 650 2000

-----  
illno number of limiting physical impairments  
-----

type: numeric (byte)  
range: [0,11] units: 1  
unique values: 12 missing .: 44/15022  
mean: 1.16998  
std. dev: 1.40434  
percentiles: 10% 25% 50% 75% 90%  
0 0 1 2 3

-----  
pain chicago pain scale score  
-----

type: numeric (byte)  
range: [0,27] units: 1  
unique values: 19 missing .: 44/15022  
mean: 3.64962  
std. dev: 3.71056  
percentiles: 10% 25% 50% 75% 90%  
1 1 1 7 9

-----  
cvadiag clinician diagnosed stroke  
-----

type: numeric (byte)  
label: cvadiag  
range: [0,1] units: 1  
unique values: 2 missing .: 44/15022  
tabulation: Freq. Numeric Label  
14054 0 no  
924 1 yes  
44 .



-----  
heartmi myocardial infarction  
-----

type: numeric (byte)  
label: heartmi  
range: [0,1] units: 1  
unique values: 2 missing .: 44/15022  
tabulation: Freq. Numeric Label  
14557 0 no  
421 1 yes  
44 .

-----  
heartang angina  
-----

type: numeric (byte)  
label: heartang  
range: [0,1] units: 1  
unique values: 2 missing .: 44/15022  
tabulation: Freq. Numeric Label  
14431 0 no  
547 1 yes  
44 .

-----  
heartisc myocardial infarction and/ or angina  
-----

type: numeric (byte)  
label: heartisc  
range: [0,1] units: 1  
unique values: 2 missing .: 44/15022  
tabulation: Freq. Numeric Label  
14010 0 no  
968 1 yes  
44 .

-----  
repyears reproductive years (age at menopause - age at menarche) - women only  
-----

type: numeric (byte)  
range: [1,91] units: 1  
unique values: 64 missing .: 6230/15022  
mean: 34.6346  
std. dev: 8.45783  
percentiles: 10% 25% 50% 75% 90%  
26 31 35 38 41

-----  
pc\_cost total primary care cost  
-----

type: numeric (long)  
range: [0,50000] units: 1  
unique values: 172 missing .: 45/15022  
mean: 46.5052  
std. dev: 914.656  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 0

-----  
hos\_cost total hospital cost  
-----

type: numeric (long)  
range: [0,288000] units: 1  
unique values: 265 missing .: 45/15022  
mean: 102.872  
std. dev: 3054.33  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 6

-----  
oth\_cost total other health care cost  
-----

type: numeric (long)  
range: [0,300000] units: 1  
unique values: 126 missing .: 45/15022  
mean: 37.593  
std. dev: 2564.95  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 0

-----  
pd\_cost total private doctor cost  
-----

type: numeric (int)  
range: [0,24000] units: 1  
unique values: 281 missing .: 45/15022  
mean: 27.2195  
std. dev: 350.479  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 20

-----  
den\_cost total dentist cost  
-----

type: numeric (long)  
range: [0,69399] units: 1  
unique values: 185 missing .: 44/15022  
mean: 43.247  
std. dev: 1119.48  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 0

-----  
th\_cost total traditional healer cost  
-----

type: numeric (long)  
range: [0,64800] units: 1  
unique values: 65 missing .: 45/15022  
mean: 7.10783  
std. dev: 539.074  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 0

-----  
hth\_cost total healthcare cost  
-----

type: numeric (long)  
range: [0,302450] units: 1  
unique values: 974 missing .: 45/15022  
mean: 447.137  
std. dev: 4767.88  
percentiles: 10% 25% 50% 75% 90%  
0 0 20 100 463

-----  
halcpast hazardous drinker in early life  
-----

type: numeric (byte)  
label: halcpast  
range: [0,1] units: 1  
unique values: 2 missing .: 930/15022  
tabulation: Freq. Numeric Label  
12839 0 not a hazardous drinker  
1253 1 hazardous drinker  
930 .

-----  
halcnow hazardous drinker now  
-----

type: numeric (byte)  
label: halcnow  
range: [0,1] units: 1  
unique values: 2 missing .: 1032/15022  
tabulation: Freq. Numeric Label  
13542 0 not a hazardous drinker  
448 1 hazardous drinker  
1032 .

-----  
pulse pulse per minute  
-----

type: numeric (int)  
range: [30,220] units: 1  
unique values: 100 missing .: 541/15022  
mean: 73.5574  
std. dev: 10.7789  
percentiles: 10% 25% 50% 75% 90%  
60 67 72 80 86

-----  
bpsys1 systolic pressure (1st measure)  
-----

type: numeric (int)  
range: [60,260] units: 1  
unique values: 157 missing .: 520/15022  
mean: 135.04  
std. dev: 22.6286  
percentiles: 10% 25% 50% 75% 90%  
110 120 130 150 165

-----  
bpdias1 diastolic pressure (1st measure)  
-----

type: numeric (int)  
range: [30,174] units: 1  
unique values: 102 missing .: 529/15022  
mean: 79.3325  
std. dev: 13.4272  
percentiles: 10% 25% 50% 75% 90%  
60 70 80 90 95

-----  
bpsys2 systolic pressure (2nd measure)  
-----

type: numeric (int)  
range: [60,254] units: 1  
unique values: 151 missing .: 522/15022  
mean: 134.652  
std. dev: 22.557  
percentiles: 10% 25% 50% 75% 90%  
110 120 130 149 164

-----  
bpdias2 diastolic pressure (2nd measure)  
-----

type: numeric (int)  
range: [30,180] units: 1  
unique values: 98 missing .: 531/15022  
mean: 79.003  
std. dev: 13.3477  
percentiles: 10% 25% 50% 75% 90%  
60 70 80 88 95

-----  
bpsys3 systolic pressure (standing)  
-----

type: numeric (int)  
range: [60,250] units: 1  
unique values: 155 missing .: 749/15022  
mean: 133.86  
std. dev: 22.8571  
percentiles: 10% 25% 50% 75% 90%  
110 120 130 146 163

-----  
bpdias3 diastolic pressure (standing)  
-----

type: numeric (int)  
range: [30,198] units: 1  
unique values: 103 missing .: 750/15022  
mean: 79.9651  
std. dev: 13.6503  
percentiles: 10% 25% 50% 75% 90%  
60 70 80 90 99

-----  
armcirc arm circumference (cms)  
-----

type: numeric (int)  
range: [15,160] units: 1  
unique values: 64 missing .: 513/15022  
mean: 28.3385  
std. dev: 6.25637  
percentiles: 10% 25% 50% 75% 90%  
22 24 27 31 35

-----  
skcirc skull circumference (cms)  
-----

type: numeric (byte)  
range: [40,64] units: 1  
unique values: 25 missing .: 706/15022  
mean: 55.1498  
std. dev: 2.40031  
percentiles: 10% 25% 50% 75% 90%  
52 54 55 57 58

-----  
wstcirc waist circumference (cms)  
-----

type: numeric (int)  
range: [38,196] units: 1  
unique values: 104 missing .: 606/15022  
mean: 89.6558  
std. dev: 12.3184  
percentiles: 10% 25% 50% 75% 90%  
74 81 90 98 104

-----  
hipcirc hip circumference (cms)  
-----

type: numeric (int)  
range: [45,197] units: 1  
unique values: 115 missing .: 663/15022  
mean: 99.1004  
std. dev: 11.5501  
percentiles: 10% 25% 50% 75% 90%  
86 92 99 105 113

-----  
lglength leg length (cms)  
-----

type: numeric (int)  
range: [51,182] units: 1  
unique values: 75 missing .: 978/15022  
mean: 86.7258  
std. dev: 7.89015  
percentiles: 10% 25% 50% 75% 90%  
78 82 87 92 96

-----  
height height (cms)  
-----

type: numeric (int)  
range: [116,199] units: 1  
unique values: 78 missing .: 847/15022  
mean: 157.3  
std. dev: 9.88177  
percentiles: 10% 25% 50% 75% 90%  
145 150 156 164 170

-----  
noel vertical upgaze  
-----

type: numeric (byte)  
label: noel  
range: [0,2] units: 1  
unique values: 3 missing .: 575/15022  
tabulation: Freq. Numeric Label  
13047 0 normal upgaze  
1231 1 limited upgaze  
169 2 no upgaze  
575 .

-----  
noe3b visual fields  
-----

type: numeric (byte)  
label: noe3b  
range: [0,3] units: 1  
unique values: 4 missing .: 594/15022  
tabulation: Freq. Numeric Label  
12840 0 no defect  
594 1 right side defect  
390 2 left side defect  
604 3 bilateral (concentric)  
diminution  
594 .

-----  
noe2a glabellar tap  
-----

type: numeric (byte)  
label: noe2a  
range: [1,4] units: 1  
unique values: 4 missing .: 489/15022  
tabulation: Freq. Numeric Label  
10011 1 1-4 taps  
1337 2 5 taps  
1006 3 6-9 taps  
2179 4 10+ taps  
489 .

-----  
noe2b pout or snout  
-----

type: numeric (byte)  
label: noe2b

range: [0,1] units: 1  
unique values: 2 missing .: 473/15022

tabulation: Freq. Numeric Label  
12888 0 no pout  
1661 1 pout present  
473 .

-----  
neo4b tremor - head  
-----

type: numeric (byte)  
label: neo4b

range: [0,3] units: 1  
unique values: 4 missing .: 463/15022

tabulation: Freq. Numeric Label  
14045 0 no tremor  
419 1 slow tremor  
80 2 medium  
15 3 fast tremor  
463 .

-----  
neo4e tremor - rul  
-----

type: numeric (byte)  
label: neo4e

range: [0,3] units: 1  
unique values: 4 missing .: 466/15022

tabulation: Freq. Numeric Label  
13151 0 no tremor  
1143 1 slow tremor  
198 2 medium  
64 3 fast tremor  
466 .

-----  
neo4f tremor - lul  
-----

type: numeric (byte)  
label: neo4f

range: [0,3] units: 1  
unique values: 4 missing .: 471/15022

tabulation: Freq. Numeric Label  
13305 0 no tremor  
1031 1 slow tremor  
165 2 medium  
50 3 fast tremor  
471 .

-----  
neo5a drift - present  
-----

type: numeric (byte)  
label: neo5a  
range: [0,1] units: 1  
unique values: 2 missing .: 531/15022  
tabulation: Freq. Numeric Label  
13901 0 no drift  
590 1 drift present  
531 .

-----  
neo5b drift - side  
-----

type: numeric (byte)  
label: neo5b  
range: [1,2] units: 1  
unique values: 2 missing .: 14437/15022  
tabulation: Freq. Numeric Label  
383 1 right  
202 2 left  
14437 .

-----  
neo6au rigidity - rul  
-----

type: numeric (byte)  
label: neo6au  
range: [0,2] units: 1  
unique values: 3 missing .: 467/15022  
tabulation: Freq. Numeric Label  
13356 0 normal tone  
1052 1 slightly increased tone  
147 2 much increased tone  
467 .

-----  
neo6al rigidity - rll  
-----

type: numeric (byte)  
label: neo6al  
range: [0,2] units: 1  
unique values: 3 missing .: 501/15022  
tabulation: Freq. Numeric Label  
13111 0 normal tone  
1223 1 slightly increased tone  
187 2 much increased tone  
501 .



-----  
neo6bu rigidity - lul  
-----

type: numeric (byte)  
label: neo6bu  
range: [0,2] units: 1  
unique values: 3 missing .: 481/15022

tabulation:	Freq.	Numeric	Label
	13474	0	normal tone
	940	1	slightly increased tone
	127	2	much increased tone
	481	.	

-----  
neo6bl rigidity - lll  
-----

type: numeric (byte)  
label: neo6bl  
range: [0,2] units: 1  
unique values: 3 missing .: 507/15022

tabulation:	Freq.	Numeric	Label
	13162	0	normal tone
	1178	1	slightly increased tone
	175	2	much increased tone
	507	.	

-----  
neo6cu cog - rul  
-----

type: numeric (byte)  
label: neo6cu  
range: [0,2] units: 1  
unique values: 3 missing .: 499/15022

tabulation:	Freq.	Numeric	Label
	13787	0	no cogwheeling
	639	1	slight cogwheeling
	97	2	marked cogwheeling
	499	.	

-----  
neo6cl cog - rll  
-----

type: numeric (byte)  
label: neo6cl  
range: [0,2] units: 1  
unique values: 3 missing .: 536/15022

tabulation:	Freq.	Numeric	Label
	13712	0	no cogwheeling
	677	1	slight cogwheeling
	97	2	marked cogwheeling
	536	.	

-----  
neo6du cog - lul  
-----

type: numeric (byte)  
label: neo6du

range: [0,2] units: 1  
unique values: 3 missing .: 512/15022

tabulation:	Freq.	Numeric	Label
	13836	0	no cogwheeling
	586	1	slight cogwheeling
	88	2	marked cogwheeling
	512	.	

-----  
neo6dl cog - lll  
-----

type: numeric (byte)  
label: neo6dl

range: [0,2] units: 1  
unique values: 3 missing .: 534/15022

tabulation:	Freq.	Numeric	Label
	13758	0	no cogwheeling
	642	1	slight cogwheeling
	88	2	marked cogwheeling
	534	.	

-----  
domhand left or right handed?  
-----

type: numeric (byte)  
label: domhand

range: [1,2] units: 1  
unique values: 2 missing .: 550/15022

tabulation:	Freq.	Numeric	Label
	14145	1	right
	327	2	left
	550	.	

-----  
neo7a fine finger r  
-----

type: numeric (byte)  
label: neo7a

range: [0,1] units: 1  
unique values: 2 missing .: 524/15022

tabulation:	Freq.	Numeric	Label
	12807	0	no limitation in fine finger movements
	1691	1	limitation
	524	.	

-----  
neo7b fine finger 1  
-----

type: numeric (byte)  
label: neo7b

range: [0,1] units: 1  
unique values: 2 missing .: 527/15022

tabulation:	Freq.	Numeric	Label
	12751	0	no limitation in fine finger movements
	1744	1	limitation
	527	.	

-----  
neo7c alt rate r  
-----

type: numeric (byte)  
label: neo7c

range: [0,1] units: 1  
unique values: 2 missing .: 516/15022

tabulation:	Freq.	Numeric	Label
	12944	0	normal rate
	1562	1	slow
	516	.	

-----  
neo7d alt rate 1  
-----

type: numeric (byte)  
label: neo7d

range: [0,1] units: 1  
unique values: 2 missing .: 521/15022

tabulation:	Freq.	Numeric	Label
	12750	0	normal rate
	1751	1	slow
	521	.	

-----  
neo7e alt coord r  
-----

type: numeric (byte)  
label: neo7e

range: [0,1] units: 1  
unique values: 2 missing .: 526/15022

tabulation:	Freq.	Numeric	Label
	13022	0	normal coordination
	1474	1	clumsy, uncoordinated
	526	.	

-----  
neo7f alt coord 1  
-----

type: numeric (byte)  
label: neo7f, but 1 nonmissing value is not labeled

range: [0,2] units: 1  
unique values: 3 missing .: 533/15022

tabulation:	Freq.	Numeric	Label
	12680	0	normal coordination
	1807	1	clumsy, uncoordinated
	2	2	
	533	.	

-----  
hand which hand used for palm-fist-side?  
-----

type: numeric (byte)  
label: hand  
range: [1,2] units: 1  
unique values: 2 missing .: 757/15022  
tabulation: Freq. Numeric Label  
13058 1 dominant  
1207 2 non-dominant  
757 .

-----  
neo8a palm fist hand - learning  
-----

type: numeric (byte)  
label: neo8a  
range: [0,3] units: 1  
unique values: 4 missing .: 757/15022  
tabulation: Freq. Numeric Label  
4212 0 right first time  
4588 1 2-3 demonstrations  
2496 2 4-5 demonstrations  
2969 3 cannot do after 5  
757 .

-----  
neo8b palm fist hand - sequencing  
-----

type: numeric (byte)  
label: neo8b  
range: [0,3] units: 1  
unique values: 4 missing .: 759/15022  
tabulation: Freq. Numeric Label  
4725 0 5x correct  
3581 1 5x with 1 mistake  
2235 2 5x after 1 redemonstration  
3722 3 cannot do after 5x  
759 .

-----  
neo8c reciprocal coordination - learning  
-----

type: numeric (byte)  
label: neo8c  
range: [0,3] units: 1  
unique values: 4 missing .: 554/15022  
tabulation: Freq. Numeric Label  
6442 0 right first time  
3906 1 2-3 demonstrations  
1502 2 4-5 demonstrations  
2618 3 cannot do after 5  
554 .

-----  
neo8d reciprocal coordination - sequencing  
-----

type: numeric (byte)  
label: neo8d  
range: [0,3] units: 1  
unique values: 4 missing .: 551/15022

tabulation:	Freq.	Numeric	Label
	6982	0	5x correct
	3076	1	5x with 1 mistake
	1384	2	5x after 1 redemonstration
	3029	3	cannot do after 5x
	551	.	

-----  
neo11a biceps r  
-----

type: numeric (byte)  
label: neo11a  
range: [0,3] units: 1  
unique values: 4 missing .: 485/15022

tabulation:	Freq.	Numeric	Label
	3752	0	absent
	10091	1	normal
	632	2	brisk normal
	62	3	pathological brisk
	485	.	

-----  
neo11b biceps l  
-----

type: numeric (byte)  
label: neo11b  
range: [0,3] units: 1  
unique values: 4 missing .: 486/15022

tabulation:	Freq.	Numeric	Label
	3771	0	absent
	10099	1	normal
	599	2	brisk normal
	67	3	pathological brisk
	486	.	

-----  
neo11c jaw  
-----

type: numeric (byte)  
label: neo11c  
range: [0,3] units: 1  
unique values: 4 missing .: 493/15022

tabulation:	Freq.	Numeric	Label
	5332	0	absent
	8904	1	normal
	269	2	brisk normal
	24	3	pathological brisk
	493	.	

-----  
neol1d knee r  
-----

type: numeric (byte)  
label: neol1d  
range: [0,3] units: 1  
unique values: 4 missing .: 518/15022

tabulation:	Freq.	Numeric	Label
	4163	0	absent
	9465	1	normal
	732	2	brisk normal
	144	3	pathological brisk
	518	.	

-----  
neol1e knee l  
-----

type: numeric (byte)  
label: neol1e  
range: [0,3] units: 1  
unique values: 4 missing .: 518/15022

tabulation:	Freq.	Numeric	Label
	4232	0	absent
	9418	1	normal
	715	2	brisk normal
	139	3	pathological brisk
	518	.	

-----  
neol2a gait - no of steps taken to walk 10metres  
-----

type: numeric (byte)  
range: [0,90] units: 1  
unique values: 64 missing .: 1153/15022

mean: 17.5168  
std. dev: 7.45938

percentiles:	10%	25%	50%	75%	90%
	10	12	17	21	26

-----  
neol2b gait - time in seconds taken to walk 10 metres  
-----

type: numeric (int)  
range: [0,992] units: 1  
unique values: 104 missing .: 1110/15022

mean: 15.4007  
std. dev: 18.0735

percentiles:	10%	25%	50%	75%	90%
	6	9	13	18	24

-----  
neol2c arm swing r  
-----

type: numeric (byte)  
label: neol2c  
range: [0,2] units: 1  
unique values: 3 missing .: 700/15022

tabulation:	Freq.	Numeric	Label
	11391	0	normal arm swing
	2236	1	reduced arm swin
	695	2	no arm swing
	700	.	

-----  
neol3d arm swing l  
-----

type: numeric (byte)  
label: neol3d  
range: [0,2] units: 1  
unique values: 3 missing .: 699/15022

tabulation:	Freq.	Numeric	Label
	11435	0	normal arm swing
	2213	1	reduced arm swin
	675	2	no arm swing
	699	.	

-----  
neol4e ataxia  
-----

type: numeric (byte)  
label: neol4e  
range: [0,2] units: 1  
unique values: 3 missing .: 699/15022

tabulation:	Freq.	Numeric	Label
	12576	0	normal gait
	1519	1	unsteady, broad based gait
	228	2	very unsteady broad-based gait
	699	.	

-----  
neol4g bradykinesia  
-----

type: numeric (byte)  
label: neol4g  
range: [0,2] units: 1  
unique values: 3 missing .: 686/15022

tabulation:	Freq.	Numeric	Label
	11739	0	all movements normal speed
	2138	1	somewhat slow movements
	459	2	very slow movements
	686	.	

-----  
rdrift right sided drift  
-----

type: numeric (byte)  
label: rdrift

range: [0,1] units: 1  
unique values: 2 missing .: 431/15022

tabulation: Freq. Numeric Label  
14223 0 no r sided drift  
368 1 r sided drift present  
431 .

-----  
ldrift left sided drift  
-----

type: numeric (byte)  
label: ldrift

range: [0,1] units: 1  
unique values: 2 missing .: 431/15022

tabulation: Freq. Numeric Label  
14389 0 no l sided drift  
202 1 l sided drift present  
431 .

-----  
lkreflex knee reflex asymetry - brisker on left  
-----

type: numeric (byte)  
label: lkreflex

range: [0,1] units: 1  
unique values: 2 missing .: 431/15022

tabulation: Freq. Numeric Label  
14148 0 no  
443 1 yes  
431 .

-----  
rkreflex knee reflex asymetry - brisker on right  
-----

type: numeric (byte)  
label: rkreflex

range: [0,1] units: 1  
unique values: 2 missing .: 431/15022

tabulation: Freq. Numeric Label  
14083 0 no  
508 1 yes  
431 .

-----  
lbreflex biceps reflex asymetry - brisker on left  
-----

type: numeric (byte)  
label: lbreflex

range: [0,1] units: 1  
unique values: 2 missing .: 431/15022

tabulation: Freq. Numeric Label  
14213 0 no  
378 1 yes  
431 .





-----  
rswing right reduced arm swing  
-----

type: numeric (byte)  
label: rswing  
range: [0,1] units: 1  
unique values: 2 missing .: 431/15022  
tabulation: Freq. Numeric Label  
14082 0 no  
509 1 yes  
431 .

-----  
lswing left reduced arm swing  
-----

type: numeric (byte)  
label: lswing  
range: [0,1] units: 1  
unique values: 2 missing .: 431/15022  
tabulation: Freq. Numeric Label  
14147 0 no  
444 1 yes  
431 .

-----  
rffm right impaired fine finger movement  
-----

type: numeric (byte)  
label: rffm  
range: [0,1] units: 1  
unique values: 2 missing .: 431/15022  
tabulation: Freq. Numeric Label  
14303 0 no  
288 1 yes  
431 .

-----  
lffm left impaired fine finger movement  
-----

type: numeric (byte)  
label: lffm  
range: [0,1] units: 1  
unique values: 2 missing .: 431/15022  
tabulation: Freq. Numeric Label  
14249 0 no  
342 1 yes  
431 .

-----  
raltcord right impaired coordination  
-----

type: numeric (byte)  
label: raltcord  
range: [0,1] units: 1  
unique values: 2 missing .: 431/15022  
tabulation: Freq. Numeric Label  
14427 0 no  
164 1 yes  
431 .

-----  
laltcord left impaired coordination  
-----

type: numeric (byte)  
label: laltcord  
range: [0,1] units: 1  
unique values: 2 missing .: 431/15022

tabulation:	Freq.	Numeric	Label
	14090	0	no
	501	1	yes
	431	.	

-----  
lkbrisk left brisk knee reflex  
-----

type: numeric (byte)  
label: lkbrisk  
range: [0,1] units: 1  
unique values: 2 missing .: 431/15022

tabulation:	Freq.	Numeric	Label
	13736	0	no
	855	1	yes
	431	.	

-----  
rkbrisk right brisk knee reflex  
-----

type: numeric (byte)  
label: rkbrisk  
range: [0,1] units: 1  
unique values: 2 missing .: 431/15022

tabulation:	Freq.	Numeric	Label
	13715	0	no
	876	1	yes
	431	.	

-----  
lbbrisk left brisk biceps reflex  
-----

type: numeric (byte)  
label: lbbrisk  
range: [0,1] units: 1  
unique values: 2 missing .: 431/15022

tabulation:	Freq.	Numeric	Label
	13925	0	no
	666	1	yes
	431	.	

-----  
rbbrisk right brisk biceps reflex  
-----

type: numeric (byte)  
label: rbbrisk  
range: [0,1] units: 1  
unique values: 2 missing .: 431/15022

tabulation:	Freq.	Numeric	Label
	13897	0	no
	694	1	yes
	431	.	

-----  
rcva right sided cva score  
-----

type: numeric (byte)  
range: [0,12] units: 1  
unique values: 13 missing .: 767/15022  
mean: .890144  
std. dev: 1.45365  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 1 3

-----  
lcva left sided cva score  
-----

type: numeric (byte)  
range: [0,12] units: 1  
unique values: 13 missing .: 785/15022  
mean: .893236  
std. dev: 1.45909  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 1 3

-----  
lassym umn signs more prominent on left  
-----

type: numeric (byte)  
range: [0,7] units: 1  
unique values: 8 missing .: 431/15022  
tabulation: Freq. Value  
12646 0  
1501 1  
312 2  
65 3  
40 4  
14 5  
8 6  
5 7  
431 .

-----  
rassym umn signs more prominent on right  
-----

type: numeric (byte)  
range: [0,7] units: 1  
unique values: 8 missing .: 431/15022  
tabulation: Freq. Value  
12638 0  
1476 1  
358 2  
71 3  
31 4  
9 5  
4 6  
4 7  
431 .

-----  
assym evidence of umn assymetry  
-----

type: numeric (byte)  
label: assym  
range: [0,2] units: 1  
unique values: 3 missing .: 431/15022

tabulation:	Freq.	Numeric	Label
	12144	0	no assymetry
	1236	1	umn more prominent on l
	1211	2	umn more prominent on r
	431	.	

-----  
parkstep number of steps taken to cover 10 metres  
-----

type: numeric (byte)  
label: parkstep  
range: [0,2] units: 1  
unique values: 3 missing .: 789/15022

tabulation:	Freq.	Numeric	Label
	5231	0	1-14 steps
	3488	1	15-19 steps
	5514	2	20+ steps
	789	.	

-----  
parktime time taken to cover 10 metres  
-----

type: numeric (byte)  
label: parktime  
range: [0,2] units: 1  
unique values: 3 missing .: 791/15022

tabulation:	Freq.	Numeric	Label
	5720	0	1-10 seconds
	4202	1	11-15 seconds
	4309	2	16+ seconds
	791	.	

-----  
parks parkinsonism score  
-----

type: numeric (byte)  
range: [1,25] units: 1  
unique values: 24 missing .: 1033/15022

mean: 4.35964  
std. dev: 2.63614

percentiles:	10%	25%	50%	75%	90%
	1	3	4	6	8

-----  
bpsys systolic bp (average)  
-----

type: numeric (float)  
range: [60,255] units: .1  
unique values: 282 missing .: 507/15022

mean: 134.842  
std. dev: 22.3644

percentiles:	10%	25%	50%	75%	90%
	110	120	130	147.5	165

-----  
bpdias diastolic bp (average)  
-----

type: numeric (float)  
range: [30,170] units: .1  
unique values: 174 missing .: 509/15022  
mean: 79.1661  
std. dev: 13.1734  
percentiles: 10% 25% 50% 75% 90%  
60 70 80 87.5 95

-----  
whratio waist hip ratio  
-----

type: numeric (float)  
range: [.36666667,1.9565218] units: 1.000e-08  
unique values: 1795 missing .: 670/15022  
mean: .906308  
std. dev: .086537  
percentiles: 10% 25% 50% 75% 90%  
.803922 .852174 .905263 .960784 1

-----  
bpdrop systolic postural drop  
-----

type: numeric (float)  
range: [-80,107.5] units: .1  
unique values: 188 missing .: 749/15022  
mean: .997338  
std. dev: 9.09518  
percentiles: 10% 25% 50% 75% 90%  
-10 0 0 5 10

-----  
hyperten meets ish hypertension criteria?  
-----

type: numeric (byte)  
label: hyperten  
range: [0,1] units: 1  
unique values: 2 missing .: 431/15022  
tabulation: Freq. Numeric Label  
8721 0 no  
5870 1 yes  
431 .

-----  
metbp meets bp criteria for metabolic syndrome  
-----

type: numeric (byte)  
label: metbp  
range: [0,1] units: 1  
unique values: 2 missing .: 431/15022  
tabulation: Freq. Numeric Label  
6082 0 no  
8509 1 yes  
431 .

-----  
agepart age according to participant  
-----

type: numeric (int)  
range: [0,753] units: 1  
unique values: 79 missing .: 170/15022  
mean: 73.78  
std. dev: 10.367  
percentiles: 10% 25% 50% 75% 90%  
66 68 72 78 84

-----  
ageinfo age according to informant  
-----

type: numeric (int)  
range: [0,110] units: 1  
unique values: 49 missing .: 1063/15022  
mean: 73.8884  
std. dev: 7.35887  
percentiles: 10% 25% 50% 75% 90%  
66 68 73 78 84

-----  
agedoc age according to id documents  
-----

type: numeric (int)  
range: [32,110] units: 1  
unique values: 54 missing .: 1494/15022  
mean: 73.9023  
std. dev: 7.04949  
percentiles: 10% 25% 50% 75% 90%  
66 68 73 78 84

-----  
agedisc discrepancy  
-----

type: numeric (byte)  
label: agedisc  
range: [0,1] units: 1  
unique values: 2 missing .: 58/15022  
tabulation: Freq. Numeric Label  
12735 0 no  
2229 1 yes  
58 .

-----  
ageexpl discrepancy explained?  
-----

type: numeric (byte)  
label: ageexpl  
range: [0,1] units: 1  
unique values: 2 missing .: 12807/15022  
tabulation: Freq. Numeric Label  
176 0 no  
2039 1 yes  
12807 .

-----  
age1 age according to interviewer judgment  
-----

type: numeric (int)  
range: [49,104] units: 1  
unique values: 38 missing .: 12993/15022  
mean: 74.5485  
std. dev: 6.92153  
percentiles: 10% 25% 50% 75% 90%  
67 69 73 79 85

-----  
agediscy discrepancy of more than 2 years  
-----

type: numeric (byte)  
label: agediscy  
range: [0,1] units: 1  
unique values: 2 missing .: 14795/15022  
tabulation: Freq. Numeric Label  
68 0 no  
159 1 yes  
14795 .

-----  
age2 age according to life table  
-----

type: numeric (int)  
range: [65,106] units: 1  
unique values: 34 missing .: 14838/15022  
mean: 79.0435  
std. dev: 8.43673  
percentiles: 10% 25% 50% 75% 90%  
69 72 79 85 90

-----  
accstat accommodation owned or rented?  
-----

type: numeric (byte)  
label: accstat  
range: [1,2] units: 1  
unique values: 2 missing .: 23/15022  
tabulation: Freq. Numeric Label  
12874 1 owned  
2125 2 rented  
23 .

-----  
rentwk how much rent per week?  
-----

type: numeric (int)  
range: [0,7000] units: 1  
unique values: 167 missing .: 12940/15022  
mean: 184.568  
std. dev: 557.655  
percentiles: 10% 25% 50% 75% 90%  
2 6 13 50 500



-----  
rooms number of bedrooms  
-----

type: numeric (byte)  
range: [0,52] units: 1  
unique values: 28 missing .: 37/15022  
mean: 3.17311  
std. dev: 2.16277  
percentiles: 10% 25% 50% 75% 90%  
1 2 3 4 5

-----  
adults number of adults (>=16)  
-----

type: numeric (byte)  
range: [0,30] units: 1  
unique values: 11 missing .: 53/15022  
mean: 2.97775  
std. dev: 1.60399  
percentiles: 10% 25% 50% 75% 90%  
1 2 3 4 5

-----  
child number of children (<16)  
-----

type: numeric (byte)  
range: [0,9] units: 1  
unique values: 10 missing .: 570/15022  
mean: .657002  
std. dev: 1.05822  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 1 2

-----  
correll coresident 1 relationship  
-----

type: numeric (byte)  
label: correll  
range: [0,9] units: 1  
unique values: 10 missing .: 299/15022  
examples: 1 spouse  
2 son/ daughter  
2 son/ daughter  
4 brother or sister

-----  
coragel coresident 1 age  
-----

type: numeric (int)  
range: [0,103] units: 1  
unique values: 104 missing .: 1166/15022  
mean: 54.9132  
std. dev: 19.1114  
percentiles: 10% 25% 50% 75% 90%  
30 40 57 70 78

-----  
corsex1 coresident 1 gender  
-----

type: numeric (byte)  
label: corsex1

range: [1,2] units: 1  
unique values: 2 missing .: 1147/15022

tabulation: Freq.    Numeric    Label  
              7401            1    female  
              6474            2    male  
              1147            .

-----  
correl2 coresident 2 relationship  
-----

type: numeric (byte)  
label: correl2

range: [0,9] units: 1  
unique values: 10 missing .: 1816/15022

examples: 2    son/ daughter  
           3    son/ daughter-in-law  
           5    other relative  
           9    no other coresidents to code

-----  
corage2 coresident 2 age  
-----

type: numeric (int)

range: [0,104] units: 1  
unique values: 101 missing .: 4746/15022

mean: 38.6288  
std. dev: 16.2837

percentiles:            10%            25%            50%            75%            90%  
                          18            29            38            47            60

-----  
corsex2 coresident 2 gender  
-----

type: numeric (byte)  
label: corsex2

range: [1,2] units: 1  
unique values: 2 missing .: 4727/15022

tabulation: Freq.    Numeric    Label  
              5518            1    female  
              4777            2    male  
              4727            .

-----  
correl3 coresident 3 relationship  
-----

type: numeric (byte)  
label: correl3

range: [0,9] units: 1  
unique values: 10 missing .: 5212/15022

examples: 3    son/ daughter-in-law  
           5    other relative  
           9    no other coresidents to code  
           .

-----  
corage3 coresident 3 age  
-----

type: numeric (int)  
range: [0,103] units: 1  
unique values: 100 missing .: 7356/15022  
  
mean: 28.3574  
std. dev: 17.2972  
  
percentiles:           10%           25%           50%           75%           90%  
                          8           16           26           39           50

-----  
corsex3 coresident 3 gender  
-----

type: numeric (byte)  
label: corsex3  
  
range: [1,2] units: 1  
unique values: 2 missing .: 7359/15022  
  
tabulation:   Freq.   Numeric   Label  
                  3948         1   female  
                  3715         2   male  
                  7359         .

-----  
correl4 coresident 4 relationship  
-----

type: numeric (byte)  
label: correl4  
  
range: [0,9] units: 1  
unique values: 10 missing .: 7846/15022  
  
examples: 5    other relative  
          9    no other coresidents to code  
          .  
          .

-----  
corage4 coresident 4 age  
-----

type: numeric (byte)  
range: [0,100] units: 1  
unique values: 96 missing .: 9747/15022  
  
mean: 22.3682  
std. dev: 17.4785  
  
percentiles:           10%           25%           50%           75%           90%  
                          5           10           18           30           45

-----  
corsex4 coresident 4 gender  
-----

type: numeric (byte)  
label: corsex4  
  
range: [1,2] units: 1  
unique values: 2 missing .: 9748/15022  
  
tabulation:   Freq.   Numeric   Label  
                  2602         1   female  
                  2672         2   male  
                  9748         .

-----  
correl5 coresident 5 relationship  
-----

type: numeric (byte)  
label: correl5  
range: [0,9] units: 1  
unique values: 10 missing .: 10306/15022  
examples: 7 other  
.  
.  
.

-----  
corage5 coresident 5 age  
-----

type: numeric (byte)  
range: [0,99] units: 1  
unique values: 94 missing .: 11967/15022  
mean: 20.6786  
std. dev: 18.0101  
percentiles: 10% 25% 50% 75% 90%  
3 8 15 28 45

-----  
corsex5 coresident 5 gender  
-----

type: numeric (byte)  
label: corsex5  
range: [1,2] units: 1  
unique values: 2 missing .: 11970/15022  
tabulation: 

Freq.	Numeric	Label
1502	1	female
1550	2	male
11970	.	.

-----  
correl6 coresident 6 relationship  
-----

type: numeric (byte)  
label: correl6  
range: [1,9] units: 1  
unique values: 9 missing .: 12376/15022  
tabulation: 

Freq.	Numeric	Label
59	1	spouse
166	2	son/ daughter
93	3	son/ daughter-in-law
22	4	brother or sister
1091	5	other relative
12	6	friend
111	7	other
2	8	not known
1090	9	no other coresidents to code
12376	.	.

-----  
corage6coresident 6 age  
-----

type: numeric (byte)  
range: [0,96] units: 1  
unique values: 88 missing .: 13469/15022  
mean: 19.9968  
std. dev: 19.1772  
percentiles: 10% 25% 50% 75% 90%  
                  2       6       14       26       48

-----  
corsex6coresident 6 gender  
-----

type: numeric (byte)  
label: corsex6  
range: [1,2] units: 1  
unique values: 2 missing .: 13464/15022  
tabulation: Freq. Numeric Label  
                  749       1 female  
                  809       2 male  
                 13464       .

-----  
correl7coresident 7 relationship  
-----

type: numeric (byte)  
label: correl7  
range: [1,9] units: 1  
unique values: 9 missing .: 13616/15022  
tabulation: Freq. Numeric Label  
                  21       1 spouse  
                  75       2 son/ daughter  
                  46       3 son/ daughter-in-law  
                  5       4 brother or sister  
                  625       5 other relative  
                  3       6 friend  
                  36       7 other  
                  7       8 not known  
                  588       9 no other coresidents to code  
                 13616       .

-----  
corage7coresident 7 age  
-----

type: numeric (byte)  
range: [0,95] units: 1  
unique values: 74 missing .: 14206/15022  
mean: 17.1324  
std. dev: 16.4167  
percentiles: 10% 25% 50% 75% 90%  
                  2       6       12       22       40

-----  
corsex7 coresident 7 gender  
-----

type: numeric (byte)  
label: corsex7

range: [1,2] units: 1  
unique values: 2 missing .: 14200/15022

tabulation: Freq.    Numeric    Label  
              435            1    female  
              387            2    male  
             14200           .

-----  
correl8 coresident 8 relationship  
-----

type: numeric (byte)  
label: correl8

range: [1,9] units: 1  
unique values: 9 missing .: 14262/15022

tabulation: Freq.    Numeric    Label  
              8            1    spouse  
              27            2    son/ daughter  
              37            3    son/ daughter-in-law  
              5            4    brother or sister  
             349            5    other relative  
              2            6    friend  
              15            7    other  
              1            8    not known  
             316            9    no other coresidents to code  
             14262           .

-----  
corage8 coresident 8 age  
-----

type: numeric (byte)

range: [0,84] units: 1  
unique values: 62 missing .: 14579/15022

mean: 15.2664  
std. dev: 15.2206

percentiles:            10%            25%            50%            75%            90%  
                          2            5            10            21            36

-----  
corsex8 coresident 8 gender  
-----

type: numeric (byte)  
label: corsex8

range: [1,2] units: 1  
unique values: 2 missing .: 14577/15022

tabulation: Freq.    Numeric    Label  
              206            1    female  
              239            2    male  
             14577           .

-----  
correl9 coresident 9 relationship  
-----

type: numeric (byte)  
label: correl9  
range: [1,9] units: 1  
unique values: 8 missing .: 14604/15022

tabulation:	Freq.	Numeric	Label
	5	1	spouse
	17	2	son/ daughter
	10	3	son/ daughter-in-law
	4	4	brother or sister
	213	5	other relative
	14	7	other
	1	8	not known
	154	9	no other coresidents to code
	14604	.	.

-----  
corage9 coresident 9 age  
-----

type: numeric (byte)  
range: [0,92] units: 1  
unique values: 51 missing .: 14761/15022

mean: 15.295  
std. dev: 16.7734  
percentiles:      10%      25%      50%      75%      90%  
                         2            4            10          18          37

-----  
corsex9 coresident 9 gender  
-----

type: numeric (byte)  
label: corsex9  
range: [1,2] units: 1  
unique values: 2 missing .: 14757/15022

tabulation:	Freq.	Numeric	Label
	125	1	female
	140	2	male
	14757	.	.

-----  
correl10 coresident 10 relationship  
-----

type: numeric (byte)  
label: correl10  
range: [1,9] units: 1  
unique values: 7 missing .: 14764/15022

tabulation:	Freq.	Numeric	Label
	5	1	spouse
	6	2	son/ daughter
	5	3	son/ daughter-in-law
	1	4	brother or sister
	136	5	other relative
	6	7	other
	99	9	no other coresidents to code
	14764	.	.

-----  
corage10 coresident 10 age  
-----

type: numeric (byte)  
range: [0,78] units: 1  
unique values: 42 missing .: 14866/15022  
  
mean: 14.3462  
std. dev: 15.2195  
  
percentiles:           10%           25%           50%           75%           90%  
                          2            4           10           18           32

-----  
corsex10 coresident 10 gender  
-----

type: numeric (byte)  
label: corsex10  
  
range: [1,2] units: 1  
unique values: 2 missing .: 14862/15022  
  
tabulation:   Freq.   Numeric   Label  
                  79         1   female  
                  81         2   male  
                 14862       .

-----  
cars number of cars available to household  
-----

type: numeric (byte)  
  
range: [0,11] units: 1  
unique values: 9 missing .: 420/15022  
  
tabulation:   Freq.   Value  
                 11350   0  
                  2923   1  
                  230    2  
                  30    3  
                  11    4  
                  1    8  
                  2    9  
                  2   10  
                  53   11  
                  420   .

-----  
tv television in household?  
-----

type: numeric (byte)  
label: tv  
  
range: [0,1] units: 1  
unique values: 2 missing .: 52/15022  
  
tabulation:   Freq.   Numeric   Label  
                 1175         0   no  
                 13795        1   yes  
                  52           .



-----  
fridge fridge in household?  
-----

type: numeric (byte)  
label: fridge  
range: [0,1] units: 1  
unique values: 2 missing .: 57/15022  
tabulation: Freq. Numeric Label  
3002 0 no  
11963 1 yes  
57 .

-----  
water mains water in household?  
-----

type: numeric (byte)  
label: water  
range: [0,1] units: 1  
unique values: 2 missing .: 53/15022  
tabulation: Freq. Numeric Label  
2046 0 no  
12923 1 yes  
53 .

-----  
elec mains electricity in household?  
-----

type: numeric (byte)  
label: elec  
range: [0,1] units: 1  
unique values: 2 missing .: 53/15022  
tabulation: Freq. Numeric Label  
286 0 no  
14683 1 yes  
53 .

-----  
phone telephone in household?  
-----

type: numeric (byte)  
label: phone  
range: [0,1] units: 1  
unique values: 2 missing .: 52/15022  
tabulation: Freq. Numeric Label  
4209 0 no  
10761 1 yes  
52 .

-----  
bath plumbed bathroom in household?  
-----

type: numeric (byte)  
label: bath  
range: [0,1] units: 1  
unique values: 2 missing .: 57/15022  
tabulation: Freq. Numeric Label  
3465 0 no  
11500 1 yes  
57 .

-----  
age participant age in years  
-----

type: numeric (int)  
range: [65,110] units: 1  
unique values: 41 missing .: 14/15022  
mean: 73.9387  
std. dev: 6.93177  
percentiles: 10% 25% 50% 75% 90%  
66 68 73 78 84

-----  
agegrp participant age group in four bands  
-----

type: numeric (byte)  
label: agegrp  
range: [1,4] units: 1  
unique values: 4 missing .: 17/15022  
tabulation: Freq. Numeric Label  
4675 1 65-69  
4178 2 70-74  
2983 3 75-79  
3169 4 80+  
17 .

-----  
assets number of assets  
-----

type: numeric (byte)  
range: [0,7] units: 1  
unique values: 8 missing .: 18/15022  
tabulation: Freq. Value  
151 0  
317 1  
596 2  
1047 3  
1453 4  
2650 5  
6365 6  
2425 7  
18 .

-----  
nassets quarters according to number of assets  
-----

type: numeric (byte)  
label: nassets  
range: [1,4] units: 1  
unique values: 4 missing .: 18/15022  
tabulation: Freq. Numeric Label  
2274 1 1st qtr - least assets  
6054 2 2nd qtr  
3301 3 3rd qtr  
3375 4 4th qtr - most assets  
18 .

-----  
r\_spouse number of coresident spouses  
-----

type: numeric (byte)  
range: [0,3] units: 1  
unique values: 4 missing .: 0/15022

tabulation: Freq. Value  
8018 0  
6929 1  
64 2  
11 3

-----  
r\_child number of coresident children  
-----

type: numeric (byte)  
range: [0,8] units: 1  
unique values: 9 missing .: 0/15022

tabulation: Freq. Value  
5552 0  
6687 1  
1944 2  
576 3  
180 4  
64 5  
11 6  
6 7  
2 8

-----  
r\_inlaw number of coresident sons and daughters-in-law  
-----

type: numeric (byte)  
range: [0,5] units: 1  
unique values: 6 missing .: 0/15022

tabulation: Freq. Value  
11141 0  
3660 1  
192 2  
25 3  
3 4  
1 5

-----  
r\_sibs number of coresident siblings  
-----

type: numeric (byte)  
range: [0,8] units: 1  
unique values: 8 missing .: 0/15022

tabulation: Freq. Value  
14259 0  
598 1  
122 2  
27 3  
13 4  
1 5  
1 6  
1 8

-----  
r\_othrel number of coresident other relatives  
-----

type: numeric (byte)  
range: [0,10] units: 1  
unique values: 11 missing .: 0/15022  
mean: .996938  
std. dev: 1.39186  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 2 3

-----  
r\_friend number of coresident friends  
-----

type: numeric (byte)  
range: [0,6] units: 1  
unique values: 7 missing .: 0/15022  
tabulation: Freq. Value  
14789 0  
159 1  
41 2  
18 3  
9 4  
1 5  
5 6

-----  
r\_other number of coresident others  
-----

type: numeric (byte)  
range: [0,8] units: 1  
unique values: 8 missing .: 0/15022  
tabulation: Freq. Value  
13699 0  
694 1  
437 2  
126 3  
52 4  
10 5  
3 6  
1 8

-----  
r\_cores number of coresidents  
-----

type: numeric (byte)  
range: [0,10] units: 1  
unique values: 11 missing .: 0/15022  
mean: 2.87971  
std. dev: 2.05952  
percentiles: 10% 25% 50% 75% 90%  
1 1 3 4 6

-----  
reswith participant lives with  
-----

type: numeric (byte)  
label: reswith  
range: [0,8] units: 1  
unique values: 9 missing .: 0/15022

tabulation:	Freq.	Numeric	Label
	1150	0	alone
	2064	1	with spouse only
	1526	2	with one other (non-spouse) only
	1461	3	with spouse and married children
	2707	4	with spouse and unmarried children
	2218	5	no spouse - with married children
	2350	6	no spouse - with unmarried children
	546	7	with spouse and others
	1000	8	other household arrangement

-----  
packyear smoking - pack years  
-----

type: numeric (float)  
range: [0,234] units: .01  
unique values: 576 missing .: 538/15022

mean: 8.28444  
std. dev: 20.162  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 4.6 29.5

-----  
metwaist meets waist circumference criteria for metabolic syndrome  
-----

type: numeric (byte)  
label: metwaist  
range: [0,1] units: 1  
unique values: 2 missing .: 0/15022

tabulation:	Freq.	Numeric	Label
	9594	0	no
	5428	1	yes

-----  
metabol meets waist and bp criteria for metabolic syndrome  
-----

type: numeric (byte)  
label: metabol, but 1 nonmissing value is not labeled  
range: [0,2] units: 1  
unique values: 3 missing .: 431/15022

tabulation:	Freq.	Numeric	Label
	6801	0	no
	6300	1	yes
	1490	2	
	431	.	









-----  
crita24 criterion a2 (executive function)  
-----

type: numeric (byte)  
label: crita24  
range: [0,1] units: 1  
unique values: 2 missing .: 0/15022  
tabulation: Freq. Numeric Label  
10555 0 criterion not met  
4467 1 criterion met

-----  
exec reports of disturbance in executive function  
-----

type: numeric (byte)  
range: [0,4] units: 1  
unique values: 5 missing .: 0/15022  
tabulation: Freq. Value  
13001 0  
922 1  
502 2  
399 3  
198 4

-----  
impanim impaired verbal fluency  
-----

type: numeric (byte)  
label: impanim  
range: [0,1] units: 1  
unique values: 2 missing .: 0/15022  
tabulation: Freq. Numeric Label  
13406 0 not impaired  
1616 1 impaired

-----  
critota2 number of impaired cognitive domains (not including memory)  
-----

type: numeric (byte)  
range: [0,4] units: 1  
unique values: 5 missing .: 0/15022  
tabulation: Freq. Value  
10132 0  
3802 1  
652 2  
277 3  
159 4

-----  
crita2 criterion a2 (at least one other cognitive domain affected)  
-----

type: numeric (byte)  
label: crita2  
range: [0,1] units: 1  
unique values: 2 missing .: 0/15022  
tabulation: Freq. Numeric Label  
10132 0 criterion not met  
4890 1 criterion met

-----  
critb1 criterion b1 (functional impairment)  
-----

type: numeric (byte)  
label: critb1  
range: [0,1] units: 1  
unique values: 2 missing .: 0/15022  
tabulation: Freq. Numeric Label  
12076 0 criterion not met  
2946 1 criterion met

-----  
selfmem number of self-reported difficulties arising from memory impairment  
-----

type: numeric (byte)  
range: [0,4] units: 1  
unique values: 5 missing .: 0/15022  
tabulation: Freq. Value  
6106 0  
1767 1  
2262 2  
3322 3  
1565 4

-----  
memprob memory impairment causing real life difficulties?  
-----

type: numeric (byte)  
label: memprob  
range: [0,1] units: 1  
unique values: 2 missing .: 0/15022  
tabulation: Freq. Numeric Label  
5457 0 no  
9565 1 yes

-----  
genprob number of informant reported difficulties in adl/ iadl  
-----

type: numeric (byte)  
range: [0,6] units: 1  
unique values: 7 missing .: 0/15022  
tabulation: Freq. Value  
11238 0  
2430 1  
605 2  
352 3  
205 4  
125 5  
67 6

-----  
critb2 criterion b2 (decline from previous level)  
-----

type: numeric (byte)  
label: critb2  
range: [0,1] units: 1  
unique values: 2 missing .: 0/15022  
tabulation: Freq. Numeric Label  
11877 0 criterion not met  
3145 1 criterion met

-----  
critc criterion c (not delirium)  
-----

type: numeric (byte)  
label: critc  
range: [0,1] units: 1  
unique values: 2 missing .: 0/15022  
tabulation: Freq. Numeric Label  
2 0 criterion not met  
15020 1 criterion met

-----  
critd criterion d (not another mental disorder)  
-----

type: numeric (byte)  
label: critd  
range: [0,1] units: 1  
unique values: 2 missing .: 0/15022  
tabulation: Freq. Numeric Label  
3485 0 criterion not met  
11537 1 criterion met

-----  
crita criterion a (memory + one other domain cognitive impairment)  
-----

type: numeric (byte)  
label: crita  
range: [0,1] units: 1  
unique values: 2 missing .: 0/15022  
tabulation: Freq. Numeric Label  
14014 0 criterion not met  
1008 1 criterion met

-----  
critb criterion b (decline + functional impairment)  
-----

type: numeric (byte)  
label: critb  
range: [0,1] units: 1  
unique values: 2 missing .: 0/15022  
tabulation: Freq. Numeric Label  
13092 0 criterion not met  
1930 1 criterion met

-----  
dsmcrit number of dsm criteria met (4=dsmcase)  
-----

type: numeric (byte)  
range: [1,4] units: 1  
unique values: 4 missing .: 0/15022  
tabulation: Freq. Value  
2899 1  
10305 2  
1286 3  
532 4

-----  
dsmcase dsm iv dementia case  
-----

type: numeric (byte)  
label: dsmcase

range: [0,1] units: 1  
unique values: 2 missing .: 0/15022

tabulation:	Freq.	Numeric	Label
	14490	0	non-case
	532	1	case

-----  
cdem1066 education adjusted 1066 lancet dementia diagnosis  
-----

type: numeric (byte)  
label: cdem1066

range: [0,1] units: 1  
unique values: 2 missing .: 16/15022

tabulation:	Freq.	Numeric	Label
	13661	0	non-case
	1345	1	case
	16	.	

-----  
dysthym depression symptom (icd or dsm)  
-----

type: numeric (byte)  
label: dysthym

range: [0,1] units: 1  
unique values: 2 missing .: 0/15022

tabulation:	Freq.	Numeric	Label
	12353	0	criterion not met
	2669	1	criterion met

-----  
anhedon anhedonia symptom (icd or dsm)  
-----

type: numeric (byte)  
label: anhedon

range: [0,1] units: 1  
unique values: 2 missing .: 0/15022

tabulation:	Freq.	Numeric	Label
	14248	0	criterion not met
	774	1	criterion met

-----  
dsmappet appetite - dsm  
-----

type: numeric (byte)  
label: dsmappet

range: [0,1] units: 1  
unique values: 2 missing .: 0/15022

tabulation:	Freq.	Numeric	Label
	12560	0	criterion not met
	2462	1	criterion met

-----  
dsmsleep sleep - dsm  
-----

type: numeric (byte)  
label: dsmsleep

range: [0,1] units: 1  
unique values: 2 missing .: 0/15022

tabulation:	Freq.	Numeric	Label
	13606	0	criterion not met
	1416	1	criterion met

-----  
fatigue fatigue - dsm  
-----

type: numeric (byte)  
label: fatigue

range: [0,1] units: 1  
unique values: 2 missing .: 0/15022

tabulation:	Freq.	Numeric	Label
	12422	0	criterion not met
	2600	1	criterion met

-----  
dsmguilt guilt - dsm  
-----

type: numeric (byte)  
label: dsmguilt

range: [0,1] units: 1  
unique values: 2 missing .: 0/15022

tabulation:	Freq.	Numeric	Label
	14748	0	criterion not met
	274	1	criterion met

-----  
dsmconc concentration - dsm  
-----

type: numeric (byte)  
label: dsmconc

range: [0,1] units: 1  
unique values: 2 missing .: 0/15022

tabulation:	Freq.	Numeric	Label
	13206	0	criterion not met
	1816	1	criterion met

-----  
dsmsuic suicidal ideation - dsm  
-----

type: numeric (byte)  
label: dsmsuic

range: [0,1] units: 1  
unique values: 2 missing .: 0/15022

tabulation:	Freq.	Numeric	Label
	14164	0	criterion not met
	858	1	criterion met



-----  
dsmdisab                    dsm disability (whodas score). one or more = criteria met  
-----

type: numeric (byte)  
range: [0,8]                    units: 1  
unique values: 9                    missing .: 0/15022

tabulation: Freq. Value  
              10833 0  
              1320 1  
              886 2  
              625 3  
              469 4  
              310 5  
              229 6  
              176 7  
              174 8

-----  
majdep    dsm iv major depression  
-----

type: numeric (byte)  
label: majdep  
range: [0,1]                    units: 1  
unique values: 2                    missing .: 0/15022

tabulation: Freq. Numeric Label  
              14606            0 non-case  
              416              1 case

-----  
icdcata    number of icd category a symptoms  
-----

type: numeric (byte)  
range: [0,3]                    units: 1  
unique values: 4                    missing .: 0/15022

tabulation: Freq. Value  
              10545 0  
              3190 1  
              1008 2  
              279 3

-----  
icdconc    concentration - icd  
-----

type: numeric (byte)  
label: icdconc  
range: [0,1]                    units: 1  
unique values: 2                    missing .: 0/15022

tabulation: Freq. Numeric Label  
              12912            0 criterion not met  
              2110              1 criterion met

-----  
icdconf    confidence - icd  
-----

type: numeric (byte)  
label: icdconf  
range: [0,1]                    units: 1  
unique values: 2                    missing .: 120/15022

tabulation: Freq. Numeric Label  
              14019            0 criterion not met  
              883               1 criterion met  
              120               .

-----  
icdguilt guilt - icd  
-----

type: numeric (byte)  
label: icdguilt

range: [0,1] units: 1  
unique values: 2 missing .: 119/15022

tabulation: Freq. Numeric Label  
14176 0 criterion not met  
727 1 criterion met  
119 .

-----  
icdfutur pessimism - icd  
-----

type: numeric (byte)  
label: icdfutur

range: [0,1] units: 1  
unique values: 2 missing .: 0/15022

tabulation: Freq. Numeric Label  
13412 0 criterion not met  
1610 1 criterion met

-----  
icdsuic suicidal ideation - icd  
-----

type: numeric (byte)  
label: icdsuic

range: [0,1] units: 1  
unique values: 2 missing .: 0/15022

tabulation: Freq. Numeric Label  
14175 0 criterion not met  
847 1 criterion met

-----  
icdsleep sleep - icd  
-----

type: numeric (byte)  
label: icdsleep

range: [0,1] units: 1  
unique values: 2 missing .: 125/15022

tabulation: Freq. Numeric Label  
10631 0 criterion not met  
4266 1 criterion met  
125 .

-----  
icdappet appetite - icd  
-----

type: numeric (byte)  
label: icdappet

range: [0,1] units: 1  
unique values: 2 missing .: 118/15022

tabulation: Freq. Numeric Label  
13068 0 criterion not met  
1836 1 criterion met  
118 .



-----  
icdcatb number of icd category b symptoms  
-----

type: numeric (byte)  
range: [0,7] units: 1  
unique values: 8 missing .: 147/15022

tabulation: Freq. Value  
8092 0  
3523 1  
1855 2  
854 3  
354 4  
153 5  
35 6  
9 7  
147 .

-----  
icdmild icd10 mild depressive episode  
-----

type: numeric (byte)  
label: icdmild  
range: [0,1] units: 1  
unique values: 2 missing .: 0/15022

tabulation: Freq. Numeric Label  
14702 0 non-case  
320 1 case

-----  
icdmod icd10 moderate depressive episode  
-----

type: numeric (byte)  
label: icdmod  
range: [0,1] units: 1  
unique values: 2 missing .: 0/15022

tabulation: Freq. Numeric Label  
14560 0 non-case  
462 1 case

-----  
icdsev icd10 severe depressive episode  
-----

type: numeric (byte)  
label: icdsev  
range: [0,1] units: 1  
unique values: 2 missing .: 0/15022

tabulation: Freq. Numeric Label  
14905 0 non-case  
117 1 case

-----  
icddep any icd10 depressive episode  
-----

type: numeric (byte)  
label: icddep  
range: [0,1] units: 1  
unique values: 2 missing .: 0/15022

tabulation: Freq. Numeric Label  
14123 0 non-case  
899 1 case

-----  
mciadl meets petersen adl criterion  
-----

type: numeric (byte)  
label: mciadl  
range: [0,1] units: 1  
unique values: 2 missing .: 0/15022  
tabulation: Freq. Numeric Label  
2289 0 adl limitation  
12733 1 no adl limitation

-----  
mcidem meets petersen dementia criterion  
-----

type: numeric (byte)  
label: mcidem  
range: [0,1] units: 1  
unique values: 2 missing .: 16/15022  
tabulation: Freq. Numeric Label  
1379 0 dementia  
13627 1 free of dementia  
16 .

-----  
mciarit number of mci criteria met  
-----

type: numeric (byte)  
range: [0,4] units: 1  
unique values: 5 missing .: 0/15022  
tabulation: Freq. Value  
127 0  
1253 1  
9384 2  
3956 3  
302 4

-----  
mci petersen criteria amnestic mci (pure  
amnestic, and 'amnestic plus' together  
-----

type: numeric (byte)  
label: mci  
range: [0,1] units: 1  
unique values: 2 missing .: 0/15022  
tabulation: Freq. Numeric Label  
14720 0 does not meet mci criteria  
302 1 meets mci criteria

-----  
rel2plus a score of two or more on csi'd' relscore  
-----

type: numeric (byte)  
label: rel2plus  
range: [0,1] units: 1  
unique values: 2 missing .: 31/15022  
tabulation: Freq. Numeric Label  
11163 0 no  
3828 1 yes  
31 .



-----  
centreid study centre identifier  
-----

type: numeric (byte)  
label: centreid  
range: [1,13] units: 1  
unique values: 11 missing .: 0/15022  
examples: 2 dr  
3 peru (urban)  
6 mexico (urban)  
11 china (rural)

-----  
smitot subjective memory impairment symptom score (from gms)  
-----

type: numeric (byte)  
range: [0,7] units: 1  
unique values: 8 missing .: 243/15022  
tabulation: Freq. Value  
5863 0  
1748 1  
2223 2  
3055 3  
1373 4  
280 5  
115 6  
122 7  
243 .

-----  
smicase significant subjective memory impairment (3+ on the gms smi scale)  
-----

type: numeric (byte)  
label: smicase  
range: [0,1] units: 1  
unique values: 2 missing .: 246/15022  
tabulation: Freq. Numeric Label  
9831 0 no  
4945 1 yes  
246 .

-----  
recall 10 word list learning delayed recall  
-----

type: numeric (float)  
range: [0,10] units: .001  
unique values: 23 missing .: 0/15022  
mean: 4.34266  
std. dev: 2.29775  
percentiles: 10% 25% 50% 75% 90%  
1 3 4 6 7

-----  
relscore informant csi'd' score  
-----

type: numeric (float)  
range: [0,30] units: 1.000e-08  
unique values: 148 missing .: 31/15022  
mean: 1.85713  
std. dev: 3.43525  
percentiles: 10% 25% 50% 75% 90%  
0 0 1 2 5

-----  
inc\_govp any income from government pension  
-----

type: numeric (byte)  
label: inc\_govp  
range: [0,1] units: 1  
unique values: 2 missing .: 0/15022  
tabulation: Freq. Numeric Label  
10572 0 no  
4450 1 yes

-----  
inc\_occp any income from occupational pension  
-----

type: numeric (byte)  
label: inc\_occp  
range: [0,1] units: 1  
unique values: 2 missing .: 0/15022  
tabulation: Freq. Numeric Label  
11200 0 no  
3822 1 yes

-----  
inc\_disp any income from disability pension  
-----

type: numeric (byte)  
label: inc\_disp  
range: [0,1] units: 1  
unique values: 2 missing .: 0/15022  
tabulation: Freq. Numeric Label  
14908 0 no  
114 1 yes

-----  
inc\_fami any income from family transfers  
-----

type: numeric (byte)  
label: inc\_fami  
range: [0,1] units: 1  
unique values: 2 missing .: 0/15022  
tabulation: Freq. Numeric Label  
12438 0 no  
2584 1 yes

-----  
inc\_rent any income from rent  
-----

type: numeric (byte)  
label: inc\_rent  
range: [0,1] units: 1  
unique values: 2 missing .: 0/15022  
tabulation: Freq. Numeric Label  
14380 0 no  
642 1 yes

-----  
inc\_work any income from paid work  
-----

type: numeric (byte)  
label: inc\_work  
range: [0,1] units: 1  
unique values: 2 missing .: 0/15022  
tabulation: Freq. Numeric Label  
14054 0 no  
968 1 yes

-----  
inc\_othe any income from other sources  
-----

type: numeric (byte)  
label: inc\_othe  
range: [0,1] units: 1  
unique values: 2 missing .: 0/15022  
tabulation: Freq. Numeric Label  
14596 0 no  
426 1 yes

-----  
inc\_pens type of pension received  
-----

type: numeric (byte)  
label: inc\_pens  
range: [0,3] units: 1  
unique values: 4 missing .: 0/15022  
tabulation: Freq. Numeric Label  
7048 0 none  
4152 1 government pension only  
3524 2 occupational pension only  
298 3 both government and occupational  
pensions

-----  
inc\_anyp any government or occupational pension received?  
-----

type: numeric (byte)  
label: inc\_anyp  
range: [0,1] units: 1  
unique values: 2 missing .: 0/15022  
tabulation: Freq. Numeric Label  
7048 0 no  
7974 1 yes

-----  
countryi country identifier  
-----

type: numeric (byte)  
label: countryi  
range: [1,8] units: 1  
unique values: 7 missing .: 0/15022

tabulation:	Freq.	Numeric	Label
	2944	1	cuba
	2011	2	dr
	1933	3	peru
	1965	4	venezuela
	2003	5	mexico
	2162	7	china
	2004	8	india

-----  
smokstat current smoking status (never/ ex/ current smoker)  
-----

type: numeric (byte)  
label: smokstat  
range: [0,2] units: 1  
unique values: 3 missing .: 91/15022

tabulation:	Freq.	Numeric	Label
	9440	0	never smoked
	3047	1	ex-smoker
	2444	2	current smoker
	91	.	

-----  
packyr20 20 or more packyears  
-----

type: numeric (byte)  
label: packyr20  
range: [0,1] units: 1  
unique values: 2 missing .: 452/15022

tabulation:	Freq.	Numeric	Label
	12480	0	less than 20 pack years of smoking
	2090	1	20 or more packyears of smoking
	452	.	

-----  
nskcirc quarters of skull circumference  
-----

type: numeric (byte)  
label: nskcirc, but 2 nonmissing values are not labeled  
range: [1,4] units: 1  
unique values: 4 missing .: 706/15022

tabulation:	Freq.	Numeric	Label
	3227	1	quarter with the smallest skulls
	4366	2	
	2699	3	
	4024	4	quarter with the largest skulls
	706	.	

-----  
nleg quarters of leg length  
-----

type: numeric (byte)  
label: nleg, but 2 nonmissing values are not labeled  
range: [1,4] units: 1  
unique values: 4 missing .: 978/15022

tabulation:	Freq.	Numeric	Label
	3464	1	quarter with the shortest legs
	3469	2	
	3747	3	
	3364	4	quarter with the longest legs
	978	.	

-----  
illnocat number of limiting physical impairments - in three groups  
-----

type: numeric (byte)  
label: illnocat  
range: [0,2] units: 1  
unique values: 3 missing .: 44/15022

tabulation:	Freq.	Numeric	Label
	6375	0	no illnesses
	6294	1	one to two illnesses
	2309	2	three or more illnesses
	44	.	

-----  
illdic number of limiting physical impairments - dichotomised  
-----

type: numeric (byte)  
label: illdic  
range: [0,1] units: 1  
unique values: 2 missing .: 44/15022

tabulation:	Freq.	Numeric	Label
	12669	0	2 or less
	2309	1	three or more
	44	.	

-----  
muchcare needs much care?  
-----

type: numeric (byte)  
label: muchcare  
range: [0,1] units: 1  
unique values: 2 missing .: 374/15022

tabulation:	Freq.	Numeric	Label
	13879	0	no
	769	1	yes
	374	.	

-----  
cdrcare cdr dependency domain score  
-----

type: numeric (byte)  
range: [0,3] units: 1  
unique values: 4 missing .: 0/15022

tabulation:	Freq.	Value
	14819	0
	74	1
	37	2
	92	3



-----  
cdrchore cdr household activities domain score  
-----

type: numeric (float)  
range: [0,3] units: .1  
unique values: 5 missing .: 0/15022

tabulation: Freq. Value  
13248 0  
180 .5  
1246 1  
277 2  
71 3

-----  
cdrjudge cdr judgment domain score  
-----

type: numeric (float)  
range: [0,3] units: .1  
unique values: 5 missing .: 0/15022

tabulation: Freq. Value  
12669 0  
1011 .5  
788 1  
385 2  
169 3

-----  
cdrorien cdr orientation domain score  
-----

type: numeric (byte)  
range: [0,3] units: 1  
unique values: 4 missing .: 0/15022

tabulation: Freq. Value  
13132 0  
1291 1  
131 2  
468 3

-----  
cdrmem cdr memory domain score  
-----

type: numeric (float)  
range: [0,3] units: .1  
unique values: 5 missing .: 0/15022

tabulation: Freq. Value  
8314 0  
5482 .5  
489 1  
487 2  
250 3

-----  
cdrcomm cdr community domain score  
-----

type: numeric (float)  
range: [0,3] units: .1  
unique values: 5 missing .: 0/15022

tabulation: Freq. Value  
13898 0  
440 .5  
397 1  
131 2  
156 3

-----  
cdr clinical dementia rating score  
-----

type: numeric (float)  
label: cdr, but 1 nonmissing value is not labeled  
range: [0,3] units: .1  
unique values: 5 missing .: 0/15022

tabulation:	Freq.	Numeric	Label
	8199	0	no dementia (0)
	5609	.5	
	847	1	mild dementia (1)
	266	2	moderate dementia (2)
	101	3	severe dementia (3)

-----  
cdrbox clinical dementia rating 'sum of boxes' score  
-----

type: numeric (float)  
range: [0,18] units: .1  
unique values: 32 missing .: 0/15022

mean: .955632  
std. dev: 2.13961

percentiles:	10%	25%	50%	75%	90%
	0	0	.5	1	2.5

-----  
agegrp2 age in six bands  
-----

type: numeric (byte)  
label: agegrp2  
range: [1,6] units: 1  
unique values: 6 missing .: 17/15022

tabulation:	Freq.	Numeric	Label
	4675	1	65-69
	4178	2	70-74
	2983	3	75-79
	1799	4	80-84
	964	5	85-89
	406	6	90+
	17	.	

-----  
recall\_o 10 word recall before imputation of mv  
-----

type: numeric (byte)  
range: [0,10] units: 1  
unique values: 11 missing .: 19/15022

mean: 4.34173  
std. dev: 2.29841

percentiles:	10%	25%	50%	75%	90%
	1	3	4	6	7







-----  
cdemrev 10/66 dementia by cdr severity  
-----

type: numeric (byte)  
label: cdemrev  
range: [0,4] units: 1  
unique values: 5 missing .: 16/15022

tabulation:	Freq.	Numeric	Label
	13688	0	no dementia
	425	1	cdr 'questionable' dementia
	536	2	cdr 'mild' dementia
	256	3	cdr 'moderate' dementia
	101	4	cdr 'severe' dementia
	16	.	.

-----  
region region - latin america/ china/ india  
-----

type: numeric (byte)  
label: region  
range: [1,3] units: 1  
unique values: 3 missing .: 0/15022

tabulation:	Freq.	Numeric	Label
	10856	1	la
	2162	2	china
	2004	3	india

-----  
medservn number of community medical service  
providers accessed in last three months  
-----

type: numeric (byte)  
range: [0,3] units: 1  
unique values: 4 missing .: 0/15022

tabulation:	Freq.	Value
	7647	0
	6061	1
	1205	2
	109	3

-----  
medserv any community medical services accessed in the last three months?  
-----

type: numeric (byte)  
label: medserv  
range: [0,1] units: 1  
unique values: 2 missing .: 0/15022

tabulation:	Freq.	Numeric	Label
	7647	0	no community medical services accessed
	7375	1	one or more community medical services accessed

-----  
euro1 euro-d 1 - depression  
-----

type: numeric (byte)  
label: euro1

range: [0,1] units: 1  
unique values: 2 missing .: 225/15022

tabulation: Freq.    Numeric    Label  
              9299            0    symptom absent  
              5498            1    symptom present  
              225            .

-----  
euro3 euro-d 3 - wishing death  
-----

type: numeric (byte)  
label: euro3

range: [0,1] units: 1  
unique values: 2 missing .: 200/15022

tabulation: Freq.    Numeric    Label  
              13081           0    symptom absent  
              1741           1    symptom present  
              200            .

-----  
euro4 euro-d 4 - guilt  
-----

type: numeric (byte)  
label: euro4

range: [0,1] units: 1  
unique values: 2 missing .: 307/15022

tabulation: Freq.    Numeric    Label  
              13988           0    symptom absent  
              727            1    symptom present  
              307            .

-----  
euro6 euro-d 6 - interest  
-----

type: numeric (byte)  
label: euro6

range: [0,1] units: 1  
unique values: 2 missing .: 288/15022

tabulation: Freq.    Numeric    Label  
              13341           0    symptom absent  
              1393           1    symptom present  
              288            .

-----  
euro8 euro-d 8 - appetite  
-----

type: numeric (byte)  
label: euro8

range: [0,1] units: 1  
unique values: 2 missing .: 239/15022

tabulation: Freq.    Numeric    Label  
              12947           0    symptom absent  
              1836           1    symptom present  
              239            .

-----  
euro9 euro-d 9 - fatigue  
-----

type: numeric (byte)  
label: euro9  
range: [0,1] units: 1  
unique values: 2 missing .: 275/15022  
tabulation: Freq. Numeric Label  
10634 0 symptom absent  
4113 1 symptom present  
275 .

-----  
euro10 euro-d 10 - concentration  
-----

type: numeric (byte)  
label: euro10  
range: [0,1] units: 1  
unique values: 2 missing .: 2015/15022  
tabulation: Freq. Numeric Label  
10897 0 symptom absent  
2110 1 symptom present  
2015 .

-----  
euro12 euro-d 12 - tearfulness  
-----

type: numeric (byte)  
label: euro12  
range: [0,1] units: 1  
unique values: 2 missing .: 228/15022  
tabulation: Freq. Numeric Label  
10759 0 symptom absent  
4035 1 symptom present  
228 .

-----  
euro5 euro-d 5 - sleep  
-----

type: numeric (byte)  
label: euro5  
range: [0,1] units: 1  
unique values: 2 missing .: 257/15022  
tabulation: Freq. Numeric Label  
10499 0 symptom absent  
4266 1 symptom present  
257 .

-----  
euro2 euro-d 2 - pessimism  
-----

type: numeric (byte)  
label: euro2  
range: [0,1] units: 1  
unique values: 2 missing .: 243/15022  
tabulation: Freq. Numeric Label  
11405 0 symptom absent  
3374 1 symptom present  
243 .



-----  
euro7 euro-d 7 - irritability  
-----

type: numeric (byte)  
label: euro7  
range: [0,1] units: 1  
unique values: 2 missing .: 248/15022  
tabulation: Freq. Numeric Label  
11292 0 symptom absent  
3482 1 symptom present  
248 .

-----  
euro11 euro-d 11 - enjoyment  
-----

type: numeric (byte)  
label: euro11  
range: [0,1] units: 1  
unique values: 2 missing .: 297/15022  
tabulation: Freq. Numeric Label  
13498 0 symptom absent  
1227 1 symptom present  
297 .

-----  
eurodmv euro-d missing values  
-----

type: numeric (byte)  
range: [0,12] units: 1  
unique values: 13 missing .: 0/15022  
mean: .320996  
std. dev: 1.42948  
percentiles: 10% 25% 50% 75% 90%  
0 0 0 0 1

-----  
eurodtot euro-d total score  
-----

type: numeric (byte)  
range: [0,12] units: 1  
unique values: 13 missing .: 276/15022  
mean: 2.28238  
std. dev: 2.44328  
percentiles: 10% 25% 50% 75% 90%  
0 0 2 4 6

-----  
eurocase euro-d probable depression case (>=4)  
-----

type: numeric (byte)  
label: eurocase  
range: [0,1] units: 1  
unique values: 2 missing .: 276/15022  
tabulation: Freq. Numeric Label  
10760 0 score of 3 or less on euro-d  
3986 1 score of 4 or more on euro-d  
276 .



-----  
rural rural or urban site  
-----

type: numeric (byte)  
label: rural  
range: [0,1] units: 1  
unique values: 2 missing .: 0/15022  
tabulation: Freq. Numeric Label  
11469 0 urban  
3553 1 rural

-----  
houseid2 unique houseid  
-----

type: numeric (long)  
range: [101001,1300888] units: 1  
unique values: 12135 missing .: 0/15022  
mean: 561240  
std. dev: 406267  
percentiles: 10% 25% 50% 75% 90%  
106148 203426 502722 1.0e+06 1.2e+06

-----  
popvar weighting variable for stata direct standardisation  
-----

type: numeric (byte)  
range: [1,1] units: 1  
unique values: 1 missing .: 0/15022  
tabulation: Freq. Value  
15022 1

-----  
dd15plus 15 or more disability days in the last month  
-----

type: numeric (byte)  
label: dd15plus  
range: [0,1] units: 1  
unique values: 2 missing .: 961/15022  
tabulation: Freq. Numeric Label  
11999 0 14 or fewer disability days in  
the last month  
2062 1 15 or more disability days in  
the last month  
961 .

-----  
parthint arthritis problem - causing at least some difficulty  
-----

type: numeric (byte)  
label: parthint  
range: [0,1] units: 1  
unique values: 2 missing .: 61/15022  
tabulation: Freq. Numeric Label  
11631 0 no  
3330 1 yes  
61 .







